




WOOD'S
LEPIDOPTERA







55132/2/2




55132/13/2

This work is I think a specimen
of excellent work. Those who
even do not know the many insects
by sight the work has such abundant
evidence of general accuracy of
delineation that they will feel
confident in trusting it for
guidance even to the minute
shading of an insect.


The pencil notes & occasional
corrections are those of myself
who originally subscribed & who
was a great authority & had himself
made a very fine collection &
one of the most perfect if not the
most perfect collection in Eng^l
he died 1859 having previously

Given his collection to a man
who had trusted him with
his trust instead of leaving it
(as was suggested) to one of the
learned Societies or museums -

The manner that of a
mercenary had probably soon
disposed the Coll^y for its value -
Edw



John Walker
Church House
Charterfield
Co. Dubuque



L

74304

Index Entomologicus ;
OR,
A COMPLETE
ILLUSTRATED CATALOGUE,
CONSISTING OF 1944 FIGURES,
OF THE
LEPIDOPTEROUS INSECTS
OF
GREAT BRITAIN

By W. WOOD, F.R.S. & L.S.

AUTHOR OF ZOOGRAPHY, GENERAL CONCHOLOGY, INDEX TESTACEOLOGICUS,
LINNEAN GENERA OF INSECTS, ETC.



LONDON:
WILLIAM WOOD, 39 TAVISTOCK STREET, COVENT GARDEN.
1839.



PRINTED BY RICHARD AND JOHN E. TAYLOR,
RED LION COURT, FLEET STREET.

P R E F A C E.

OUR object in the present undertaking is to incorporate in one Volume octavo a Catalogue of all the known Insects of the order Lepidoptera inhabiting Great Britain; illustrated throughout with figures, reduced, where necessary, to a small size, but with a degree of accuracy that will enable the Entomologist to fix at once upon any particular species he may wish to define.

The utility of such an undertaking, if properly conducted, will be readily acknowledged, as we have no Work that figures even a quarter of the species known at present to inhabit this country. Any book, therefore, must become important to the Entomologist, that will comprise an accurate figure of every species of insect included in the Order to which it belongs.

It may be objected, that to combine so much in so small a space it may be necessary to reduce the figures till we lose the essential character. This, however, has by no means been the case. None of the insects have been reduced to less than an inch, and some hundreds are of the natural size.

With reference to the Plates, it may not be improper to remark, that they have been entirely executed by the same artist (Mr. W. Wood, Jun.), whose accurate figures are already before the public in the Illustration of the *Index Testaceologicus*, or Catalogue of British and Foreign Shells, which comprises 2780 figures of distinct species.

No pains have been spared to make the figures perfectly accurate; and to accomplish this most essential purpose, re-

course (where possible) has always been had to the Insect, which has been drawn by the graver immediately on the copper, without the intervention of any copy.

The Systematic Catalogue of British Insects by Mr. Stephens has been the guide throughout the Work; but where the generic names have been subsequently altered in the Illustrations of British Entomology, the alterations are constantly noticed in the third column.

It was originally intended strictly to confine the Work to one figure only of each species; nor was this plan departed from till after the first Plate was finished, and the second and third in progress. It was then observed that the great dissimilarity between the Male and Female of several species amongst the Butterflies, made it quite necessary to figure some of the latter. This has caused an unavoidable confusion in the numbering of the second and third Plates; but it is presumed that the benefit arising from the deviation will more than counterbalance the apparent defect. It must be observed, that where the Male and Female are both figured, the number is always repeated. Thus, in Pl. II. 40 *a* + the male; 40 the female: again, Pl. II. 58 *a* + the male; 58 Pl. III. the female.

Each page of the work (as in the *Index Testaceologicus*) is divided into columns. The first column contains the Linnæan names, to be found in the twelfth edition of the *Systema Naturæ*:—the names printed in Italics mark the species discovered since the time of Linnæus. The second column contains the English names. The third, the synonyms of British Authors, and the new genera as adopted by Mr. Stephens and others. The high numbers preceding each generic name in small capitals refer to the Systematic Catalogue of British Insects, (where the Lepidoptera begin with No. 5794,)* and

* Where no such number precedes the name, the Insect has been discovered since the publication of the Catalogue in 1829.

the name to the species in the first column: Thus *Gonepteryx Rhamni* of Stephens is the *Papilio Rhamni* of Linnæus; The *Colias Europome* of Stephens is not a Linnæan species, being printed in Italics; The *Colias Hyale* of Stephens is the *Papilio Hyale* of Linnæus, and so on. The fourth column gives the Habitat of the Insect, and the time of the year when it may be found.

As a guide to the comparative size of the different Insects, a mark or a letter of the Alphabet is added after the number engraved on the Plate. Thus *a* indicates an insect an inch and a quarter wide; *a +* an inch and a half; *a †* an inch and three quarters; *b* two inches; *c* three inches, and so on: *n* denotes insects of the natural size; and *m* such as are magnified. For example: in Pl. I., fig. 1. is three inches and three quarters wide when expanded; fig. 2. two inches and a half; fig. 70. Pl. III. is the natural size, and all in Pl. XLIII. are magnified.

The great expense attending works on Natural History, where the subjects are accurately drawn and coloured, has in a considerable degree confined the sale to persons of opulence, and prevented that general access to figures which is so essential to the promotion of the science. In the present Work this objection is removed, since the figures, (excepting those on royal paper,) though drawn and coloured with the greatest possible care, do not exceed one penny each!

It now only remains for us gratefully to acknowledge the ready assistance we have received from several scientific gentlemen, and most especially from J. F. Stephens, Esq., to whom we cannot sufficiently express our thanks for his unwearied assistance throughout the work, and for the liberal manner in which he placed his invaluable Collection at our service, notwithstanding the risk of injury occasioned by the removal of the different Insects from Camberwell to London.

To the kindness of J. G. Children, Esq., of the British

Museum, we are much indebted, not only for a ready access to his Collection, but also for permission to refer to his valuable Entomological Library.

To John Curtis, Esq., we are also greatly indebted for permission to make drawings from any of his rare and beautiful specimens we might require, and occasionally to use his most elegant work on the Genera of Insects found in Great Britain and Ireland.

We have sincerely to thank Messrs. Bentley and Chant for the loan of many very fine specimens of the British Lepidoptera from their valuable Cabinets; and our acknowledgements are also due to Edward Newman, Esq., for the use of some of the very rare British species.

Tavistock-street, Covent Garden.

ABBREVIATIONS.

- A.* Albin's Natural History of English Insects.
C. Curtis's British Entomology.
D. Donovan's Natural History of British Insects.
H. Harris's Aurelian, or Natural History of English Insects; namely, Moths and Butterflies.
L. Lewin's Papilios of Great Britain.
St. Stephens's Illustrations of British Entomology:—Haustellata.
W. Wilkes's English Moths and Butterflies.

DIRECTIONS TO THE BINDER.

Pl.	Page.	Pl.	Page.
1. }		28.....	to face 126
2. }	to face 10	29. }	136
3. }		30. }	140
4.....	14	31.....	148
5. }		32. }	158
6. }	28	33. }	168
7. }		34. }	172
8. }	38	35. }	178
9. }		36. }	182
10. }	48	37. }	186
11. }		38.....	192
12. }		39.....	196
13. }	64	40.....	202
14.....		41.....	206
15. }	72	42.....	212
16. }		43.....	222
17. }	80	44.....	228
18. }		45.....	238
19.....	84	46.....	242
20. }	94	47. }	254
21. }		48. }	
22. }		49.....	
23. }	108	50. }	
24. }		51. }	
25. }		52.....	
26. }	122	53. }	
27. }		54. }	

ERRATA.

- Page 8, *for* 63 *Asis*, *read* 63 *Acis*.
 — 11, *for* 3 *Trifolii*, *read* 3 *Loti*.
 — 11, *for* 4 *Loti*, *read* 4 *Trifolii*.
 — 12, *for* 8 *Populi*, *read* 8 *Tiliae*.
 — 12, *for* 9 *Tiliae*, *read* 9 *Populi*.
 — 12, *for* 15 *Galli*, *read* 15 *Galii*.
 — 16, 3rd col., *after* 5951 *Cossus*, *add* *Ligniperda*.
 — 22, *after* 49 *Castrensis*, *add* *M. & F.*
 — 53, *for* 259 *Leucipara*, *read* *Lucipara*.
 — 68, *for* 373 *Geminipunctata*, *read* 373 *Geminipuncta*.
 — 70, *for* 386 *Fiscina*, *read* 386 *Fissina*.
 — 70, *for* 389 *Thapsiphaga*, *read* 389 *Solidaginis*.
 — 71, *for* 397 *Percontationis*, *read* 397 *Iota*.
 — 71, *for* 398 *Iota*, *read* 398 *Percontationis*.
 — 72, *for* 405 *Aurichalcea*, *read* *Orichalcea*.
 — 74, 424, 3rd col., *after* *St. 3*, p. 116, *add* *Euphasia*.
 — 78, *for* $\begin{Bmatrix} 454 \\ 455 \end{Bmatrix}$ *Carbonaria*, *read* $\begin{Bmatrix} 454 \\ 455 \end{Bmatrix}$ *Atomaria M. & F.*
 — 84, *for* 505 *Distrigaria*, *read* 505 *Destrigaria*.
 — 89, *for* 539 *Purpuraria*, *read* 539 *Gilvaria F.*
 — 93, *for* 567 *Substriata*, *read* 567 *Subtristata*.
 — 97, *for* 596 *Performata*, *read* 596 *Præformata*.
 — 98, *for* 611 *Elutata*, *read* 611 *Elatata*.
 — 108, *for* 690 *Cæciata*, *read* 690 *Cæsiata*.
 — 108, *for* 691 *Flavicincta*, *read* 691 *Flavicinctata*.
 — 112, *for* 719 *Degeneraria*, *read* 719 *Contiguaria*.
 — 112, *for* 720 *Contiguaria*, *read* 720 *Degeneraria*.
 — 118, 764, 3rd col., *add* *St. 4*, p. 15.
 — 134, *for* 887 *Betulatana*, *read* *Betuletana*.
 — 138, 913, *under* *St. 4*, p. 97, *add* 6915.
 — 139, *for* 927 *Puncticostata*, *read* 927 *Puncticostana*.
 — 144, *for* 962 *Nigromaculata*, *read* 962 *Nigromaculana*.
 — 148, *for* 999 *Sinuana*, *read* 999 *Obsoletana*.
 — 148, *for* 1003 *Obsoletana*, *read* 1003 *Sinuana*.
 — 148, *for* 1004 *Rutifasciana*, *read* 1004 *Rectifasciana*.
 — 155, *for* 1057 *Fulvovittana*, *read* 1057 *Cristalana*.
 — 155, *for* 1058 *Cristalana*, *read* 1058 *Fulvovittana*.
 — 163, 3rd col., *for* *Argyrotosa*, *read* *Argyrotoza*.
 — 165, 1132, 3rd col., *for* *Rhyacionia*, *read* *Carpocapsa*.
 — 167, *for* 1145 *Griceana*, *read* *Griseana*.
 — 172, *for* 1182 *Costata*, *read* *Costosa*.
 — 181, *for* 1252 *Oliviella*, *read* *Sulphurella*.
 — 182, *for* 1253 *Sulphurella*, *read* *Oliviella*.
 — 185, *for* 1277 *Echiella*, *read* *Pusiella*.
 — 185, *for* 1278 *Pusiella*, *read* *Echiella*.
 — 185, *for* 1279 *Dodecca*, *read* *Dodocea*.
 — 189, *for* $\begin{Bmatrix} 1304 \\ 1306 \end{Bmatrix}$ *Ossea*, *read* $\begin{Bmatrix} 1304 \\ 1306 \end{Bmatrix}$ *Aphelosetia Subocellea*, *St. 4*, p. 290.
 — 201, 1390 and 1391, 3rd col., *for* *Harfagus*, *read* *Harpagus*.
 — 208, *for* 1443 *Pyrallella*, *read* *Pyralella*.
 — 213, 3rd col., *for* *Onocera*, *read* *Oncocera*.
 — 217, *for* 1502 *Cerncellus*, *read* *Cerusellus*.
 — 222, *for* 1544 *Vitellus*, *read* *Vittellus*.
 — 229, *for* 1585 *Lerzella*, *read* *Luzella*.
 — 233, *for* 1615 *Ochreacea*, *read* *Ochracea*.

LIST OF SUBSCRIBERS.

AMHERST, Lady Sarah, Grosvenor-street.

Austen, G., Esq., Temple, F.L.S.

Austin, G., Esq., Canterbury.

Bedford, His Grace the Duke of, K.G. F.L.S. F.A.S. & H.S.

Babington, Charles C., Esq., M.A. F.L.S. F.G.S. & C.P.S.

Baker, Creswell, Mrs.

Bain, Mr. 3 copies.

Baillière, Mr., Regent Street.

Bartlett, W., Esq.

Bathurst, Charles, Esq., Lydney Park. 2 copies.

Bell, Thomas, Esq., F.R.S. & F.L.S. Professor of Zoology, King's College, London.

Bell, Rev. J., Congleton.

Bentley, Mr.

Bennett, Mr. W.

Bennett, Rev. W., Canterbury.

Beck, C., Esq.

Beck, C. W., Esq.

Bland, M., Esq., F.R.S. F.A.S. F.L.S. F.G.S. Hastings.

Blake, Lady.

Blythe, Mr. John.

Breadnell, —, Esq.

Braikenridge, G. W., Esq., F.S.A. &c.

Bromfield, Dr., F.L.S., Ryde. 2 copies.

Brown, J., Esq.

Brown, Rev. Mr.

Buney, H., Esq.

Burney, Rev. Charles Parr, D.D. F.R.S. F.L.S. F.S.A. F.G.S.
F.R.A.S. M.R.A.S. M.R.S.L., Greenwich.

Butlery, John, Esq.

Butler, Mr. Joseph.

Children, J. G., Esq., F.R.S. L. & E. F.S.A. F.L.S. & F.G.S., British Museum.

Chapman, Mr., York. 5 copies.

Christy, W., jun., Esq.
 Conway, —, Esq.
 Cotling, F. J., Esq.
 Crewe, Rev. H. R.
 Curtis, J., Esq., F.L.S. Hon. M.A.S. Oxf., Robert Street, Hampstead Road. 3 copies.
 Currie and Bowman, Messrs., Newcastle. 5 copies.
 Cust, Miss E.

Dale, J. C., Esq., F.L.S.
 De Jersey, P. Frederick, M.D. F.L.S.
 Dossetor, T. P., Esq.
 Drummond, Rev. Heneage.

Edwards, Mrs.
 Edwards, Dr., Canterbury.
 Edwards, Mr. 3 copies.
 Englehart, N. B., Esq.
 Everett, W., Esq.

Fielding, G. H., Esq., Hull.
 Fisher, Marshall, Esq., Ely.
 Fisher, J. Esq., Hull.
 Fiennes, The Hon. T.
 Foljambe, T. T., Esq., Retford.
 Freeland, F. E., Esq.

Galway, Lady.
 Garden, Rev. J. L.
 Goodall, Rev. Joseph, D.D. Provost of Eton, F.L.S. F.A.S. H.S., &c.
 Graham, J. E., Esq., the Sheet near Ludlow.
 Gray, J. E., Esq., F.R.S. F.G.S. & F.R.G.S., British Museum.
 Grey, Mr. W., St. Petersburg.
 Grantham, H., Esq.
 Griffith, Edward, Esq., F.R.S. F.S.A. & F.L.S., Gray's Inn Square.
 Guillemard, J., Esq., M.A. F.R.S. F.L.S. F.G.S. M.R.A.S., Gower Street.

Hale, R. B., Esq., Alderley.
 Hall, T. B., Esq., Woodside, near Liverpool.
 Hamilton, Lady, Iping, Sussex.
 Harrison, T., Esq., F.L.S. F.H.S., Alpha Road.
 Harrison, Robert, Esq., Hull.
 Harris, Mr., St. Paul's Churchyard.
 Harrison, W., Esq., Cheshunt.
 Hervey, Miss, Deal.
 Heysham, D. C., Esq., Carlisle.
 Heales, G. S., Esq., Doctor's Commons.
 Hely, Gorges, Esq., Johnstown, Ireland.

Hodgkinson, —, Esq., Carlisle.
 Hodgson, Miss, Boston, Lincolnshire.
 Hudson, R., Esq., F.R.S. F.G.S., Clapham Common.
 Hurst, J. C., Esq., F.L.S., Dartford.

Image, Rev. J., Dulwich College.
 Johnson, Rev. W.
 Jones, Mrs., Bedfont Vicarage.

King, John, Esq.
 Kirkman, Thomas, Esq., Manchester.

Lang, Dr.
 Leach, —, Esq.
 Lockey, Rev. F., Bath.
 Longman and Co. 12 copies.

Marryat, Miss, Wimbledon.
 Martin, Mr.
 Mercier, F., Esq., 70, Torrington Square.
 Meynell, Thomas, Esq., jun., North Kilvington Hall, Thirsk.
 Miles, F., Esq., Sidmouth, Devon.
 Morgan, Mr., Crown Court, Old Broad Street.
 Morgan, O., Esq., Pall Mall.
 Mossop, Rev. J., Loreth.

Norwich, The Lord Bishop of, D.D. P.L.S., &c., 38 Brook Street.
 Norris, Thomas, Esq.

Peckover, A., Esq., Wisbeach.
 Perry, W. G., Esq., Warwick.
 Phillips, Edward, Esq.
 Phillips, N., Esq.
 Poore, Sir Edward, Bart., Cuffnalls, Lyndhurst, Hants.
 Powell, J. H., Esq., Hengrave Hall.
 Preston, Rev. J. D. J., Beechfield, Doncaster.

Radcliffe Library, Oxford.
 Rackett, Rev. Thomas, M.A. F.R.S. F.L.S. & A.S., Upper Gower Street.
 Richardson, Mr., Cornhill.
 Rivington, Messrs., Waterloo Place. 4 copies.
 Robinson, Esq.
 Robinson, Rev. J. M., Barrington, Cambridge.
 Roake, Mr., Strand.
 Rudge, E., Esq., F.R.S. F.L.S. & A.S., Wimpole Street.
 Rudd, Rev. G. T., M.A.

Scarborough, Countess of, Portman Square.

Savory, A. B., Esq., Stamford Hill.
Setchell, Mr., King Street.
Simpkin and Marshall, Messrs. 50 copies.
Solly, R. H., Esq., M.A., F.R.S. F.S.A. F.L.S. F.G.S., 48 Great
Ormond Street.
Spurrell, F., Esq.
Stephens, J. F., Esq., F.L.S. &c., Camberwell.
Steggall, Rev. W., Bury St. Edmund's.
Streatfield, Rev. John, Margate.
Sullivan, L., Esq., War Office.

Thynne, Lady John, St. James's Square.
Thackeray, Rev. Dr., F.L.S. F.C.P.S., Provost of King's College,
Cambridge.
Thompson, C. I., Esq., F.L.S., Hanover Square.

Wales, Mr., Newcastle.
Wainright, A., Esq.
Walker, John, Esq., Chesterfield, Derbyshire.
Walford, Rev. W.
Walker, Mr., Strand. 2 copies.
Walton, —, Esq.
Walther, Mr., Piccadilly. 2 copies.
West, W., Esq., Forster Lane.
Weatherhead, J. R., Esq., Wisbeach.
Williams, Miss Gregory.
Woolley, W., Esq., Hull.

Young, James, Esq.

CATALOGUE

OF THE

LEPIDOPTEROUS INSECTS OF GREAT BRITAIN.

I. PAPILIO. BUTTERFLY.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Machaon</i>	Swallow-tail	<i>W. t.</i> 93. <i>H. t.</i> 36. <i>D.</i> 6, <i>t.</i> 211. <i>L. t.</i> 34. <i>St.</i> 1, <i>p.</i> 16. 5794 <i>PAPILIO</i> .	Fenny places. Norfolk and Cambridge- shire. End of May.
2 <i>Rhamni</i>	Brimstone	<i>W. t.</i> 94. <i>L. t.</i> 31. <i>D.</i> 5, <i>t.</i> 145. <i>C. 4, t.</i> 173. <i>St.</i> 1, <i>p.</i> 8. 5796 <i>GONEPTERYX</i> .	Woods and road- sides. June to Autumn.
3 <i>Europome</i>	Clouded Sul- phur	<i>St.</i> 1, <i>p.</i> 10, <i>t.</i> 1*, <i>f.</i> 1, 2, 3. 5797 <i>COLIAS</i> .	Meadows, rare.
4 <i>Chrysothe- me</i> .	Small Clouded Yellow	<i>St.</i> 1, <i>p.</i> 11, <i>t.</i> 2*, <i>f.</i> 1, 2. 5799 <i>COLIAS</i> .	Meadows in Nor- folk. Sept.
5 <i>Edusa</i> .	Clouded Yel- low	<i>H. t.</i> 29, <i>f. n. m.</i> <i>L. t.</i> 32. <i>D.</i> 7, <i>t.</i> 238, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 12. & 145. 5800 <i>COLIAS</i> .	Meadows, &c., near Ipswich in Suffolk, and Devonshire. Middle of Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
6 Hyale	Pale Clouded Yellow	<i>L. t. 33. D. 7, t. 238, f. 1. C. 6, t. 242. St. 1, p. 13. 5801 COLIAS.</i>	Meadows on the S.E. coast. August.
7 Brassicæ	Large garden White	<i>W. t. 96. L. t. 25. D. 13, t. 446. St. 1, p. 15. 5802 PONTIA.</i>	Gardens. May to August.
8 Chariclea	Great White	<i>A. t. 1. St. 1, p. 17, t. 3*, f. 1, 2. 5803 PONTIA.</i>	Meadows and gardens. Apr.
9 Rapæ	Small White	<i>A. t. 51. W. t. 97. L. t. 26. St. 1, p. 18. 5804 PONTIA.</i>	Gardens. May to August.
10 Metra	Mr. Howard's White	<i>St. 1, p. 19. & App. 146. 5805 PONTIA.</i>	Gardens. End of March and April.
11 Napi	Green-veined White	<i>A. t. 52, f. d—g. W. t. 98. L. t. 27. D. 8, t. 280, f. 1. St. 1, p. 20. 5806 PONTIA.</i>	Gardens, woods, and thickets. May to July.
12 Sabellicæ	Early green-veined White	<i>St. 1, p. 22, t. 3*, f. 3, 4. 5808 PONTIA.</i>	Gardens. April.
13 Daplidice	Green-checked White	<i>L. t. 28. D. 6, t. 200. C. 1, t. 48. St. 1, p. 2. 5809 PONTIA.</i>	Dover Cliffs. May and August.
14 Cardamines	Orange-tip	<i>W. t. 99. H. t. 32, f. f. i. L. t. 30. D. 5, t. 169. St. 1, p. 23. & App. 147. 5810 PONTIA.</i>	Woods and lanes. Suffolk and Devonshire. End of May.
15 Sinapis	White Wood	<i>H. t. 29, f. t—u. L. t. 29. D. 8, t. 280, f. 2. St. 1, p. 24. & App. 147. 5811 LEUCOPHASIA.</i>	Woods in Kent, Essex, &c. May to August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Cratægi</i>	Black-veined White	<i>A. t. 2, f. 2, a—d. W. t. 95.</i> <i>H. t. 9, f. g—k. L. t. 24.</i> <i>D. 13, t. 454. C. 8, t. 360.</i> <i>St. 1, p. 27.</i> 5812 <i>PIERIS.</i>	New Forest, Hampshire. June.
17 <i>Lucina</i>	Duke of Bur- gundy Fri- tillary	<i>H. t. 27, f. n. o. L. t. 15.</i> <i>D. 7, t. 242, f. 2. C. 7,</i> <i>t. 316. St. 1, p. 29. &</i> <i>App. 147.</i> 5815 <i>NEMEOBIUS.</i>	Woods and hedges. Cam- bridgeshire, Suffolk, and Essex. May and June.
18 <i>Athalia.</i> Underside, <i>pl. 3, f. 1.</i>	Heath, pearl- bordered likeness	<i>W. t. 112. H. t. 38, f. f. g.</i> <i>L. t. 14, f. 5, 6. St. 1, p. 30.</i> 5816 <i>MELITÆA.</i>	Woods & heaths. End of May.
19 <i>Artemis</i>	Greasy Fri- tillary	<i>W. t. 114. H. t. 28, f. e—i.</i> <i>L. t. 15. St. 1, p. 32.</i> 5819 <i>MELITÆA.</i>	Meadows in Suf- folk, &c. May.
20 <i>Cinxia,</i> Underside, <i>pl. 3, f. 2.</i>	Glanville Fri- tillary	<i>W. t. 111. H. t. 16, f. a—f.</i> <i>L. t. 14. D. 7, t. 242, f. 1.</i> <i>St. 1, p. 33.</i> 5820 <i>MELITÆA.</i>	Isle of Wight. Dover. June.
21 <i>Selene,</i> Underside, <i>pl. 3, f. 3.</i>	Small pearl- border Fri- tillary	<i>H. t. 31, f. i. k. L. t. 13.</i> <i>St. 1, p. 34.</i> 5823 <i>MELITÆA.</i>	Heaths & woods, Essex, and Devonshire. May and June.
22. <i>Euphrosy-</i> ne. Underside, <i>pl. 3, f. 4.</i>	Pearl-bordered Fritillary	<i>H. t. 40, f. e. f. L. t. 13.</i> <i>D. 11, t. 312. C. 8, t. 386.</i> <i>St. 1, p. 35, & App. 147.</i> 5824 <i>MELITÆA.</i>	Heaths & woods. Essex and De- vonshire. May.
23 <i>Lathonia</i>	Queen of Spain Fritillary	<i>L. t. 12. D. 3, t. 73. St. 1,</i> <i>p. 36.</i> 5825 <i>ARGYNNIS.</i>	Woods. Cam- bridgeshire, Dover Cliffs, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
24 Adippe. Underside, <i>pl. 3, f. 5.</i>	High Brown Fritillary	<i>H. t. 28, f. a, d. L. t. 10.</i> <i>D. 13, t. 448. St. 1, p. 38.</i> 5827 ARGYNNIS.	Woods in Suffolk, Essex, &c. July.
25 Aglaia. Underside, <i>pl. 3, f. 6.</i>	Dark-green Fritillary	<i>W. t. 115. H. t. 26, f. o. p.</i> <i>L. t. 11. D. 9, t. 302.</i> <i>St. 1, p. 39.</i> 5828 ARGYNNIS.	Heaths, &c. Suffolk, Essex, &c.
26 Paphia	Silver-washed Fritillary	<i>W. t. 110. H. t. 34, f. k—u.</i> <i>L. t. 9. D. 7, t. 247.</i> 5829 ARGYNNIS.	Woods in Essex, &c. July.
27 C. Album	Comma	<i>A. t. 54. W. t. 109. H. t. 1,</i> <i>f. a—d. L. t. 5. D. 6,</i> <i>t. 199. St. 1, p. 42.</i> 5830 VANESSA.	Gardens and thickets, Suffolk. July and August.
28 Polychloros	Large Tortoise-shell	<i>A. t. 55. W. t. 108. L. t. 2.</i> <i>D. 8, t. 278. St. 1, p. 42.</i> 5831 VANESSA.	Roads and lanes. Essex, Suffolk, &c. July.
29 Urticæ	Small Tortoise-shell	<i>A. t. 4, f. 6. W. t. 107. H.</i> <i>t. 2, f. i—n. L. t. 3. D. 2,</i> <i>t. 55. St. 1, p. 43. & 148.</i> 5832 VANESSA.	Gardens, hedges, &c. July to September.
30 Io	Peacock	<i>A. t. 4, f. 5. W. t. 106. H.</i> <i>t. 3, f. f—k. L. t. 4. D. 6,</i> <i>t. 206. St. 1, p. 44</i> 5833 VANESSA.	Woods, roadsides, &c. May to July.
31 Antiopa	Camberwell Beauty	<i>W. t. 113. H. t. 12, f. a—c.</i> <i>L. t. 1. D. 3, t. 89. St. 1,</i> <i>p. 45.</i> 5834 VANESSA.	Woods in Surrey, on the oak; also near Norwich. May.
32 Atalanta	Red Admiral	<i>A. t. 3. W. t. 105. H. t. 6,</i> <i>f. a—h. L. t. 7. D. 8,</i> <i>t. 260. St. 1, p. 46.</i> 5835 VANESSA.	Woods, &c. Devonshire. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
33 Cardui	Painted Lady	<i>A. t.</i> 56. <i>W. t.</i> 107, <i>f.</i> 1. <i>H. t.</i> 11, <i>f.</i> a— <i>f.</i> <i>L. t.</i> 6. <i>D. 9, t.</i> 292. <i>St. 1, p.</i> 47. 5836 CYNTHIA.	Fields and gardens, Middlesex, &c. June and July.
34 Iris	Purple Emperor	<i>W. t.</i> 120. <i>H. t.</i> 3, <i>upp. fig.</i> <i>L. t.</i> 16. <i>D. 2, t.</i> 37. <i>C. 8,</i> <i>t.</i> 338. <i>St. 1, p.</i> 50. 5839 APATURA.	Woods: on the oak. Middlesex, Essex, &c. July.
35 Camilla	White Admiral	<i>H. t.</i> 30, <i>f. m. n.</i> <i>L. t.</i> 8. <i>D. 8, t.</i> 244. <i>C. 3, t.</i> 124. <i>St. 1, p.</i> 52. 5841 LIMENITIS.	New Forest, Hampshire; woods in Sussex, &c. July.
36 Ægeria	Speckled Wood	<i>W. t.</i> 103. <i>H. t.</i> 41, <i>f. f. f. K.</i> <i>L. t.</i> 19. <i>D. 14, t.</i> 498. <i>St. 1, p.</i> 54. 3843 HIPPARCHIA.	Woods and hedges, Suffolk. April, June, August.
37 Megæra	Wall	<i>W. t.</i> 102. <i>H. t.</i> 27, <i>f. a—g.</i> <i>L. t.</i> 21. <i>D. 8, t.</i> 279. <i>St. 1, p.</i> 55. 3845 HIPPARCHIA.	Woods and roadsides. May, July, August.
38 Semele, M. and F.	Grayling	<i>H. t.</i> 44, <i>f. d. e.</i> <i>L. t.</i> 17. <i>D. 8, t.</i> 259. <i>St. 1, p.</i> 56. 5848 HIPPARCHIA.	Heaths, &c. Suffolk, Essex, Devonshire. July.
39 Galathea	Marbled White	<i>W. t.</i> 100. <i>H. t.</i> 11, <i>f. g—k.</i> <i>L. t.</i> 28. <i>D. 8, t.</i> 258. <i>St.</i> <i>1, p.</i> 57. 5849 HIPPARCHIA.	Moist woods. Essex. July.
40 Tithonus, M. and F.	Large Heath	<i>H. t.</i> 44, <i>f. f. g.</i> <i>L. t.</i> 22. <i>D.</i> <i>12, t.</i> 405. <i>St. 1, p.</i> 58. 5850 HIPPARCHIA.	Woods and commons. July.
41 Janira, M. and F.	Meadow Brown	<i>A. t.</i> 53, <i>f. a—e.</i> <i>W. t.</i> 101. <i>H. t.</i> 32, <i>f. a—e.</i> <i>L. t.</i> 18. <i>D. 9, t.</i> 320. <i>St. 1, p.</i> 59. 5851 HIPPARCHIA.	Woods and meadows. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
42 <i>Ligea</i> , M. and F. Underside, <i>pl. 3, f. 8.</i>	Arran Argus	<i>St. 1, p. 61, t. 6, f. 1, 2, 3.</i> 5852 HIPPARCHIA.	Isle of Arran. July.
43 <i>Blandina</i> . Underside, <i>pl. 3, f. 7.</i>	Scotch Argus	<i>D. 12, t. 426. St. 1, p. 62.</i> 5853 HIPPARCHIA.	Isle of Arran. June.
44 <i>Cassiope</i>	Mountain Ringlet	<i>St. 1, p. 63, t. 8, f. 1, 2, 3.</i> 5854 HIPPARCHIA.	Mountains, Cumberland. June.
45 <i>Hyperan- thus</i>	Ringlet	<i>H. t. 35, f. f. h. L. t. 20.</i> <i>D. 8, t. 271. St. 1, p. 60.</i> 5856 HIPPARCHIA.	Woods, Devon- shire. End of June.
46 <i>Polydama</i> , M. and F.	Scarce Heath	<i>St. 1, p. 64, t. 7, f. 1, 2.</i> 5857 HIPPARCHIA.	Marshes, York- shire. July.
47 <i>Davus</i>	Small Ringlet	<i>L. t. 23, f. 5, 6. D. 7, t. 186.</i> <i>St. 1, p. 67.</i> 5858 HIPPARCHIA.	Marshes. July.
48 <i>Hero</i>	Silver border- ed Ringlet	<i>C. 5, t. 205. St. 1, p. 68,</i> <i>& App. 149.</i> 5859 HIPPARCHIA	Ashdown Fo- rest. June and July.
49 <i>Pamphilus</i> , M. and F.	Small Heath	<i>H. t. 21, f. e—h. L. t. 23,</i> <i>f. 3, 4. St. 1, p. 69.</i> 5861 HIPPARCHIA	Heaths, &c. De- vonshire, &c. June, Septem- ber.
50 <i>Betulæ</i>	Brown Hair- streak	<i>A. t. 5, f. 7. W. t. 117. H.</i> <i>t. 42, f. b. c. f. g. L.</i> <i>t. 42. D. 8, t. 250.</i> 5862 THECLA.	Woods, Suffolk and Devon. August.
51 <i>Pruni</i> . Underside, <i>pl. 3, f. 10.</i>	Dark Hair- streak	<i>C. 6. t. 264. St. 2, p. 69. note.</i> 5862* THECLA.	Woods. Hunt- ingdonshire. June.

PAPILIO.

7

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
52 <i>W. album</i> . Underside, <i>pl. 3, f. 11.</i>	Black Hair- streak	<i>L. t. 44. D. 13, t. 437.</i> <i>St. 2, p. 69. note.</i> 5863 THECLA.	Gardens and hedges. June.
53 <i>Spini</i>	Pale brown Hair-streak	<i>St. 1, p. 78.</i> 5864 THECLA.	Norfolk. July.
54 <i>Quercus</i>	Purple Hair- streak	<i>A. t. 52, f. a—c. W. t. 116.</i> <i>H. t. 10, f. a—g. L.</i> <i>t. 43. D. 13, t. 460. St. 1.</i> <i>p. 76, & App. 149.</i> 5865 THECLA.	Tops of oaks: Essex, &c. July.
55 <i>Rubi</i>	Green Hair- streak	<i>A. t. 5, f. 8. W. t. 118. H.</i> <i>t. 26, f. a. b. d. g. L.</i> <i>t. 44. D. 13, t. 443.</i> 5866 THECLA.	Woods and hedges, De- vonshire. June, August.
56 <i>Phlæas</i>	Common Cop- per	<i>H. t. 34, f. p. L. t. 41.</i> <i>D. 13, t. 466.</i> 5867 LYCÆNA.	Commons, road- sides, &c. April, June, and August.
57 <i>Chryseis</i>	Purple-edged Copper	<i>St. 1, p. 80.</i> 5868 LYCÆNA.	Marshes. Essex and Sussex. Autumn.
58 <i>Hippothoë</i> , Dark under- <i>M. pl. 2.</i> winged <i>F. pl. 3.</i> Copper		<i>St. 1, p. 82.</i> 5807 LYCÆNA.	Marshes, Cam- bridgeshire. July.
59 <i>Dispar</i> , <i>M. and F.</i> <i>pl. 3.</i>	Large Copper	<i>L. t. 40. D. 7, t. 217. C. 1,</i> <i>t. 12. St. 1, p. 81.</i> 5869 LYCÆNA.	Marshes, Suf- folk. July.
60 <i>Virgaureæ</i> , Scarce Copper <i>M. and F.</i> <i>pl. 3.</i>		<i>L. t. 41, f. 1, 2. D. 5, t. 173.</i> <i>St. 1, p. 83.</i> 5871 LYCÆNA.	Marshes, Isle of Ely.
61 <i>Argiolus</i>	Azure Blue	<i>L. t. 36, f. 4, 5, 6. D. 14, t. 481.</i> <i>St. 1, p. 85, & App. 149.</i> 5872 POLYOMMATUS.	Meadows, Mid- dlesex, &c. May to Aug.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
62 <i>Alsus</i>	Small Blue	<i>L. t. 39, f. 3, 4. D. 9, t. 322. f. 1. St. 1, p. 86, & App. 149.</i> 5873 <i>POLYOMMATUS.</i>	Fields, Surrey, Kent, &c. Ma to July.
63 <i>A^cus</i>	Mazarine Blue	<i>L. t. 38, f. 6, 7. St. 1, p. 86, & App. 149.</i> 5874 <i>POLYOMMATUS.</i>	Chalk soils, Kent. May to July.
64 <i>Arion</i> , M. and F. pl. 3.	Large Blue	<i>L. t. 37. D. 6, t. 184. St. 1, p. 87.</i> 5875 <i>POLYOMMATUS.</i>	Commons, Kent, Surrey, &c.
65 <i>Corydon</i>	Chalk-hill Blue	<i>L. t. 36. "D. 7, t. 236, f. 1. St. 1, p. 88.</i> 5877 <i>POLYOMMATUS.</i>	Chalk-pits near Dartford. July.
66 <i>Adonis</i>	Clifden Blue	<i>L. t. 38, f. 1-3. D. 4, t. 143, f. 1. St. 1, p. 89.</i> 5878 <i>POLYOMMATUS.</i>	Dover Cliffs, & Chalky places, Kent. May to August.
67 <i>Dorylas</i>	Light Blue	<i>St. 1, p. 90.</i> 5879 <i>POLYOMMATUS.</i>	Hills in Wales. June and July.
68 <i>Icarius</i> , M. and F. pl. 3.	Black-border- ed Blue	<i>St. 1, p. 91.</i> 5880 <i>POLYOMMATUS.</i>	Kent. June.
69 <i>Alexis</i> , M. and F. pl. 3.	Common Blue	<i>W. t. 119. H. t. 39, f. g. i. L. t. 38. D. 4, t. 143. St. 1. p. 91.</i> 5881 <i>POLYOMMATUS.</i>	Pastures, Suf- folk, Devon- shire, &c. May to Aug.
70 <i>Eros</i> , M. and F. pl. 3.	Pale Blue	<i>St. 1, p. 93.</i> 5882 <i>POLYOMMATUS.</i>	Lanes, Surrey and Kent. July.
71 <i>Argus</i>	Silver studded Blue	<i>L. t. 39, f. 5-7. St. 1, p. 93.</i> 5883 <i>POLYOMMATUS.</i>	Fields and marshes, Suf- folk. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Agestis</i> . Underside, <i>pl.</i> 3. <i>f.</i> 9.	Brown Argus	<i>L. t.</i> 39, <i>f.</i> 1, 2. <i>D.</i> 9, <i>t.</i> 322, <i>f.</i> 2. 5884 <i>POLYOMMATUS</i> .	Chalky districts, and birds' nests. Kent and Surrey.
73 <i>Salmacis</i> , M. and F. Underside, <i>pl.</i> 3. <i>f.</i> 12.	Durham Argus	<i>St.</i> 1, <i>p.</i> 94. <i>POLYOMMATUS</i> .	Castle Eden Dean, Dur- ham.
74 <i>Artaxerxes</i> . Underside, <i>pl.</i> 3. <i>f.</i> 13.	Scotch Argus	<i>L. t.</i> 39, <i>f.</i> 3, 9. <i>D.</i> 16, <i>t.</i> 541. <i>St.</i> 1, <i>p.</i> 95. 5885 <i>POLYOMMATUS</i> .	Meadows. Scot- land. June.
75 <i>Alveolus</i>	Grizzled	<i>W. t.</i> 104? <i>H. t.</i> 32, <i>f.</i> k n. <i>L. t.</i> 46, <i>f.</i> 3, 9. <i>St.</i> 1, <i>p.</i> 97. 5887 <i>THYMELE</i> .	Heaths, &c. May and Au- gust.
76 <i>Tages</i>	Dingy Skipper	<i>H. t.</i> 34, <i>f.</i> f. o. <i>L. t.</i> 45, <i>f.</i> 3, 4. <i>St.</i> 1, <i>p.</i> 98. 5889 <i>THYMELE</i> .	Heaths, woods, &c. Middle- sex and Suf- folk. May and August.
77 <i>Paniscus</i>	Chequered Skipper	<i>D.</i> 3, <i>t.</i> 254, <i>f.</i> 1. <i>St.</i> 1, <i>p.</i> 160. 5891 <i>PAMPHILA</i> .	Woody places. End of May.
78 <i>Linea</i>	Small Skipper	<i>H. t.</i> 42, <i>f.</i> 1. <i>L. t.</i> 45, <i>f.</i> 5-7. <i>D.</i> 7, <i>t.</i> 236, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 101. 5893 <i>PAMPHILA</i> .	Margins of woods. July.
79 <i>Actæon</i>	Lulworth Skipper	<i>C.</i> 10. <i>t.</i> 442. <i>PAMPHILA</i> .	Dorsetshire. August.
80 <i>Sylvanus</i>	Large Skipper	<i>H. t.</i> 42, <i>f.</i> h. <i>L. t.</i> 46. <i>f.</i> 1-3. <i>D.</i> 8, <i>t.</i> 254, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 101. 5894 <i>PAMPHILA</i> .	Woods. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
81 Comma	Pearl Skipper	<i>L. t. 45, f. 1, 2. D. 9, t. 295.</i> <i>St. 1, t. 102.</i> 3895 PAMPHILA.	Chalky soils. Sussex. Au- gust.
82 <i>Bucephalus</i>	Large-headed Skipper	<i>St. 1, p. 102, t. 10, f. 2.</i> 5896 PAMPHILA.	Devonshire and Surrey. July.

PAPILIO.

Pl. I



1c†



2b+



3b



4b†



5b



6b



7b†



8b†



9b



10a†



11a†



12a†



13b



14a†



15a†



16b†



17a



18a†



19a†



20a†



21a†



22a†



23a†



24b



25b



26b†



27b



28b†



29a†



30b



31c



32b†



33b



34b†




35b



36a†

W. H. Red Jan.





37 a †



38 b



39 b



40 a †



40



41 a †



41



38



43 a †



42 a †



42



44 a



45 a †



50 a †



51 a



52 a



46 a.



54 a †



55 a



46



47 a †



48 a



49 a



49



61 a



62 n



63 a



53 n



65 a



66 a



56 a



57 a



67 a




58 a †



71 a



72 n




PAPILIO.


Pl. 3



UNDERSIDES.



W. Wood Junr



II. SPHINX. HAWK MOTH.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Statice</i>	Green Forester	<i>H. t. 34, f. a—f. D. 6, t. 204, f. 2. C. 9, t. 396. St. 1, p. 105. 5898 INO.</i>	Woods and meadows; Kensington Gardens; Essex, Hertfordshire, &c. June.
2 <i>Meliloti</i>	Pale 5-spot Burnet	<i>St. 1, p. 107. 5900 ANTHROCERA.</i>	West Horsley Park, Surrey. June and July.
<i>Lote</i> 3 <i>Trifolii</i>	Broad-bordered 5-spot Burnet	<i>St. 1, p. 108. 5902 ANTHROCERA.</i>	Middlesex, Devonshire, near Newcastle, &c. June.
<i>Trifolii</i> 4 <i>Lota</i>	5-spot Burnet	<i>D. 9, t. 319. St. 1, p. 109. 5903 ANTHROCERA.</i>	Middlesex, Kent. June.
5 <i>Filipendulæ</i>	6-spotted Burnet	<i>W. t. 91. upper fig. H. t. 1, f. c—h. D. 1, t. 6. St. 1, p. 111. 5905 ANTHROCERA.</i>	Fields and meadows by wood-sides, in Middlesex, Devonshire, S. Wales, &c. June and July.
6 <i>Hippocrepidis</i>	Narrow-bordered 6-spot Burnet	<i>St. 1, p. 110. 5904 ANTHROCERA.</i>	Middlesex, Surrey, near Coombe Wood. June.
7 <i>Ocellata</i>	Eyed Willow	<i>W. t. 24. A. t. 8. H. t. 5, f. a—c. D. 8, t. 269. St. 1, p. 112. 5907 SMERINTHUS.</i>	Middlesex, in Battersea-fields; Essex, on Epping Forest, &c. May and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
<i>Salix</i> 8 Populi	<i>Salix</i> Poplar	<i>A.t.</i> 57. <i>W.t.</i> 25. <i>H.t.</i> 33, <i>f.</i> a—g. <i>D.</i> 7, <i>t.</i> 241. <i>St.</i> 1, <i>p.</i> 112. 5908 SMERINTHUS.	Meadows in Devonshire, Cambridgeshire, &c. June and July.
<i>Populi</i> 9 Tiliæ	<i>Populus</i> Lime	<i>A.t.</i> 10. <i>W.t.</i> 23. <i>H.t.</i> 20, <i>f.</i> a—g. <i>D.</i> 10, <i>t.</i> 325. <i>St.</i> 1, <i>p.</i> 113. 5909 SMERINTHUS.	Woods and meadows, Middlesex, Essex, &c. May and June.
10 Atropis	Death's-head	<i>A.t.</i> 6. <i>W.t.</i> 19. <i>H.t.</i> 37. <i>D.</i> 9, <i>t.</i> 289. <i>St.</i> 1, <i>p.</i> 114. 5910 ACHERONTIA.	Yorkshire, Cambridgeshire. October.
11 Convolvuli	Bind-weed	<i>W.t.</i> 20 & 21. <i>H.t.</i> 21, <i>a</i> — <i>d.</i> <i>D.</i> 7, <i>t.</i> 228 & 229. <i>St.</i> 1, <i>p.</i> 119. 5913 SPHINX.	Kent, Sussex, Surrey. Middle of September.
12 Ligustri	Privet	<i>A.t.</i> 7. <i>W.t.</i> 22. <i>H.t.</i> 2, <i>f.</i> a—h. <i>D.</i> 8, <i>t.</i> 248. <i>St.</i> 1, <i>p.</i> 121. 5915 SPHINX.	Hertfordshire, Cambridgeshire, &c. July.
13 Pinastri	Pine	<i>D.</i> 9, <i>t.</i> 296. <i>St.</i> 1, <i>p.</i> 121. 5916 SPHINX.	Rivelston Wood, near Edinburgh; also near Colney Hatch Wood and Esher, Surrey. June.
14 Euphorbiæ	Spotted Elephant	<i>H.t.</i> 44, <i>f.</i> a. c. <i>D.</i> 3, <i>t.</i> 91 & 92. <i>C.</i> 1, <i>t.</i> 3. <i>St.</i> 1, <i>p.</i> 124. 5919 DEILEPHILA.	Sand-hills near Barnstaple. June.
15 Galii	Galium	<i>H.t.</i> 44, <i>f.</i> 6. (Caterpillar). <i>St.</i> 1, <i>p.</i> 125, <i>t.</i> 12, <i>f.</i> 2. 5920 DEILEPHILA.	Middlesex, Cornwall and Devon. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Livornica</i>	Striped	<i>St. 1, p. 126, t. 12, f. 1.</i> <i>Lineata.</i> 5921 <i>DEILEPHILA.</i>	Norfolk; and near Kingsbridge, Devon.
17 <i>Celerio</i>	Sharp-winged	<i>D. 6, t. 190 & 191. St. 1, p. 128.</i> 5923 <i>DEILEPHILA.</i>	Oxfordshire, Cambridgeshire, and near Birmingham. August.
18 <i>Elpenor</i>	Elephant	<i>A. t. 9. W. t. 26. H. t. 7, f. a—h. D. 4, t. 122.</i> <i>St. 1, p. 131.</i> 5925 <i>DEILEPHILA.</i>	Gardens in Middlesex, Devonshire, Cambridgeshire, &c. June and July.
19 <i>Porcellus</i>	Small Elephant	<i>W. t. 16. D. 9, t. 314.</i> <i>St. 1, p. 131.</i> 5926 <i>DEILEPHILA.</i>	Woods in Middlesex, Surrey, Warwickshire, &c. June.
20 <i>Stellatarum</i>	Humming-Bird	<i>H. t. 24, f. i. l. D. 5, t. 155. St. 1, p. 133.</i> 5927 <i>MACROGLOSSA.</i>	Gardens in Kent, Hertfordshire, Cambridgeshire, &c. End of April, June and August.
21 <i>Bombyli-formis</i>	Broad-bordered Bee	<i>D. 3, t. 87. St. 1, p. 135.</i> 5929 <i>SESIA.</i>	Coombe Wood near Kingston, Surrey; Darent Wood near Dartford, Kent. End of May.
22 <i>Fuciformis</i>	Narrow-bordered Bee	<i>C. 1, t. 40. St. 1, p. 134.</i> 5928 <i>SESIA.</i>	Middlesex, Berkshire, Fens in Cambridgeshire. May and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 <i>Apiformis</i>	Hornet	<i>D. 1, t. 25. St. 1, p. 137.</i> 5931 <i>TROCHILUM.</i>	Aspen trees on Epping Forest; also Coombe Wood, &c. End of June.
24 <i>Crabroni- formis</i>	Lunar Hornet	<i>D. 13, t. 436. St. 1, p. 133.</i> 5932 <i>TROCHILUM.</i>	Darenth Wood, Kent. July.
25 <i>Asiliformis</i>	Clear under- wing	<i>D. 11, t. 384. St. 1, p. 139.</i> 5933 <i>ÆGERIA.</i>	On Poplar trees near London; also near Bex- ley, Kent. June.
26 <i>Chrysidiformis</i>	Fiery Clear- wing	<i>St. 1, p. 141.</i> 5936 <i>ÆGERIA.</i>	Cabinet of A. H. Haworth, Esq.
27 <i>Spheciiformis</i>	Black and White horn- ed Clear- wing	<i>St. 1, p. 140, t. 11, f. 1.</i> 5934 <i>ÆGERIA.</i>	In the woods of Southgate, Middlesex; also in the Isle of Wight. July.
28 <i>Allantiformis</i>	Two-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Greenhithe, Kent; very rare.
29 <i>Cynipiformis</i> , M. and F.	Golden-tail Clear-wing	<i>D. 4, t. 116. St. 1, p. 141.</i> 5937 <i>ÆGERIA.</i>	Coombe Wood, Darenth Wood, &c. May and June.
30 <i>Ichneumoni- formis</i>	Six-belted Clear-wing	<i>C. 2, t. 53. St. 1, p. 140.</i> 5935 <i>ÆGERIA.</i>	Sussex, Cornwall, and Devon.
31 <i>Philanthi- formis</i>	Many-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Devonshire: very rare.



1a



10d



19b



28n



2a+



11d



20a+



29n



3a



12d



21a+



29



4a



13c



22a+




30n



5a+



14b+



23a+



31n



6a



15b+



24a+



32n



7c



16c



25a



33n



8b+



17c



26n



34n



9c



18b



27n




35n



36n

W. Wood Jun.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
32 <i>Tipuliformis</i>	Currant Clear-wing	<i>D. 2, t. 52 & 53.</i> 5938 <i>ÆGERIA</i> .	Very common in gardens towards the middle of June.
33 <i>Mutillæformis</i>	Red-belted Clear-wing	<i>D. 6, t. 195. St. 1, p. 142.</i> 5939 <i>ÆGERIA</i> .	Gardens at Chelsea, Highgate, Hackney, &c. June.
34 <i>Culiciformis</i>	Large Red-belted Clear-wing	<i>St. 1, p. 143, t. 10, f. 3.</i> 5940 <i>ÆGERIA</i> .	Coombe and Darenth Woods. June.
35 <i>Stomoxiformis</i>	Spotted Red-belted Clear-wing	<i>St. 1, p. 144, t. 11, f. 4.</i> 5941 <i>ÆGERIA</i> .	Darenth Wood, and Gravesend. July. Rare.
36 <i>Formiciformis</i>	Flame-tipped Red-belt	<i>St. 1, p. 144, t. 11, f. 3.</i> 5942 <i>ÆGERIA</i> .	Near London at Little Chelsea, and Limehouse; also in Lincolnshire. Middle of June.

III. PHALÆ- MOTH. NA.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 Humuli, M. and F.	Ghost	<i>D. 8, t. 274, f. 1 & 2. St. 2,</i> <i>p. 6.</i> 5946 HEPIALUS.	Common in grassy places. Middle of June.
2 Carnus, M. and F.	Rosy Swift	<i>St. 2, p. 7, t. 13, f. 1.</i> 5948 HEPIALUS.	North of En- gland, and near Birmingham. June.
3 Velleda, M. and F.	Beautiful Swift	<i>D. 10, t. 360, f. 3. St. 2,</i> <i>p. 6.</i> 5947 HEPIALUS.	Darenth Wood, Kent; near Al- derley, Che- shire; Derby- shire. June.
4 Lupulina, M. and F.	Brown Swift	<i>H. t. 22, f. 1. m. St. 2, p. 5.</i> 5945 HEPIALUS.	Grassy meadows. End of May.
5 Hecta, M. and F.	Golden Swift	<i>D. 8, t. 274, f. 3. St. 2,</i> <i>p. 4.</i> 5944 HEPIALUS.	Open places in woods, Middle- sex, Devon, &c. June.
6 Sylvina, M. and F.	Evening Swift	<i>H. t. 22, f. h—m. C. 5,</i> <i>t. 185. St. 2, p. 7.</i> 5949 HEPIALUS.	Borders of woods and lanes, Surrey, Hert- fordshire, &c. August and September.
7 Cossus	Goat	<i>A. t. 35. W. t. 31. H. t. 23.</i> <i>D. 4, t. 114. C. 2, t. 60.</i> <i>St. 2, p. 9.</i> 5951 COSSUS. <i>Ligni-</i> <i>percola.</i>	Oak trees in woods and lanes, Kent, &c. End of June and be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
8 <i>Æsculi</i>	Wood Leopard	<i>D. 5, t. 152. St. 2, p. 8.</i> 5950 ZEUZERA.	Near London; Essex, and Cam- bridgeshire. Beginning of July.
9 <i>Bucephala</i>	Buff-tip	<i>A. t. 23, f. 33, a—d. W. t. 43.</i> <i>H. t. 39, f. a—c. D. 1,</i> <i>t. 3. St. 2, p. 12.</i> 5952 PYGÆRA.	Middlesex, Bucks, Cam- bridgeshire. End of June.
10 <i>Reclusa</i>	Small Choco- late-tip	<i>D. 4, t. 124 & 129, f. 4.</i> <i>St. 2, p. 13. Var. β.</i> <i>t. 16, f. 1.</i> 5954 CLOSTERA.	Darenth and Birch Woods. End of May.
11 <i>Anachoreta</i>	Scarce Choco- late-tip	<i>St. 2, p. 13.</i> 5955 CLOSTERA.	In the British Museum.
12 <i>Curtula</i>	Chocolate-tip	<i>St. 2, p. 14.</i> 5956 CLOSTERA.	Near London; Wanstead, Essex, on as- pen trees. End of April, or early in May.
13 <i>Cæruleo- cephala</i>	Figure of 8	<i>A. t. 13, f. 17, a—c.</i> <i>W. t. 12. H. t. 30,</i> <i>f. a—d. D. 3, t. 100.</i> <i>St. 2, p. 15.</i> 5957 EPISEMA.	Very common in woods and hedges, Surrey, &c. September.
14 <i>Bicuspis</i>	Pretty Kitten	<i>St. 2, p. 16, t. 13, f. 3.</i> 5958 CERURA.	Darenth Wood, Kent. July. Rare.
15 <i>Integra</i>	Intire-barred Kitten	<i>St. 2, p. 16, t. 15, f. 3.</i> 5959 CERURA. D	Coombe Wood, Surrey.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Furcula</i>	Kitten	<i>W. t. 29, f. 2. D. 7, t. 272. St. 2, p. 17. 5960 CERURA.</i>	Frequent near London, in woods and meadows; also in Kent, Essex, and Hertfordshire. July.
17 <i>Arcuata</i>	Arched Kitten	<i>St. 2, p. 17. 5961 CERURA.</i>	Coombe Wood, Surrey. Rare.
18 <i>Latifascia</i>	Broad-barred Kitten	<i>C. t. 4, 193. St. 2, p. 18. 5962 CERURA.</i>	Near London; and Linton, North Devon. Very rare.
19 <i>Fuscinula</i>	Dusky Kitten	<i>St. 2, p. 18, t. 15, f. 1. 5963 CERURA.</i>	Darenth Wood near Dartford; also on Epping Forest, in July. Rare.
20 <i>Bifida</i>	Bordered Kitten	<i>St. 2, p. 19, t. 15, f. 2. 5964 CERURA.</i>	At Limehouse near London; and Darenth Wood, Kent.
21 <i>Vinula</i>	Puss	<i>A. t. 11. W. t. 29, f. 1. H. t. 38, f. a—e. D. 3, t. 85. St. 2, p. 19. 5965 CERURA.</i>	Marshy places near Amesbury, Berkshire, &c. End of May, and sometimes again in August.
22 <i>Erminea</i>	Pale Puss	<i>St. 2, p. 20. 5966 CERURA.</i>	At Birch Wood; also near London?

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 Fagi	Lobster	<i>A. t. 58. St. 2, p. 21.</i> 5967 STAUFOPUS.	Birch Wood, Kent; New Forest, Hants; near Norwich, and in Bexley Wood. Rare.
24 Dromedarius	Rusty Prominent	<i>D. 10, t. 350, f. 1. St. 2, p. 22.</i> 5968 NOTODONTA.	In woods, Kent; at Norwood, Surrey; and at Alderley, Cheshire. June and August.
25 <i>Perfusca</i>	Dark Prominent	<i>St. 2, p. 23, t. 14, f. 2.</i> 5969 NOTODONTA.	Found near Dublin.
26 Ziczac	Pebble Prominent	<i>A. t. 14, f. 20, e—h. W. t. 28. D. 4, t. 119.</i> <i>St. 2, p. 23.</i> 5970 NOTODONTA.	Near London; also in Darent and Coombe Woods; Holt, Norfolk. June and July.
27 Dictæa	Swallow Prominent	<i>D. 7, t. 239, f. 1. St. 2, p. 25.</i> 5971 LEOCAMPA.	Woods and meadows, Kent near Dartford, and at Dover; also in Essex. Beginning of August.
28 <i>Dictæoides</i>	Lesser Swallow Prominent	<i>St. 2, p. 25.</i> 5972 LEOCAMPA.	Coombe and Darent Woods, &c. August.
29 Camelina	Coxcomb Prominent	<i>A. t. 69, f. a. c. d. e. D. 6, t. 183. St. 2, p. 26.</i> 5973 LOPHOPTERYX.	Common in woods round London, about the end of April and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
30 <i>Cuculla</i>	Maple Prominent	<i>D. 10, t. 333, f. 1. St. 2, p. 27.</i> 5974 LOPHOPTERYX.	Darenth Wood and neighbourhood; also near Erith: but rare. June.
31 <i>Carmelita</i>	February Prominent.	<i>St. 2, p. 27, t. 14, f. 3.</i> 5975 LOTHOPTERYX.	Darenth Wood near Dartford. Very rare.
32 <i>Palpina</i>	Pale Prominent	<i>St. 2, p. 28.</i> 5976 PTILODONTIS.	Coombe, Birch, and Darenth Woods, &c.; also near Epping. June and August.
33 <i>Variegata</i>	Feathered Prominent	<i>C. 7, t. 323. St. 2, p. 29, t. 14, f. 1.</i> 5977 PTILOPHORA.	Darenth Wood. The end of October.
34 <i>Roboris</i>	Lunar Marbled brown	<i>D. 9, t. 299. St. 2, p. 30.</i> 5978 CHAONIA.	Darenth, Coombe, Birch, and Colney Hatch Woods. June. Scarce.
35 <i>Dodonea</i>	Marbled brown	<i>D. 10, t. 352, f. 2. St. 2, p. 30.</i> 5979 CHAONIA.	Darenth and Coombe Woods; also in Littleton Copse, Middlesex. June.
36 <i>Cassinea</i>	Sprawler	<i>D. 12, t. 397, f. 2. St. 2, p. 32.</i> 5981 PETASIA.	Coombe and Darenth Woods; New Forest, Hampshire. End of October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
37 <i>Serrata</i>	Great Prominent	<i>D.</i> 10, <i>t.</i> 359. <i>St.</i> 2, <i>p.</i> 33. 5982 PERIDEA.	Coombe, Darenth, and Birch Woods.
38 <i>Versicolora</i>	Glory of Kent	<i>W.</i> <i>t.</i> 89. <i>D.</i> 5, <i>t.</i> 158. <i>St.</i> 2, <i>p.</i> 34. 5983 ENDROMIS.	Coombe and Darenth Woods; also in Devonshire, Suffolk, and Sussex. April.
39 <i>Pavonia-minor</i> , M. and F.	Emperor	<i>A.</i> <i>t.</i> 25, <i>f.</i> 37, a—h. <i>H.</i> <i>t.</i> 25, a—i. <i>D.</i> 1, <i>t.</i> 1 & 3, <i>t.</i> 254. <i>St.</i> 2, <i>p.</i> 37. 5985 SATURNIA.	On heaths and in marshy places. Common near London, and in several counties. April and August.
40 <i>Rubi</i>	Fox-coloured	<i>A.</i> <i>t.</i> 81, a—d. <i>W.</i> <i>t.</i> 54. <i>D.</i> 2, <i>t.</i> 69. <i>St.</i> 2, <i>p.</i> 39. 5986 LASIOCAMPA.	Woody plains and heaths round London; Hertfordshire, Surrey, &c. June.
41 <i>Trifolii</i>	Grass Egger	<i>W.</i> <i>t.</i> 47, <i>upper fig.</i> <i>St.</i> 2, <i>p.</i> 39. 5987 LASIOCAMPA.	New Forest, Hants. July and August.
42 <i>Medicaginis</i>	Medick Egger	<i>W.</i> <i>t.</i> 47, <i>lower fig.</i> <i>C.</i> 4, <i>t.</i> 181. <i>St.</i> 2, <i>p.</i> 41. 5988 LASIOCAMPA.	New Forest, Hants, and near Bristol; but rare. August.
43 <i>Quercus</i>	Oak Egger	<i>St.</i> 2, <i>p.</i> 40. 5989 LASIOCAMPA.	New Forest, Hants; and Devonshire. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
44 Roboris, M. and F.	Great Egger	<i>A.t.</i> 18. <i>W.t.</i> 46. <i>H.t.</i> 29, <i>f.</i> a—f. <i>D.</i> 3, <i>t.</i> 104. <i>St.</i> 2, <i>p.</i> 41. 5990 LASIOCAMPA.	Common near London; also in Kent, Essex, Sussex, &c. June.
45 Cratægi, M. and F.	Pale Oak Egger	<i>A.t.</i> 34, <i>f.</i> 54, a—d. <i>D.</i> 4, <i>t.</i> 117. <i>St.</i> 2, <i>p.</i> 43. 5992 TRICHIURA.	Woody places near Epping; and in Darenth, Birch, and Coombe Woods. September.
46 Populi	December	<i>A.t.</i> 85. <i>W.t.</i> 48. <i>D.</i> 9, <i>t.</i> 307. <i>St.</i> 2, <i>p.</i> 44. 5993 PÆCLOCAMPA.	In lanes, near woods, in Kent, Surrey, &c. December.
47 Lanestris	Small Egger	<i>A.t.</i> 19, <i>f.</i> 26, a—d. <i>W.t.</i> 53. <i>H.t.</i> 25, <i>f.</i> k—o. <i>D.</i> 6, <i>t.</i> 210. <i>St.</i> 2, <i>p.</i> 45. 5994 ERIOGASTER.	In different places round London; also near Hertford; in Cambridge- shire and Essex. February and March.
48 <i>Pityocampa</i>	Procession	<i>St.</i> 2, <i>p.</i> 48. 5996 CNETHOCAMPA.	Devonshire. Very rare.
49 Castrensis <i>M. & F.</i>	Ground Lac- key	<i>C.</i> 5, <i>t.</i> 299. <i>St.</i> 2, <i>p.</i> 48, <i>t.</i> 13, <i>f.</i> 2. 5997 CLISIOCAMPA.	Coasts of Essex, Kent, and De- vonshire. Au- gust.
50 Neustria, M. and F.	Lackey	<i>A.t.</i> 19, <i>f.</i> 27, e—l. <i>W.t.</i> 45. <i>H.t.</i> 17, <i>f.</i> a—f. <i>D.</i> 3, <i>t.</i> 95. <i>St.</i> 2, <i>p.</i> 49. 5998 CLISIOCAMPA.	Very common about hedges and gardens. July and Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
51 Pini	Pine-tree Lap- pet	<i>W. t. 61. D. 5, t. 177</i> & 178. <i>C. 1, t. 7. St. 2,</i> <i>p. 50.</i> 5999 EUTRICA.	Taken at Nor- wich; but very rare. July.
52 Potatoria, M. and F.	Drinker	<i>A. t. 17. W. t. 58. H. t. 42,</i> <i>f. a. m. n. p. & t. D. 5,</i> <i>t. 148. St. 2, p. 51.</i> 6000 ODONESTIS.	Very common in lanes, hedges and woods. July.
53 Quercifolia	Lappet	<i>A. t. 16. W. t. 57. H. t. 43,</i> <i>f. a—c. D. 7, t. 232.</i> <i>C. 1, t. 24. St. 2, p. 52.</i> 6001 GASTROPACHA.	Essex, Hertford- shire, Cam- bridgeshire. July.
54 Dispar, M. and F.	Gypsy	<i>W. t. 42. D. 5, t. 163.</i> <i>St. 2, p. 55.</i> 6004 HYPOGYMNA.	In the fens of Huntingdon- shire; also at Coombe Wood. August.
55 Monacha	Black Arches	<i>W. t. 39. D. 7, t. 227.</i> <i>St. 2, p. 57.</i> 6005 PSILURA.	Near Brocken- hurst in the New Forest; also at Epping, &c. July.
56 Fascelina	Dark Tussock	<i>A. t. 26, f. 39, e—h.</i> <i>W. t. 62. D. 16, t. 576.</i> <i>St. 2, p. 58.</i> 6006 DASYCHIRA.	Woody districts of Kent and Bedfordshire. July.
57 Pudibunda	Pale Tussock	<i>A. t. 26, f. 38, a—d.</i> <i>W. t. 63. H. t. 15,</i> <i>f. e. f. D. 5, t. 160.</i> <i>St. 2, p. 59.</i> 6007 DASYCHIRA.	Common in hop- gardens; also in the neigh- bourhood of London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
58 Coryli	Nut-tree Tussock	<i>A.t.</i> 90, <i>f.</i> e—h. <i>W.t.</i> 66. <i>D.9, t.</i> 309. <i>St.</i> 2, <i>p.</i> 60. 6008 DEMAS.	Coombe, Birch, and Darenth Woods; but rare. April and July.
59 Antiqua, M. and F.	Vapourer	<i>A.t.</i> 89, <i>f.</i> a—e. <i>W.t.</i> 64. <i>H.t.</i> 20, <i>f.</i> h—p. <i>D.</i> 1, <i>t.</i> 16. <i>St.</i> 2, <i>p.</i> 61. 6009 ORGYIA.	Very common about London, &c. July to October.
60 Gonostigma, M. and F.	Scarce Vapourer	<i>A.t.</i> 90, <i>f.</i> a—d. <i>W.t.</i> 65. <i>H. t.</i> 14, <i>f.</i> a—g. <i>D.</i> 9, <i>t.</i> 316. <i>St.</i> 2, <i>p.</i> 61. 6010 ORGYIA.	Coombe Wood, Lewisham, Erith, &c. June to August.
61 Cœnosa	Whittlesea	<i>C.</i> 2, <i>t.</i> 68. <i>St.</i> 2, <i>p.</i> 63. 6011 LÆLIA.	Whittlesea Mere. July.
62 Vau-nigra	Black V.	<i>St.</i> 2, <i>p.</i> 64, <i>t.</i> 16, <i>f.</i> 2. 6012 LEUCOMA.	Bromley? Kent; very rare. August?
63 Sparshalli	Sparshall's	<i>C.</i> 7, <i>t.</i> 336. <i>Arcturus.</i> LEUCOMA.	Taken by Joseph Sparshall, Esq. in a lane near Horning, Norfolk, in August 1829. Cabinet of J. Curtis, Esq.
64 Salicis	White Satin	<i>A.t.</i> 84, <i>f.</i> a—d. <i>W.t.</i> 41. <i>H. t.</i> 5, <i>f.</i> p. q. <i>D.</i> 1, <i>t.</i> 30. <i>St.</i> 2, <i>p.</i> 64. 6013 LEUCOMA.	Abundant near London. July.
65 Chrysorrhœa, M. and F.	Yellow-tail	<i>A.t.</i> 87, <i>f.</i> e—i. <i>W.t.</i> 59. <i>H. t.</i> 25, <i>f.</i> p—s. <i>D.</i> 1, <i>t.</i> 10. <i>St.</i> 2, <i>p.</i> 65. 6014 PORTHESIA.	Essex, Cambridgeshire, Yorkshire, &c. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
66 <i>Auriflua</i>	Brown-tail	<i>A. t.</i> 87, <i>f.</i> a—d. <i>D.</i> 16, <i>t.</i> 555. <i>St.</i> 2, <i>p.</i> 66. 6015 PORTHESIA.	Middlesex, Kent, Cambridge-shire, &c. August.
67 <i>Dominula</i>	Scarlet Tiger	<i>A. t.</i> 22, <i>f.</i> 31, a—d. <i>W. t.</i> 38. <i>H. t.</i> 40, <i>f.</i> a—d. <i>D.</i> 4, <i>t.</i> 141. <i>St.</i> 2, <i>p.</i> 67. 6016 HYPERCOMPA.	Whittlesea Mere; also in Cambridge-shire, and Devon, near Barnstaple, &c. June.
68 <i>Russula</i> , M. and F.	Clouded Buff	<i>D.</i> 6, <i>t.</i> 214. <i>C.</i> 1, <i>t.</i> 21. <i>St.</i> 2, <i>p.</i> 68. 6017 EUTHEMONIA.	Common in the New-forest, Hants; also near York; in Cambridge-shire, and near Coombe Wood. June.
69 <i>Caja</i>	Great Tiger	<i>A. t.</i> 20. <i>W. t.</i> 36. <i>H. t.</i> 12. <i>f.</i> g—m. <i>D.</i> 1, <i>t.</i> 15. <i>St.</i> 2, <i>p.</i> 69. 6018 ARCTIA.	Common near London, and elsewhere. End of July.
70 <i>Villica</i>	Cream-spot Tiger	<i>A. t.</i> 21, <i>f.</i> 29, a—d. <i>W. t.</i> 37. <i>H. t.</i> 4, <i>g.</i> g. <i>D.</i> 2, <i>t.</i> 71. <i>St.</i> 2, <i>p.</i> 71. 6020 ARCTIA.	Middlesex, Surrey, Kent, &c. End of June.
71 <i>Plantaginis</i>	Small Tiger	<i>W. t.</i> 50. <i>H. t.</i> 16, <i>f.</i> g—m. <i>D.</i> 4, <i>t.</i> 134. <i>St.</i> 2, <i>p.</i> 73. 6024 NEMEOPHILA.	Darenth Wood, Kent; Sutton Park, Warwickshire; Westmoreland. June

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Fuliginosa</i>	Ruby Tiger	<i>W. t. 49. H. t. 27, f. l. n. D. 3, t. 80. St. 2, p. 74.</i> 6025 <i>PHRAGMATOBIA.</i>	Yorkshire; and near Newcastle. Beginning of July.
73 <i>Menthastri</i>	Great Ermine	<i>W. t. 40. H. t. 38, f. k. l. D. 4, t. 189. A. t. 24, f. g—k. St. 2, p. 75.</i> 6026 <i>SPILOSOMA.</i>	Essex; Cambridgeshire; Northumberland, &c. May.
74 <i>Urticæ</i>	Dingy White	<i>St. 2, p. 76.</i> 6027 <i>SPILOSOMA.</i>	In the Cabinet of J. F. Stephens, Esq.; also in the Collection of the late Mr. Haworth.
75 <i>Papyratia</i>	Water Ermine	<i>A. t. 21, f. 30, c—h. D. 16, t. 571. St. 2, p. 76.</i> 6028 <i>SPILOSOMA.</i>	Marshy places near Plaistow in Essex, &c. Middle of June.
76 <i>Lubricepeda</i>	Spotted Buff	<i>A. t. 24, f. 35, a—e. W. t. 43. H. t. 17, f. g—i. D. 16, t. 568. St. 2, p. 77.</i> 6029 <i>SPILOSOMA.</i>	Common in most counties. June.
77 & 78 <i>Mendica</i> , M. and F.	Spotted Muslin	<i>H. t. 35, f. f. m. D. 11, t. 388. St. 2, p. 78.</i> 6031 <i>DIAPHORA.</i>	Kent, near Erith; Essex, &c., particularly in marshy places. Middle of May.
79 <i>Fusca</i>	Brown Muslin	<i>St. 2, p. 80, t. 18, f. 3 & 4.</i> 6034 <i>PSYCHE.</i>	Highgate; Hornsey Wood. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
80 <i>Nigricans</i>	Black Muslin	<i>C. 5, t. 213. St. 2, p. 79.</i> 6033 PENTHOPHERA.	Taken by J. C. Dale, Esq., in Dorsetshire. June.
81 <i>Nitidella</i>	Shining Chimney Sweep	<i>C. 7, t. 332. St. 2, p. 82.</i> 6035 FUMEA.	Taken by Mr. Stephens in a lane near Darenth Wood; and also by Mr. Curtis. July.
82 <i>Pulla</i>	Small Chimney Sweep	<i>St. 2, p. 82.</i> 6036 FUMEA.	Taken by Mr. Stephens, near Darenth Wood. June.
83 <i>Muscella</i>	Chimney Sweeper's Boy	<i>St. 2, p. 82.</i> 6037 FUMEA.	Grassy places on heaths. June.
84 <i>Bombycella</i>	Transparent Chimney Sweeper	<i>St. 2, p. 83.</i> 6038 FUMEA.	Mr. Stephens's Cabinet. Very rare.
85 <i>Pectinella</i>	Light Chimney Sweeper	<i>St. 2, p. 83.</i> 6039 FUMEA.	Mr. Stephens's Cabinet. Very rare.
86 <i>Mundana</i>	Muslin	<i>C. 9, t. 400. St. 2, p. 83.</i> 6040 NUDARIA.	Middlesex, Kent, Cheshire, &c. August.
87 <i>Hemerobia</i>	Transparent Muslin	<i>St. 2, p. 84.</i> 6041 NUDARIA. E 2	Darenth Wood. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
88 <i>Senex</i>	Round-winged Muslin	<i>St. 2, p. 84, t. 18, f. 2.</i> 6042 NUDARIA.	Whittlesea Mere; also near London, but very rare. July.
89 <i>Asellus</i>	Plain Muslin	<i>St. 2, p. 85, t. 17, f. 2.</i> 6043 HETEROGENIA.	New Forest, near Lyndhurst. Very rare.
90 <i>Testudo</i> , M. and F.	Festoon	<i>A. t. 68, f. e—g. W. t. 88.</i> <i>D. 3, t. 76. St. 2, p. 86.</i> 6044 LIMACODES.	Darenth and Birch Woods; also near Chiselhurst and Sydenham, but not common. End of June.
91 <i>Jacobææ</i>	Pink under-wing	<i>A. t. 34, f. 55, e—i.</i> <i>W. t. 55. H. t. 4, upper fig. D. 2, t. 45. St. 2, p. 90.</i> 6045 CALLIMORPHA.	Kent, Essex, Cambridge-shire, Devon, &c. May and June.
92 <i>Miniata</i>	Red arches	<i>H. t. 30, f. p. D. 2, t. 40, lower fig. St. 2, p. 90.</i> 6046 CALLIMORPHA.	Norwood and other places near London; &c. July.
93 <i>Grammica</i>	Feathered Footman	<i>D. 13, t. 450. St. 2, p. 91, t. 17, f. 3.</i> 6047 EULEPIA.	Two specimens taken near Windsor in October 1815.
94 <i>Cribrum</i>	Speckled Footman	<i>C. 2, t. 56. St. 2, p. 92.</i> 6048 EULEPIA.	Parley Heath near Ringwood, Hants. June.

PHALÆNA.

Pl. 5



1 b



5



13 a



22 b



1 b +



6 a



14 a



23 b +



2 a +



6 a +



15 a +



24 a +



2 b



7 c



16 a



25 a +



3 a +



8 b +




17 a +



26 a +



3 b



9 b



18 a +



27 b



4 a



10 a



19 a +



28 a +



4



11 a



20 a +



29 a +



5 a



12 a




21 b +




30 a

W. Wood, Jun.









59 n



66 a



74 a +



83 n



60 a



67 b



75 a +



84 n



60 +



68 a +



76 a +



85 n



61 a +



68 a +



77 a



86 n



62 a +



69 b +



78 a +



87 n



63 b



70 b



79 n



88 n



64 b



71 a +



80 a



89 n



65 a



72 a



81 n



90 n



65 a +




73 a +



82 n



90 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
95 <i>Pulchella</i>	Crimson-speckled	<i>C. 4, t. 169. St. 2, p. 93.</i> 6049 <i>DEIOPEIA</i> .	Stubble-field near Christchurch, Hants; and Brighton, Sussex. Very rare. Sept.
96 <i>Aureola</i>	Orange Footman	<i>St. 2, p. 94, t. 18, f. 1.</i> 6050 <i>LITHOSIA</i> .	Birch and Coombe Woods; also near Ripley, in Yorkshire. Middle of July.
97 <i>Gilveola</i>	Pale Footman	<i>St. 2, p. 95.</i> 6053 <i>LITHOSIA</i> .	A pair in the Cabinet of Mr. Stephens, taken either in Birch or Darenth Woods.
98 <i>Helvola</i> <i>Male of the footman</i>	Clouded Footman	<i>St. 2, p. 94.</i> 6051 <i>LITHOSIA</i> .	Brockenhurst, in the New Forest; but rare.
99 <i>Flava</i>	Straw-coloured Footman	<i>St. 2, p. 95.</i> 6052 <i>LITHOSIA</i> .	Found with the above; also in Birch and Darenth Woods; but very rare.
100 <i>Complana</i>	Common Footman	<i>A. t. 70, f. e—h. St. 2, p. 95.</i> 6054 <i>LITHOSIA</i> .	Woods and shady lanes; Middlesex, Surrey, Essex, &c. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
101 <i>Depressa</i> <i>Depressa</i> <i>Depressa</i>	Pale-edged Footman	<i>St. 2, p. 96.</i> 6055 LITHOSIA.	Darenth Wood and near Ripley by Mr. Stephens. Very rare. Middle of July.
102 <i>Griseola</i>	Dun Footman	<i>St. 2, p. 96.</i> 6056 LITHOSIA.	Common in a woody lane near Ripley; also near Hertford. Beginning of August.
103 <i>Plumbeo- lata</i>	Leaden Foot- man	<i>St. 2, p. 96.</i> 6057 LITHOSIA.	Cabinet of Mr. Stephens. Specimens said to be found near London.
104 <i>Muscerda</i>	Spotted Foot- man	<i>C. 1, t. 36. St. 2, p. 97.</i> 6058 LITHOSIA.	Found in a marsh at Horning, Nor- folk, by Mr. Sparshall.
105 <i>Quadra</i> , M. and F.	Large Foot- man	<i>W. t. 52. D. 9, t. 306.</i> <i>St. 2, p. 97.</i> 6059 LITHOSIA.	Common in the New Forest; found also in Kent, Essex, &c. Middle of July.
106 <i>Rubricollis</i>	Black Foot- man	<i>H. t. 43, f. p. D. 10, t. 350,</i> <i>f. 3. St. 2, p. 98.</i> 6060 GNOPHRIA.	Near Darenth Wood, Kent; Collingbourne Wood, Wilts. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
107 <i>Irrorella</i>	Dew Moth	<i>St. 2, p. 99.</i> 6061 <i>SETINA</i> .	Near Rochester, Birch Wood, and on Dartford Common. June.
108 <i>Roscida</i>	Pale Dew Moth	<i>St. 2, p. 100.</i> 6062 <i>SETINA</i> .	Riddlesdown near Croydon. June.
109 <i>Eborina</i>	4-spot Small Footman	<i>St. 2, p. 100.</i> 6063 <i>SETINA</i> .	Darenth, Birch, and Coombe Woods; also at Epping, &c. Beginning of August.
110 <i>Orbona</i>	Lesser Yellow underwing	<i>D. 10, t. 343, f. 2. St. 2,</i> <i>p. 102.</i> 6064 <i>TRIPHÆNA</i> .	Common in several coun- ties. End of June and early in July.
111 <i>Subsequa</i>	Dark lunar Yellow underwing	<i>C. 8, t. 348. St. 2, p. 103.</i> 6065 <i>TRIPHÆNA</i> .	Taken by Mr. Curtis in Scot- land.
112 <i>Pronuba</i>	Great Yellow underwing	<i>A. t. 72, f. a—d. W. t. 1.</i> <i>H. t. 39, f. d—f. D 9,</i> <i>t. 311. St. 2, p. 103.</i> 6066 <i>TRIPHÆNA</i> .	Common in gardens and hedges in many parts of En- gland; from the beginning of June to the middle of July.
113 <i>Innuba</i>	Pale-edged Yellow underwing	<i>St. 2, p. 104.</i> 6067 <i>TRIPHÆNA</i> .	Found at the same time and in the same places with the above.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
114 <i>Fimbria</i>	Broad-bordered Yellow underwing	<i>H. t. 5, f. 2. D. 6, t. 208. St. 2, p. 105. 6068 TRIPHÆNA.</i>	Middlesex, Surrey, Kent, Essex, &c. Beginning of July.
115 <i>Interjecta</i>	Third Yellow underwing	<i>St. 2, p. 105. 6069 TRIPHÆNA.</i>	Darenth, Birch and Coombe Woods; also near Hertford and Epping. June.
116 <i>Janthina</i>	Lesser broad-bordered Yellow underwing	<i>W. t. 11, f. 5. St. 2, p. 106. 6070 TRIPHÆNA.</i>	Lanes and borders of woods in Essex, Suffolk, &c. August.
117 <i>Texta</i>	Brown-bordered Yellow underwing	<i>St. 2, p. 107. 6071 CERIGO.</i>	Woods in Essex, Kent, and Norfolk. June.
118 <i>Umbrosa</i>	Six-striped Rustic	<i>St. 2, p. 108. 6072 LYTÆA.</i>	Near Birch Wood; also by Mr. Stephens in Sydenham Wood. Netley, Shropshire. End of July.
119 <i>Leucographa</i>	White-spotted Rustic	<i>St. 2, p. 199. 6072* p. 372 LYTÆA.</i>	Taken near York. Mr. Stephens's Cabinet.
120 <i>Cespitis</i>	Autumnal Rustic	<i>St. 2, p. 109. 6073 CHARÆAS.</i>	Near Bexley, and on Dartford Common. September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
121 <i>Confinis</i>	Allied Rustic	<i>St. 2, p. 109.</i> 6074 CHARÆAS.	Mr. Stephens's Cabinet.
122 <i>Fusca</i>	Barred-feathered Rustic	<i>St. 2, p. 109.</i> 6075 CHARÆAS.	Near Birch Wood. September.
123 <i>Nigra</i>	Black Rustic	<i>St. 2, p. 110, t. 20, f. 2.</i> 6076 CHARÆAS.	Mr. Stephens's Cabinet.
124 <i>Graminis</i>	Antler	<i>D. 13, t. 458. C. 10, t. 451.</i> 6079 CHARÆAS.	Coombe Wood, Whittlesea Mere, and in Devonshire, but rare. July.
125 <i>Ferruginea</i>	Feathered Rustic	<i>St. 2, p. 112.</i> 6080 RUSINA.	Hedges near Darenth Wood, rare. End of June.
126 <i>Lunigera</i>	Lunar Dart	<i>St. 2, p. 113, t. 20, f. 3.</i> 6081 AGROTIS.	Cabinet of Mr. Bentley. Found near Cork in Ireland. June.
127 <i>Corticea</i>	Heart and Club	<i>St. 2, p. 114.</i> 6082 AGROTIS	Kent, Sussex, Devonshire, &c. June.
128 <i>Æqua</i> , F. wing	Pearly under-wing	<i>St. 2, p. 115.</i> 6083 AGROTIS.	Taken near Epping; also near London and in Hertfordshire, but rare. September and October.
129 <i>Segetum</i>	Common Dart	<i>St. 2, p. 115.</i> 6084 AGROTIS.	Very common in fields and hedges in Yorkshire, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
130 <i>Suffusa</i>	Dark Sword-grass	<i>D. 10, t. 345, f. 2, 3. St. 2, p. 117.</i> 6085 AGROTIS.	Birch and Darenth Woods; also near Epping. June and July.
131 <i>Annexa</i> , F.	Tawny Shoulder	<i>St. 2, p. 117, t. 22, f. 2.</i> 6086 AGROTIS.	A single specimen taken near West Ham, in Essex, now in Mr. Curtis's Cabinet; also in the Cabinet of Mr. Bentley. June.
132 <i>Valligera</i>	Archer's Dart	<i>D. 10, t. 340, f. 3. St. 2, p. 118.</i> 6087 AGROTIS.	New Forest, Hants; Teignmouth, Devon, &c.; but scarce. August.
133 <i>Radia</i>	Shuttle-shaped Dart	<i>St. 2, p. 119.</i> 6088 AGROTIS.	Near London, New Forest, and Derbyshire. Mr. Bentley's Cabinet. July.
134 <i>Radiola</i> , F.	Dark Shuttle-shaped Dart	<i>St. 2, p. 119, t. 20, f. 1.</i> 6089 AGROTIS.	St. James's and Greenwich Parks; also in Norfolk and Devon, rare. Mr. Bentley's Cabinet. June.
135 <i>Sagittifera</i>	Archer Dart	<i>St. 2, p. 119.</i> 6090 AGROTIS.	Neighbourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
136 <i>Lineolata</i>	Lineolated Dart	<i>St. 2, p. 120.</i> 6091 AGROTIS.	Darenth Wood. Middle of August.
137 <i>Pupillata</i>	Pupilled Dart	<i>St. 2, p. 120.</i> 6092 AGROTIS.	Whittlesea Mere; Devon; and near London, but rare. July.
138 <i>Aquilina</i>	Bordered Dart	<i>St. 2, p. 121.</i> 6093 AGROTIS.	Near London, and in Glamorganshire. Scarce. Middle of July.
139 <i>Tritici</i> , F.	White-line Dart	<i>St. 2, p. 121.</i> 6094 AGROTIS.	Whittlesea Mere. Rare. July.
140 <i>Ocellina</i>	Eyed Dart	<i>St. 2, p. 122.</i> 6095 AGROTIS.	Very rare. Taken in Darenth Wood, and near Dublin. June.
141 <i>Cuneigera</i>	Wedge-barred Dart	<i>St. 2, p. 123.</i> 6096 AGROTIS.	Darenth Wood. Beginning of July.
142 <i>Venosa</i>	Veined Dart	<i>St. 2, p. 123.</i> 6097 AGROTIS.	Cabinet of Mr. Stephens. Taken near Edinburgh, July 1824.
143 <i>Hortorum</i>	Garden Dart	<i>St. 2, p. 122.</i> 6098 AGROTIS.	Whittlesea Mere. August.
144 <i>Nigricans</i>	Dark Garden Dart	<i>St. 2, p. 123.</i> 6099 AGROTIS.	Gardens near London; also at Whittlesea Mere. End of July and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
145 <i>Fumosa</i>	Dark Rustic	<i>St. 2, p. 124.</i> 6100 AGROTIS.	Found at the same time and place as the preceding.
146 <i>Obeliscata</i>	Square-spot Dart	<i>St. 2, p. 124.</i> 6101 AGROTIS.	Darenth Wood; Ripley in Yorkshire, and near London. August.
147 <i>Ruris</i>	Rufous Dart	<i>St. 2, p. 125.</i> 6102 AGROTIS.	Darenth Wood; Whittlesea Mere. August.
148 <i>Dubia</i>	White line	<i>St. 2, p. 125.</i> 6103 AGROTIS.	Near London. August.
149 <i>Subgothica</i>	Gothic Dart	<i>St. 2, p. 126, t. 22, f. 3.</i> 6104 AGROTIS.	Near London, and Barnstaple, Devon; but very scarce. June.
150 <i>Exclamationis</i> , M. and F.	Heart and Dart	<i>St. 2, p. 126.</i> 6105 AGROTIS.	Common in gardens, hedges, &c., near London. End of June.
151 <i>Nebulosa</i>	Clouded Dart	<i>St. 2, p. 127, t. 22, f. 1.</i> 6106 AGROTIS.	Two specimens taken by Mr. Raddon near Barnstaple, Devon, July 1827.
152 <i>Cinerea</i>	Light feathered Rustic	<i>St. 2, p. 127.</i> 6107 AGROTIS.	Kent, Salop, Isle of Wight, &c.; but uncommon. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
153 <i>Subrosea</i>	Rosy Dart	<i>St. 2, p. 128, t. 19, f. 1.</i> 6108 <i>GRAPHIPHORA</i> , <i>rhomboidea</i> .	Borders of White- sea Mere. Very scarce. July.
154 <i>Renigera</i>	Pine Dart	<i>St. 2, p. 129.</i> 6109 <i>GRAPHIPHORA</i> .	Derbyshire, Westmoreland. Rare. July.
155 <i>Latens</i>	Dusky Dart	<i>St. 2, p. 129.</i> 6110 <i>GRAPHIPHORA</i> .	The only ex- ample Mr. Ste- phens has seen of this insect, was taken in the South of Scotland in the summer of 1827.
156 <i>Pyrophila</i>	Streaked Dart	<i>St. 2, p. 130.</i> 6111 <i>GRAPHIPHORA</i> .	Netley, Shrop- shire; but rare. July.
157 <i>Crassa</i>	Stout Dart	<i>St. 2, p. 130.</i> 6113 <i>GRAPHIPHORA</i> .	Bottisham, Cam- bridgeshire; Netley, Salop. August.
158 <i>Augur</i>	Double Dart	<i>St. 2, p. 131.</i> 6114 <i>GRAPHIPHORA</i> .	Coombe and Da- renth Woods; Cambridge- shire, Essex, &c. July.
159 <i>Brunnea</i>	Purple Clay	<i>St. 2, p. 131.</i> 6115 <i>GRAPHIPHORA</i> .	Coombe and Da- renth Woods, &c. Not un- common. End of July or be- ginning of Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
160 <i>Candeli- sequa</i>	Brown Clay	<i>St. 2, p. 132.</i> 6116 GRAPHIPHORA.	Taken by Mr. Stephens in Darenth Wood. July.
161 <i>Tristigma</i>	Triple spotted Clay	<i>St. 2, p. 132.</i> 6117 GRAPHIPHORA.	Darenth Wood, and near Rip- ley. July
162 <i>Triangu- lum</i>	Double Square-spot	<i>D. 16, t. 562. St. 2, p. 133.</i> 6118 GRAPHIPHORA.	Darenth Wood; also Coombe and Birch Woods; near Dover, &c. End of July.
163 <i>Baja</i>	Dotted Clay	<i>St. 2, p. 134.</i> 6120 GRAPHIPHORA.	Darenth, Coombe, and Birch Woods, &c. End of July.
164 <i>Erythro- cephala</i>	Barred Chest- nut	<i>St. 2, p. 134.</i> 6121 GRAPHIPHORA.	Darenth and Birch Woods. July.
165 <i>Festiva</i>	Ingrailed Clay	<i>St. 2, p. 135.</i> 6122 GRAPHIPHORA.	Darenth Wood, Coombe Wood, and near Hert- ford, &c. End of June.
166 <i>C. nigrum</i>	Setaceous He- brew Cha- racter	<i>St. 2, p. 136.</i> 6123 GRAPHIPHORA.	Darenth and Coombe Woods; also in Yorkshire, De- von, &c. End of June and beginning of July.

PHALENA.

Pl. 8



91 a +



100 a



108 a



117 a +



92 a



101 a



109 a



118 a +



93 a +



102 a



110 a +



119 a



94 a +



103 a



111 a +



120 a



95 a +



104 a +



112 b



121 a



96 a



105 a +



113 b



122 a



97 a



105 a +



114 b



123 a +



98 a



106 a +



115 a +



124 a



99 a



107 a


W. Wood Junr




116 a +



125 a +







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
167 <i>Musiva</i>	Light-edged Clay	<i>St. 2, p. 136.</i> 6124 <i>GRAPHIPHORA.</i>	Taken by Dr. Leach, and now in the British Museum.
168 <i>Plecta</i>	Flame Shoul- der	<i>St. 2, p. 137.</i> 6126 <i>GRAPHIPHORA.</i>	Hedges and woody lanes in Middlesex, Essex, Surrey, &c. June and September.
169 <i>Punicea</i>	Small Square- spot	<i>St. 2, p. 135.</i> 6127 <i>GRAPHIPHORA.</i>	Darenth Wood, Epping, &c. June.
170 <i>Gothica</i>	Hebrew Cha- racter	<i>St. 2, p. 138.</i> 6128 <i>SEMIOPHORA.</i>	Hedges and wood sides. Highgate, Hampstead, Ep- ping, Bottis- ham, &c. Mid- dle of April.
171 <i>Instabilis</i>	Clouded Drab	<i>A. t. 76, f. a—d. St. 2,</i> <i>p. 140.</i> 6129 <i>ORTHOSIA.</i>	Richmond Park, Epping Forest, &c. Common. Beginning of April.
172 <i>Interme- dia</i>	Connecting Drab	<i>St. 2, p. 140.</i> 6130 <i>ORTHOSIA.</i>	A single pupa found by Mr. Stephens in Richmond Park.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
173 <i>Gracilis</i>	Lead-coloured Drab	<i>St. 2, p. 141.</i> 6131 ORTHOSIA.	Darenth and Birch Woods; also in Epping Forest, but not common. Beginning of April.
174 <i>Munda</i>	Twin-spotted Quaker	<i>St. 2, p. 141.</i> 6132 ORTHOSIA.	Epping, Leatherhead, Dorking, &c. End of April.
175 <i>Sparsa</i>	Powdered Quaker	<i>St. 2, p. 142.</i> 6133 ORTHOSIA.	Middlesex, Essex, Kent, &c. End of April.
176 <i>Pallida</i>	Pale Quaker	<i>St. 2, p. 143.</i> 6134 ORTHOSIA.	Taken by Mr. Stephens in Richmond Park. Rare. End of April.
177 <i>Stabilis</i>	Common Quaker	<i>A. t. 76, f. e—h. St. 2, p. 143.</i> 6135 ORTHOSIA.	Common in many parts of the country. Beginning of April.
178 <i>Miniosa</i>	Blossom Underwing	<i>St. 2, p. 144.</i> 6136 ORTHOSIA.	Darenth Wood, Epping, Leatherhead. Not common. End of March.
179 <i>Cruda</i>	Small Quaker	<i>A. t. 74, f. a—e. St. 2, p. 144.</i> 6137 ORTHOSIA.	Middlesex; Surrey; oaks in Richmond Park, &c. Common. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
180 <i>Pusilla</i>	Dwarf Quaker	<i>St. 2, p. 145.</i> 6138 ORTHOSIA.	Richmond Park, &c. End of March.
181 <i>Litura</i>	Brown-spot Pinion	<i>St. 2, p. 145.</i> 6139 ORTHOSIA.	Darenth Wood, Hertford, Ep- ping. Septem- ber or October.
182 <i>Pistacina</i>	Pale-beaded Chestnut	<i>St. 2, p. 146.</i> 6140 ORTHOSIA.	Darenth and Birch Woods. September.
183 <i>Lunosa</i>	Lunar Under- wing	<i>C. 5, t. 237. St. 2, p. 147.</i> 6141 ORTHOSIA.	Birch and Coombe Woods, &c. September.
184 <i>Lota</i>	Red-line Quaker	<i>St. 2, p. 147.</i> 6142 ORTHOSIA.	Hertford; also near Waltham- stow, Darenth Wood, &c., but not common. September and October.
185 <i>Flavilinea</i>	Yellow-line Quaker	<i>St. 2, p. 148, t. 19, f. 2.</i> 6143 ORTHOSIA.	Near Caen Wood, Hamp- stead; Brocken- hurst, and De- vonshire. End of September.
186 <i>Macilenta</i>	Brick	<i>St. 2, p. 148.</i> 6144 ORTHOSIA.	Hertford, Coombe Wood, the New Forest, &c. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
187 <i>Upsilon</i>	Dingy Shears	<i>St. 2, p. 149.</i> 6145 ORTHOSIA.	Marshes near Hertford; also near London, in Battersea Fields, &c. June.
188 <i>Turca</i>	Double-line	<i>St. 2, p. 150.</i> 6146 MYTHIMNA.	Chigwell-row, Essex, and near Bristol; also in the hollow of Coombe Wood, by Mr. Stephens. Rare. July.
189 <i>Grisea</i>	Bright-eyed Clay	<i>St. 2, p. 150.</i> 6147 MYTHIMNA.	Darenth Wood; New Forest; Hants and De- von, &c. End of June.
190 <i>Lithar- gyria</i>	Ochraceous brown	<i>St. 2, p. 151.</i> 6148 MYTHIMNA.	In the Cabinet of Mr. Stephens. Taken near Brockenhurst, in the New Forest. July.
191 <i>Conigera</i>	Brown-line bright-eye	<i>St. 2, p. 151.</i> 6149 MYTHIMNA.	Darenth and Coombe Woods; Essex, Hert- fordshire, &c.
192 <i>Trilinea</i>	Equal Treble- lines	<i>St. 2, p. 152.</i> 6152 GRAMMESIA.	Coombe and Da- renth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
193 <i>Bilinea</i>	Dark Treble-lines	<i>St. 2, p. 152.</i> 6153 GRAMMESIA.	In Mr. Bentley's Cabinet. One taken by Mr. Stephens in Coombe Wood, July 1815 ; others near Birch Wood, but very rare. June.
194 <i>Xanthographa</i>	Square-spot Rustic	<i>St. 2, p. 153.</i> 6150 SEGETIA.	Common in Middlesex, Kent, Surrey, &c. August.
195 <i>Neglecta</i>	Neglected Rustic	<i>St. 2, p. 154, t. 21, f. 2.</i> 6151 SEGETIA.	Taken near Ringwood by Messrs. Bentley and Chant ; also by Mr. Stephens at Birch Wood ; and by Mr. Dale in the New Forest. Sept.
196 <i>Ambigua</i>	Dotted Rustic	<i>St. 2, p. 155.</i> 6154 CARADRINA.	Lanes near Darenth Wood, &c. June.
197 <i>Redacta</i>	Lesser dotted Rustic	<i>St. 2, p. 155.</i> 6155 CARADRINA.	Found with No. 196. near Darenth Wood, &c. June.
198 <i>Alsines</i>	Garden Rustic	<i>St. 2, p. 156.</i> 6156 CARADRINA.	Frequents gardens, Middlesex, Surrey, Kent, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
199 <i>Implexa</i>	Clouded Garden Rustic	<i>St. 2, p. 156.</i> 6157 CARADRINA.	Darenth Wood, &c. July.
200 <i>Lævis</i>	Grey Rustic	<i>St. 2, p. 157.</i> 6158 CARADRINA.	Darenth Wood, and near London. July.
201 <i>Morpheus</i>	Bordered Rustic	<i>St. 2, p. 157.</i> 6160 CARADRINA.	Devonshire; also one taken at Hertford by Mr. Stephens. June.
202 <i>Sepii</i>	Mottled Rustic	<i>St. 2, p. 157.</i> 6161 CARADRINA.	Gardens, shady lanes, &c. Common. June.
203 <i>Cubicularis</i>	Pale mottled Willow	<i>St. 2, p. 158.</i> 6162 CARADRINA.	Gardens and meadows. Common. Middle of June.
204 <i>Superstes</i>	Powdered Rustic	<i>St. 2, p. 159.</i> 6163 CARADRINA.	Habitat the same as No. 203, but not so common. June.
205 <i>Glareosa</i>	Autumnal Rustic	<i>St. 2, p. 159, t. 21, f. 2.</i> 6164 CARADRINA.	Birch Wood, New Forest, and Devonshire, but rare. September.
206 <i>Rubricosa</i>	Red Chestnut	<i>St. 2, p. 160.</i> 6165 GLEA.	Darenth Wood, very rare. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
207 <i>Rubiginea</i>	Dotted Chest-nut.	<i>St. 2, p. 161.</i> 6166 <i>GLEA.</i>	Taken by Mr. Walton in Norbury Park, near Dorking. Middle of October to the beginning of November. Rare.
208 <i>Satellitæ</i>	Satellite	<i>D. 5, t. 168. St. 2, p. 163.</i> 6167 <i>GLEA.</i>	Middlesex, Surrey, Kent, Essex, &c. Common. Middle or end of September.
209 <i>Vaccinii</i>	The Chestnut	<i>A. t. 23, f. 34. e—h.</i> <i>St. 2, p. 161.</i> 6168 <i>GLEA.</i>	Middlesex, Kent, Surrey, &c., in woody places. September.
210 <i>Spadicea</i>	Dark Chestnut	<i>St. 2, p. 162.</i> 6169 <i>GLEA.</i>	Found with the preceding.
211 <i>Subnigra</i>	Black Chestnut	<i>C. 6, t. 268. St. 2, p. 162.</i> 6170 <i>GLEA.</i>	Woody places near London; and in Kent, Surrey, &c. Not common. September.
212 <i>Polita</i>	Netted Chestnut	<i>St. 2, p. 162.</i> 6171 <i>GLEA.</i>	Found at the same time and in the same places as Nos. 209, 210 & 211.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
213 <i>Pyramidea</i>	Copper under-wing	<i>D. 6, t. 193. St. 2, p. 164.</i> 6172 <i>AMPHIPYRA.</i>	Middlesex, Surrey, Essex; oaks in Coombe Wood, Richmond Park, &c. August.
214 <i>Tragopogonis</i>	Mouse	<i>St. 2, p. 165.</i> 6173 <i>PYROPHILA.</i>	Darenth Wood, Hertford, Coleshill, &c. June.
215 <i>Tetra</i>	Mahogany	<i>A. t. 27, f. 41. h—k.</i> <i>St. 2, p. 165.</i> 6174 <i>PYROPHILA.</i>	Middlesex, Essex, Devonshire, &c. Found in gardens, in the month of June.
216 <i>Typica</i>	Dark Gothic	<i>A. t. 15, f. 21. a—d.</i> <i>H. t. 22, f. d—g. St. 2, p. 166.</i> 6176 <i>NÆNIA.</i>	On nettles near London, and other places. Common. End of June.
217 <i>Pinastri</i>	Bird's wing	<i>D. 10, t. 347, f. 2. St. 2, p. 168.</i> 6175 <i>DYPTERYGIA.</i>	Mr. Stephens found this insect on palings near Coombe Wood; and Mr. Bentley on Newington Green. June.
218 <i>Conspicularis</i>	Silver Cloud	<i>D. 13, t. 453. St. 2, p. 169.</i> 6181 <i>XYLINA.</i>	Mr. Stephens has a pair taken in Bulstrode Park; they have also been taken between Birch Wood and Bexley; but very rare. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
219 <i>Lambda</i>	Grey Shoulder-knot	<i>St. 2, p. 170.</i> 6177 <i>XYLINA</i> .	Coombe Wood, Netley, Epping, Hertford. The autumn.
220 <i>Pulla</i>	Ash Shoulder-knot	<i>St. 2, p. 170.</i> 6178 <i>XYLINA</i> .	A specimen taken in the autumn at Woodside, near Epping, in 1817; now in the British Museum.
221 <i>Semibrun- nea</i>	Tawny Pinion	<i>St. 2, p. 170, t. 21, f. 3.</i> 6179 <i>XYLINA</i> .	Coombe Wood. Rare. September. A pair in the British Museum.
222 <i>Petrificata</i>	Pale Pinion	<i>St. 2, p. 171, t. 23, f. 1.</i> 6180 <i>XYLINA</i> .	One in Mr. Stephens's Cabinet, taken near Teignmouth, Devon. June.
223 <i>Putris</i>	Flame	<i>A. t. 79, f. a—d. St. 2, p. 172.</i> 6183 <i>XYLINA</i> .	Hedges, gardens and woody places. Middle- sex, Surrey, Essex, Kent. Middle of June.
224 <i>Vetusta</i>	Red Sword- grass	<i>D. 6, t. 187, exoleta.</i> <i>St. 2, p. 174.</i> 6185 <i>CALOCAMPA</i> .	Mr. Bentley's Cabinet. Darenth Wood. Rare. October.
225 <i>Lythoxy- lea</i>	Light Arches	<i>St. 2, p. 175.</i> 6186 <i>XYLOPHASIA</i> .	Darenth and Coombe Woods, Epping Forest, &c. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
226 <i>Exoleta</i>	Sword-grass	<i>D. 6, t. 187, the Larva.</i> <i>C. 6, t. 256. St. 2, p. 173.</i> 6184 <i>CALOCAMPA.</i>	Gardens and woody places. Darenth Wood, &c. Autumn.
227 <i>Sublustris</i>	Reddish Light Arches	<i>St. 2, p. 175.</i> 6187 <i>XYLOPHASIA.</i>	Taken near Brighton. July.
228 <i>Polyodon</i>	Dark Arches	<i>St. 2, p. 176.</i> 6188 <i>XYLOPHASIA.</i>	Common in hedges, gardens, woods, &c. June and July.
229 <i>Hepatica</i>	Clouded-bordered Brindle	<i>St. 2, p. 176.</i> 6189 <i>XYLOPHASIA.</i>	Middlesex, Surrey, Essex, &c. Beginning of July.
230 <i>Combusta</i>	Dark Tawny	<i>St. 2, p. 177.</i> 6192 <i>XYLOPHASIA.</i>	Coombe, Birch and Darenth Woods; but very rare. June.
231 <i>Epomidion</i>	Clouded Brindle	<i>St. 2, p. 178.</i> 6191 <i>XYLOPHASIA.</i>	Derbyshire, Yorkshire, Devon; shady lanes near Ripley. End of June.
232 <i>Scolopacina</i>	Slender cloud-ed Brindle	<i>St. 2, p. 178.</i> 6193 <i>XYLOPHASIA.</i>	Taken by Mr. Chant near Sheffield; and by Mr. King at Coombe Wood. June.



161 a +



170 a +



179 a



188 a +



162 a +



171 a +



180 n



189 a +



163 a +



172 a +



181 a



190 a +



164 a +



173 a +



182 a +



191 a +



165 a +



174 a +



183 a



192 a +



166 a +



175 a +




184 a +



193 a +



167 a +



176 a +



185 a



194 a +



168 a



177 a



186 a +



195 a +



169 a +



178 a




187 a +



196 a +

W Wood Jan. 67



PHALENA.

Pl. II



197 a



206 a



215 a



224 b



198 a



207 a



216 a +



225 b



199 a



208 a +



217 a +



226 b



200 a



209 a



218 a +



227 a +



201 a



210 a



219 a +



228 b



202 a



211 a



220 a +



229 a +



203 a



212 a



221 a +



230 a +



204 a



213 b



222 a +



231 a +



205 a




214 a + W. Wood Jun.



223 a



232 a



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
233 <i>Rectilinea</i> , F.	Clouded Bro- cade	<i>St. 2, p. 179.</i> 6191 XYLOPHASIA.	North of En- gland. Taken by Mr. Mar- shall in Traf- ford Park, Lan- cashire.
234 <i>Amica</i>	Barred Arches	<i>St. 2, p. 180, t. 23, f. 2.</i> 6195 HADENA.	Mr. Stephens's Cabinet. Very rare.
235 <i>Adusta</i>	Dark Brocade	<i>St. 2, p. 181.</i> 6196 HADENA.	Birch Wood; but rare. June.
236 <i>Satura</i>	Dingy Bro- cade	<i>St. 2, p. 181.</i> 6197 HADENA.	A pair in Mr. Stephens's Cabinet, from the late Mr. Marsham's Col- lection. Very rare.
237 <i>Remissa</i>	Gothic Bro- cade	<i>St. 2, p. 181.</i> 6198 HADENA.	Coombe and Da- renth Woods; also near Rip- ley, Hertford, &c. June.
238 <i>Contigua</i>	Beautiful Bro- cade	<i>St. 2, p. 184.</i> 6202 HADENA.	Coombe Wood. June.
239 <i>Glauca</i>	Glaucous Sheers	<i>St. 2, p. 185.</i> 6204 HADENA.	Near London, Cheltenham, and Matlock. June.
240 <i>Plebeia</i>	The Sheers	<i>St. 2, p. 185.</i> 6205 HADENA.	Middlesex, Essex, Kent, Sussex, Devon, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
241 <i>Leuco- stigma</i>	Pale Sheers	<i>St. 2, p. 186.</i> 6206 HADENA.	Habitat the same as No. 240. June.
242 <i>Ochracea</i>	Tawny Sheers	<i>St. 2, p. 186, t. 23, f. 3.</i> 6207 HADENA.	Near London, Brighton, and in Norfolk ; but rare. June.
243 <i>Lithorhiza</i>	Early Grey	<i>St. 2, p. 187.</i> 6208 HADENA.	Middlesex, Surrey, Essex, Kent, &c. ; on trunks of trees. End of April.
244 <i>Cucubali</i>	Campion	<i>C. 7, t. 308. St. 2, p. 187.</i> 6209 HADENA.	Darenth Wood ; Bedfordshire, &c. ; but un- common. Mid- dle of June.
245 <i>Capsincola</i>	Lychnis	<i>St. 2, p. 188.</i> 6210 HADENA.	Middlesex, Surrey, Essex, &c. ; in gardens, and waste ground. End of June or begin- ning of July.
246 <i>Saponariæ</i>	Bordered Gothic	<i>St. 2, p. 188.</i> 6211 HADENA.	Darenth Wood ; also near Brigh- ton and Dover ; in Norfolk and Cambridge- shire. End of June or begin- ning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
247 <i>Popularis</i>	Feathered Gothic	<i>D. 15, t. 505. St. 2, p. 189.</i> 6212 <i>HELIOPHOBUS.</i>	Near London, and in several counties; not uncommon. June.
248 <i>Leuco-phæus</i> , F.	Feathered Ear	<i>St. 2, p. 190.</i> 6213 <i>HELIOPHOBUS.</i>	Mr. Stephens has seen but two indigenous females, taken near Bristol, July 1816.
249 <i>Furva</i>	Dusky Brocade	<i>St. 2, p. 191.</i> 6214 <i>MAMESTRA.</i>	Near Hull in Yorkshire; also near Dover, and at Coombe Wood. June.
250 <i>Pisi</i>	Broom	<i>A. t. 32, f. 51, c—f. W. t. 7. D. 2, t. 51. St. 2, p. 192.</i> 6215 <i>MAMESTRA.</i>	Near London; Hampstead Heath, Epping Forest, Coombe Wood, &c. June.
251 <i>Splendens</i>	Purple Brocade	<i>St. 2, p. 192.</i> 6216 <i>MAMESTRA.</i>	Mr. Stephens's Cabinet. Taken in Cumberland, July 1827, by Mr. Weaver.
252 <i>Oleracea</i>	Bright-line Brown-eye	<i>A. t. 27, f. 40, a—d. St. 2, p. 193.</i> 6217 <i>MAMESTRA.</i>	Middlesex, Surrey, Kent, Essex, &c.; common in gardens. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
253 <i>Suasa</i>	Dog's tooth	<i>St. 2, p. 193.</i> 6218 MAMESTRA.	Taken near London: one also in Norfolk, and another in Birch Wood, in July 1818. Mr. Stephens's Cabinet.
254 <i>Nigricans</i>	Dusky Nutmeg	<i>St. 2, p. 193, t. 24, f. 2.</i> 6219 MAMESTRA.	A specimen taken at Christchurch, Hants, by Mr. Bentley; another found at Darent Wood. End of June.
255 <i>Brassicæ</i>	Cabbage	<i>A. t. 28, f. 42 and 43, a—e; also t. 29, f. 45, e—h. t. 67, a—d. and t. 78, f. a—d. St. 2, p. 194.</i> 6220 MAMESTRA.	Very common in gardens, hedges, banks, &c., in several counties. End of May.
256 <i>Albicolon</i>	White Colon	<i>St. 2, p. 195, t. 24, f. 3.</i> 6222 MAMESTRA.	Cumberland; taken in August 1827 by Mr. Weaver. Mr. Stephens's Cabinet.
257 <i>Chenopodii</i>	Nutmeg	<i>A. t. 29, f. 44, e—d. St. 2, p. 195.</i> 6224 MAMESTRA.	Common in gardens in and near London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
258 <i>Persicariæ</i>	Dot	<i>A.t. 77, f. a—d. H. t. 24, f. a—e. D. 9, t. 317. C. 9, t. 431? St. 2, p. 196. 6225 MAMESTRA.</i>	Middlesex, Surrey, Essex; at Hertford and Ripley, &c. June.
259 <i>Lucipara</i>	Small Angle Shades	<i>D. 7, t. 230, f. 2. St. 3, p. 3. 6226 EUPLEXIA.</i>	Coombe and Da- renth Woods. Middle of June.
260 <i>Aliena</i>	Large Nutmeg	<i>St. 3, p. 4. 6223 MAMESTRA.</i>	Gardens and shrubby places near London, &c. June.
261 <i>Basilinea</i>	Rustic Shoul- der-knot	<i>St. 3, p. 5. 6227 HAMA.</i>	Woody places and gardens. End of June.
262 <i>Testacea</i>	Lesser Floun- ced Rustic	<i>St. 3, p. 5. 6228 HAMA.</i>	Birch Wood, Epping, &c. Autumn.
263 <i>Fibrosa</i>	Crescent	<i>St. 3, p. 7. 6230 APAMEA.</i>	Whittlesea Mere. Middle of July.
264 <i>Nictitans</i>	Golden Ear	<i>D. t. 397, f. 3. C. 6, t. 260. St. 3, p. 7. 6231 APAMEA.</i>	Heaths near Birch Wood; also near Mar- gate, &c. End of July or be- ginning of Au- gust.
265 <i>Secalina</i>	Small Clouded brindle	<i>St. 3, p. 8. 6233 APAMEA.</i>	Neighbourhood of London; Battersea Fields; rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
266 <i>Didyma</i>	Rustic Mourner	<i>St. 3, p. 8.</i> 6232 APAMEA.	Near London; Copenhagen- fields; also at Dover. Begin- ning of Au- gust.
267 <i>Oculea</i>	Common Rustic	<i>St. 3, p. 9.</i> 6235 APAMEA.	Very common in woods, hedges, pastures, &c. August.
268 <i>I-niger</i>	Letter I	<i>St. 3, p. 10.</i> 6236 APAMEA.	Very common near London, &c. Beginning of August.
269 <i>Thalassina</i>	Pale Shoulder- ed Brocade	<i>St. 2, p. 182.</i> 6200 HADENA.	Common near London. June.
270 <i>Genistæ</i>	Light Brocade	<i>D. 10, t. 352, f. 1. St. 2,</i> <i>p. 183.</i> 6201 HADENA.	Hertford, and Darent Wood. June.
271 <i>Furca</i>	Russet	<i>St. 3, p. 10.</i> 6237 APAMEA.	Hedges, &c., near London, Hertford, &c.; not uncommon. August.
272 <i>Ophio- gramma</i>	Double lobed	<i>St. 3, p. 11.</i> 6238 APAMEA.	Meadows near Hackney; in Epping Forest, and in Batter- sea Fields; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
273 <i>Literosa</i>	Rosy Minor	<i>St. 3, p. 12, t. 25, f. 1.</i> 6239 MIANA.	Darenth Wood; also near Dover, &c. Middle of July.
274 <i>Strigilis</i>	Marbled Minor	<i>St. 3, p. 12.</i> 6240 MIANA.	Woody places in Middlesex; Devonshire, &c. June.
275 <i>Latrun- cula</i>	Tawny Mar- bled Minor	<i>St. 3, p. 13.</i> 6241 MIANA.	Near London, &c. June.
276 <i>Æthiops</i>	Blackamoor	<i>St. 3, p. 13.</i> 6242 MIANA.	Middlesex; Suf- folk; Norfolk, &c. Woods and meadows. June.
277 <i>Humeralis</i>	Cloaked Minor	<i>St. 3, p. 14.</i> 6243 MIANA.	Very common near Dover, &c. Middle of August.
278 <i>Terminalis</i>	Flounced Minor	<i>St. 3, p. 14.</i> 6244 MIANA.	Middlesex, Es- sex, Darenth and Coombe Woods, &c. July.
279 <i>Rufuncula</i>	Plain red Minor	<i>St. 3, p. 14.</i> 6245 MIANA.	Norfolk and Suf- folk. Rare. June.
280 <i>Fasciun- cula</i>	Middle-barred Minor	<i>St. 3, p. 15.</i> 6246 MIANA.	Darenth Wood; also in Copen- hagen Fields; but rare. July. Mr. Bentley's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
281 <i>Minima</i>	Least Minor	<i>St. 3, p. 15.</i> 6247 <i>MIANA</i> .	Cabinet of Mr. Bentley, taken by him in Yareley Fens, Whittlesea Mere. June.
282 <i>Renigera</i>	Kidney-spotted Minor	<i>St. 3, p. 16, t. 25, f. 2.</i> 6248 <i>CELÆNA</i> .	Very rare. Mr. Stephens has seen but three specimens.
283 <i>Haworthii</i>	Haworthian Minor	<i>St. 3, p. 16.</i> 6249 <i>CELÆNA</i> .	Whittlesea Mere. Common. July.
284 <i>Lancea</i>	Marsh Minor	<i>St. 2, p. 18.</i> 6250 <i>CELÆNA</i> .	Borders of Ramsey Mere; also near Whittlesea Mere? Very rare.
285 <i>Hibernica</i>	Irish Minor	<i>St. 3, p. 17.</i> 6251 <i>CELÆNA</i> .	Near Dublin.
286 <i>Porphyrea</i>	True Lover's knot	<i>D. 10, t. 360, f. 1. St. 3,</i> <i>p. 19.</i> 6252 <i>SCOTOPHILA</i> .	Heaths near Birch Wood; New Forest, Hants, &c. End of July.
287 <i>Piniperda</i>	Pine Beauty	<i>C. 3, t. 117. St. 3, p. 19.</i> 6253 <i>ACHATIA</i> .	First found by Mr. Stephens at Hertford; since taken at Birch Wood, &c. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
288 <i>Præcox</i>	Portland	<i>D. 6, t. 213. St. 3, p. 21.</i> 6254 <i>ACTEBIA.</i>	Coast of Devonshire, &c. June and September.
289 <i>Atriplicis</i>	Wild Arrach	<i>W. 3, t. 2. D. 8, t. 262, f. 1. St. 3, p. 22.</i> 6255 <i>TRACHEA.</i>	Wisbeach, and Cheltenham; but rare. End of June, and in September.
290 <i>Oleagina</i>	Green-brindled Dot	<i>D. 13, t. 439. St. 3, p. 23.</i> 6256 <i>VALERIA.</i>	Richmond Park; also near Bristol, and in Scotland; but very rare.
291 <i>Bimaculosa</i>	Double-spotted Brocade	<i>C. 4, t. 177. St. 3, p. 24.</i> 6257 <i>MISELIA.</i>	Taken near Bristol in July 1815: now in the British Museum.
292 <i>Oxyacanthæ</i>	Green-brindled Crescent	<i>A. t. 14, f. 19, a—d. W. t. 27. H. t. 43, f. d—f. D. 5, t. 165. St. 3, p. 24.</i> 6258 <i>MISELIA.</i>	Ealing, Middlesex; also in Warwickshire, Cheshire, &c. End of September to the beginning of November.
293 <i>Aprilina</i>	Marvel du Jour	<i>D. 10, t. 354, f. 1. St. 3, p. 25.</i> 6259 <i>MISELIA.</i>	Coombe and Darenth Woods, &c. October.
294 <i>Compta</i>	Marbled Coronet	<i>St. 3, p. 26.</i> 6260 <i>MISELIA.</i>	Darenth Wood and near Brighton. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
295 <i>Advena</i>	Pale-shining brown	<i>St. 3, p. 28.</i> 6262 POLIA.	Coombe Wood, &c. End of June.
296 <i>Nitens</i>	Tawny and silver	<i>St. 3, p. 28.</i> 6263 POLIA.	Near London, and in Norfolk. End of June.
297 <i>Bimaculosa</i>	Grey Arches	<i>D. 10, t. 345, f. 1. St. 3, p. 28.</i> 6264 POLIA.	Darenth and Birch Woods, Epping, &c. End of June.
298 <i>Tincta</i>	Silvery Arches	<i>St. 3, p. 29.</i> 6266 POLIA.	Darenth and Coombe Woods; but rare. End of June. <i>very common</i>
299 <i>Herbida</i>	Green Arches	<i>St. 3, p. 30, t. 27, f. 3.</i> 6267 POLIA.	Darenth Wood; also in Norfolk, and at Tunbridge, Kent. Mr. Bentley. June.
300 <i>Polymita</i>	White Arches	<i>St. 3, p. 31, t. 26, f. 2.</i> 6269 POLIA.	In the Cabinets of Mr. Stephens and Mr. Vigors.
301 <i>Templi</i>	Brindled Ochre	<i>St. 3, p. 31, t. 26, f. 1.</i> 6268 POLIA.	Mr. Bentley's Cabinet.
302 <i>Flavocincta</i>	Large Ranunculus	<i>W. t. 14, upper fig. D. 10, t. 334. St. 3, p. 32.</i> 6270 POLIA.	Hertford, York, Epping; gardens and hedges. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
303 <i>Occulta</i>	Great Brocade	<i>St. 3, p. 29.</i> 6265 <i>POLIA</i> .	Taken in Epping Forest by Mr. Hatchett, and also at Alderley, Cheshire, by the Rev. E. Stanley. Very rare. July.
304 <i>Albimacula</i>	White-spotted Coronet	<i>St. 3, p. 26.</i> 6261 <i>MISELIA</i> .	British Museum.
305 <i>Dysodea</i>	Ranunculus	<i>W. t. 14, lower fig. St. 3, p. 32.</i> 6271 <i>POLIA</i> .	Darenth Wood, Epping, Hertford, &c., gardens and hedges. Middle of July.
306 <i>Serena</i>	Broad-barred White	<i>D. 10, t. 338, f. 3. St. 3, p. 33.</i> 6272 <i>POLIA</i> .	Near Dartford, &c. End of June.
307 <i>Seladonia</i>	Brindled Green	<i>St. 3, p. 33.</i> 6273 <i>POLIA</i> .	Darenth, Birch and Coombe Woods, &c. End of September.
308 <i>Chi</i>	July Chi	<i>A. t. 83, f. C. D. D. 12, t. 406. St. 3, p. 34.</i> 6274 <i>POLIA</i> .	Derbyshire, Cumberland, North Wales, &c. July.
309 <i>Leporina</i>	Miller	<i>D. 10, t. 327, f. 1. St. 3, p. 35.</i> 6275 <i>APATELA</i> .	Darenth, Coombe and Birch Woods; but not common. Middle of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
310 <i>Brady- porina</i>	Ashy Miller	<i>St. 3, p. 36, t. 26, f. 3.</i> 6276 APATELA.	Birch and Darenth Woods, &c. Beginning of June.
311 <i>Aceris</i>	Sycamore	<i>A. t. 83, f. a—d. W. t. 67.</i> <i>D. 10, t. 330. St. 3,</i> <i>p. 36.</i> 6277 APATELA.	Essex, Cambridge, &c. End of June.
312 <i>Megace- phala</i>	Poplar Grey	<i>St. 3, p. 37.</i> 6278 ACHRONYCTA.	Darenth Wood, Hertford, Cambridge, &c. Beginning of June and in the autumn.
313 <i>Ligustri</i>	Coronet	<i>St. 3, p. 38.</i> 6279 ACHRONYCTA.	Darenth Wood; also near Croydon, &c. End of June.
314 <i>Alni</i>	Alder	<i>D. 10, t. 327, f. 2. St. 3,</i> <i>p. 38.</i> 6280 ACHRONYCTA.	Found in several counties; but rare. Beginning of June.
315 <i>Psi</i>	Dagger	<i>A. t. 36. W. t. 60. H. t. 15.</i> <i>D. 4, t. 133. St. 3, p. 39.</i> 6282 ACHRONYCTA.	Very common on pales, &c., near woods, in different counties. End of June.
316 <i>Tridens</i>	Dark Dagger	<i>St. 3, p. 40.</i> 6283 ACHRONYCTA.	Woods and shady places, Middlesex, Essex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
317 <i>Auricoma</i>	Scarce Dagger	<i>St. 3, p. 41.</i> 6285 ACHRONYCTA.	Birch trees in Coombe Wood and Richmond Park. Begin- ning of June.
318 <i>Menyan- thedis</i>	Light Knot- grass	<i>St. 3, p. 42, t. 27, f. 1.</i> 6287 ACHRONYCTA.	In the neighbour- hood of Man- chester. June.
319 <i>Rumicis</i>	Bramble	<i>A. t. 22, f. e—i. W. t. 56.</i> <i>D. 4, t. 126. St. 3, p. 42.</i> 6288 ACHRONYCTA.	Common in Middlesex and other counties. Middle of May.
320 <i>Euphorbiæ</i>	Spurge	<i>St. 3, p. 43.</i> 6289 ACHRONYCTA.	Near London, and in the New Forest; but rare. Beginning of May.
321 <i>Euphrasiæ</i>	Dark Spurge	<i>St. 3, p. 43.</i> 6290 ACHRONYCTA.	Mr. Stephens's specimen was taken near Lon- don in June.
322 <i>Glandifera</i>	Marbled green	<i>D. 7, t. 223, f. 3. St. 3,</i> <i>p. 44.</i> 6291 BRYOPHILA.	Walls near Lon- don, &c. End of June.
323 <i>Perla</i>	Marbled Beauty	<i>St. 3, p. 45.</i> 6292 BRYOPHILA.	Common on old walls near Lon- don, &c. End of July.
324 <i>Orion</i>	Scarce Marvel du Jour	<i>H. t. 42, f. e. D. 10,</i> <i>t. 347, f. 1. C. 9, t. 404.</i> <i>St. 3, p. 46.</i> 6295 DIPHTHERA.	Birch Wood, &c. Beginning of June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
325 <i>Derasa</i>	Buff Arches	<i>D. 7, t. 223, f. 1. St. 3, p. 47.</i> 6296 <i>THYATIRA</i> .	Darenth Wood, Epping Forest, &c. Rare. End of July.
326 <i>Batis</i>	Peach Blossom	<i>St. 3, p. 48.</i> 6297 <i>THYATIRA</i> .	Darenth and Coombe Woods, Epping Forest, &c.; but not common. Middle of June to the end of July.
327 <i>Libatrix</i>	Furbelow	<i>A. t. 32, f. 50, a—c. D. 6, t. 216. St. 3, p. 50.</i> 6299 <i>CALYPTRA</i> .	Common near willow-trees, and under bridges, &c. End of July.
328 <i>Fluctuosa</i>	Satin Carpet	<i>St. 3, p. 51.</i> 6300 <i>CEROPACHA</i> .	Darenth and Birch Woods; not common. Middle of June.
329 <i>Duplaris</i>	Lesser Satin Carpet	<i>St. 3, p. 52.</i> 6301 <i>CEROPACHA</i> .	Epping, Darenth Wood, &c. Middle of June.
330 <i>Diluta</i>	Lesser Lute-string	<i>H. t. 35, f. 6—8. St. 3, p. 52.</i> 6302 <i>CEROPACHA</i> .	Darenth Wood, the New Forest, &c.; but rare. End of August.
331 <i>Or</i>	Poplar Lute-string	<i>D. 10, t. 347, f. 3. St. 3, p. 53.</i> 6303 <i>CEROPACHA</i> .	Epping Forest, Darenth Wood, &c.; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
332 <i>Octogesima</i>	Figure of 80	C. 6, t. 272. St. 3, p. 53, t. 27, f. 2. 6304 CEROPACHA.	Mr. Stephens has a specimen taken near Birmingham. End of May or beginning of June.
333 <i>Flavicornis</i>	Yellow horned	D. 10, t. 352, f. 3. St. 3, p. 54. 6305 CEROPACHA.	Coombe and Darenth Woods; but rare. End of February or beginning of March.
334 <i>Ridens</i>	Frosted-green	St. 3, p. 55. 6306 CEROPACHA.	Epping Forest, Coombe Wood, &c. Rare. Middle of April.
335 <i>Subtusa</i>	Olive	St. 3, p. 56. 6307 TETHEA.	Coombe and Darenth Woods; not common. June.
336 <i>Retusa</i>	Double Kidney	D. 10, t. 350, f. 2. St. 3, p. 56. 6308 TETHEA.	Frequents the same place as the preceding; but not common. End of July.
337 <i>Gracilis</i>	Slender bodied	St. 3, p. 57. 6309 TETHEA.	The same time and place as the preceding.
338 <i>Viminalis</i>	Minor Shoulder-knot	St. 3, p. 58. 6310 BOMBYCIA.	Coombe and Darenth Woods, &c. June and July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
339 <i>Oo</i>	Heart	<i>W. t. 11. D. 5, t. 179. St. 3, p. 59.</i> 6311 <i>CYMATOPHORA.</i>	Epping Forest, Darenth Wood, &c. Beginning of June.
340 <i>Diffinis</i>	White-spotted Pinion	<i>St. 3, p. 60.</i> 6312 <i>COSMIA.</i>	Middlesex, Essex, &c. Frequent elmtrees. Middle of August.
341 <i>Affinis</i>	Lesser-spotted Pinion	<i>A. t. 31, f. 49, f.—i. St. 3, p. 61.</i> 6313 <i>COSMIA.</i>	Near London, &c., on elmtrees. End of July.
342 <i>Pyralina</i>	Lunar-spotted Pinion	<i>St. 3, p. 61.</i> 6314 <i>COSMIA.</i>	Taken near Birch Wood; but rare. End of July.
343 <i>Trapezina</i>	Dun-bar	<i>H. t. 10, f. n—r. St. 3, p. 62.</i> 6315 <i>COSMIA.</i>	Very common in woods and lanes in several counties. End of July.
344 <i>Fulvago</i>	Angle-striped Sallow	<i>St. 3, p. 62.</i> 6316 <i>COSMIA.</i>	Taken on the borders of Birch Wood; but very rare. End of July.
345 <i>Flavago</i>	Pink-barred Sallow	<i>A. t. 68, f. a—d. St. 3, p. 64.</i> 6317 <i>XANTHIA.</i>	Woods at Sydenham; Darenth Wood, &c. Beginning of September.

PHALÆNA.

Pl. 12




W. Wood Junr



PHALÆNA.

Pl. 13





PHALÆNA.

PL. 11



305 a



314 a +



323 n



332 a +



306 a



315 a +



324 a +



333 a +



307 a +



316 a +



325 a +



334 a +



308 a +



317 a +



326 a +



335 a



309 a +



318 a +



327 a +



336 a



310 a +



319 a +



328 a +



337 a



311 a +



320 a +




329 a +



338 a



312 a +



321 a +



330 a +



339 a



313 a +



322 a




331 a +



340 a

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
346 <i>Fulvago</i>	Sallow	<i>A. t.</i> 33, <i>f.</i> 52, a—d. <i>D.</i> 10, <i>t.</i> 338, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 64. 6318 <i>XANTHIA</i> .	Common among birch trees, in woods and plantations. Middle of Sep- tember.
347 <i>Gilvago</i>	Lemon Sallow	<i>St.</i> 3, <i>p.</i> 65. 6319 <i>XANTHIA</i> .	Darenth and Birch Woods. Rare. Middle of September.
348 <i>Aurago</i>	Barred Sallow	<i>St.</i> 3, <i>p.</i> 65. 6320 <i>XANTHIA</i> .	Darenth Wood. Beginning of September.
349 <i>Centrago</i>	Centre-barred Sallow	<i>C.</i> 2, <i>t.</i> 34. <i>St.</i> 3, <i>p.</i> 65. 6321 <i>XANTHIA</i> .	North of En- gland; but rare.
350 <i>Citrago</i>	Orange Sallow	<i>St.</i> 3, <i>p.</i> 66. 6322 <i>XANTHIA</i> .	Epping Forest. Middle of Au- gust.
351 <i>Fimbriago</i>	Scarce border- ed Sallow	<i>St.</i> 3, <i>p.</i> 67. 6323 <i>XANTHIA</i> .	Mr. Stephens's Cabinet.
352 <i>Croceago</i>	Orange Upper- wing	<i>A. t.</i> 15, <i>f.</i> 22, e—h. <i>St.</i> 3, <i>p.</i> 67. 6324 <i>XANTHIA</i> .	Oak woods of Surrey; Kent, &c. September.
353 <i>Micacea</i>	Rosy Rustic	<i>St.</i> 3, <i>p.</i> 69. 6326 <i>GORTYNA</i> .	The neigh- bourhood of London; also the New Forest, &c. Middle of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
354 <i>Flavago</i>	Frosted Orange	<i>H. t. 35, f. a—e. D. 10, t. 340, f. 1.</i> 6327 GORTYNA.	In different counties, by way sides, among the common Bur- dock. Middle of September.
355 <i>Typhæ</i>	Bullrush	<i>St. 3, p. 71.</i> 6329 NONAGRIA.	Among bull- rushes at Ed- monton, Ep- ping, &c. Mid- dle of August.
356 <i>Pilicornis</i>	Hairy-horned Wainscot	<i>St. 3, p. 72, t. 29, f. 1.</i> 6330 NONAGRIA.	Mr. Stephens's Cabinet. Taken in September 1826 near Croy- don.
357 <i>Crassicornis</i>	Large Wain- scot	<i>St. 3, p. 72.</i> 6331 NONAGRIA.	Mr. Curtis's Ca- binet. Taken in Norfolk.
358 <i>Cannæ</i>	Spotted Wain- scot	<i>St. 3, p. 73.</i> 6332 NONAGRIA.	Mr. Bentley's Cabinet. Taken near Scar- borough.
359 <i>Comma</i>	Shoulder- stripe Wain- scot	<i>St. 3, p. 73.</i> 6333 LEUCANIA.	Gardens near Epping; also near Dartford, &c. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
360 <i>Littoralis</i>	Shore Wain- scot	<i>C. 4, t. 157. St. 3, p. 74.</i> 6334 LEUCANIA.	Coast of Hamp- shire and Cum- berland. Rare.
361 <i>Obsoleta</i>	Obscure Wain- scot	<i>St. 3, p. 74.</i> 6335 LEUCANIA.	Cabinet of Mr. Chant. Taken by him in the City Road.
362 <i>Impura</i>	Smoky Wain- scot	<i>A. t. 33, f. 53, e—h.</i> <i>St. 3, p. 75.</i> 6336 LEUCANIA.	Very common in several parts of the country. Middle of July.
363 <i>Punctina</i>	Dotted-bor- dered Wain- scot	<i>St. 3, p. 75.</i> 6337 LEUCANIA.	Taken near Lon- don, with No. 362.
364 <i>Arcuata</i>	Bowed Wain- scot	<i>St. 3, p. 76.</i> 6338 LEUCANIA.	Two specimens taken by Mr. Stephens at Ripley. Begin- ning of July 1827.
365 <i>Pallens</i>	Common Wainscot	<i>St. 3, p. 76.</i> 6339 LEUCANIA.	Gardens, hedges, &c.; not un- common. Mid- dle of July.
366 <i>Rufescens</i>	Red Wainscot	<i>St. 3, p. 76.</i> 6340 LEUCANIA.	The same time and place as the foregoing.
367 <i>Suffusa</i>	Clouded Wainscot	<i>St. 3, p. 77.</i> 6341 LEUCANIA. K 2	Isle of Dogs. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
368 <i>Ochracea</i>	Ochreous Wainscot	<i>St. 3, p. 77.</i> 6342 LEUCANIA.	Darenth Wood and Whittlesea Mere. Rare. End of August.
369 <i>Fluxa</i>	Tawny Wain- scot	<i>St. 3, p. 77.</i> 6343 LEUCANIA.	Whittlesea Mere. End of July.
370 <i>Pygmina</i>	Small Wain- scot	<i>St. 3, p. 78.</i> 6344 LEUCANIA.	Battersea Fields. middle of Sep- tember.
371 <i>Pallida</i>	Pale Wainscot	<i>St. 3, p. 78.</i> 6345 LEUCANIA.	Taken in the marshes near West Ham, Essex.
372 <i>Neurica</i>	White Wain- scot	<i>St. 3, p. 79.</i> 6346 LEUCANIA.	Marshes near Lea Bridge. Mr. Stephens has seen but two specimens.
373 <i>Gemini- punctata</i>	Twin-spotted Wainscot	<i>St. 3, p. 79.</i> 6347 LEUCANIA.	Cabinet of Mr. Hatchet, and in the British Museum.
374 <i>Pudorina</i>	Striped Wain- scot	<i>St. 3, p. 80.</i> 6348 LEUCANIA.	Whittlesea Mere. June.
375 <i>Musculosa</i>	Glossy Wain- scot	<i>St. 3, p. 81.</i> 6350 SIMYRA.	Whittlesea and Yaxley Meres. June.
376 <i>Rufina</i>	Flounced Rustic	<i>St. 3, p. 68.</i> 6325 XANTHIA.	Woods in Kent, &c. Middle of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
377 <i>Scrophularia</i> .	Water Betony	<i>W. t. 15. St. 3; p. 85.</i> 6354 CUCULLIA.	Near Croydon, Cheltenham, &c. May.
378 <i>Verbasci</i>	Mullein	<i>A. t. 13, f. 18, f—k.</i> <i>H.t. 3, f. a—e. St. 3, p. 85.</i> 6355 CUCULLIA.	Darenth and Birch Woods, &c. April.
379 <i>Astëris</i>	Starwort	<i>C. 1, t. 45. St. 3, p. 86.</i> 6356 CUCULLIA.	Darenth Wood, Downs near Croydon, but not common. Beginning of July.
380 <i>Meticulosa</i>	Angle-shades	<i>A. t. 30, f. 46, 47, a—e.</i> <i>W.t. 3. H.t. 41, f.c—e.</i> <i>D. 4, t. 139. St. 3, p. 84.</i> 6353 PHLOGOPHORA.	Common in gardens and shady places in many counties. End of April, June, and September.
381 <i>Umbratica</i>	Large pale Shark	<i>D. 3, t. 262, f. 2. St. 3, p. 87.</i> 6358. CUCULLIA.	Wimbledon Common, Epping, &c. Middle of July.
382 <i>Tanaceti</i>	Tansy Shark	<i>St. 3, p. 88.</i> 6360. CUCULLIA.	Woods near London. End of July.
383 <i>Lucifuga</i>	Large dark Shark	<i>St. 3, p. 89.</i> 6361 CUCULLIA.	Darenth and Birch Woods. Beginning of July.
384 <i>Lactucæ</i>	Lettuce Shark	<i>St. 3, p. 88.</i> 6359 CUCULLIA.	Darenth and Birch Woods. Middle of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
385 <i>Chamomillæ</i>	Chamomile Shark	<i>St. 3, p. 89.</i> 6362 CUCULLIA.	Near Birch Wood and Wimbledon Common, &c.; but rare, June.
386 <i>Fisolina</i>	Twin-tailed Shark	<i>St. 3, p. 90.</i> 6363 CUCULLIA.	Birch Wood, &c. June.
387 <i>Absinthii</i>	Wormwood	<i>D. 9, t. 304. St. 3, p. 91.</i> 6365 CUCULLIA.	South Wales and Devonshire. Beginning of July.
388 <i>Delphinii</i>	Pease-blossom	<i>W. t. 3, f. 4. D. 10, t. 331.</i> 6368 CHARCILEA.	Near Windsor; but very rare. June.
<i>Solidaginis</i> 389 <i>Thapsi</i> <i>phaga</i>	Shepherd's Purse	<i>St. 3, p. 87.</i> 6357 CUCULLIA.	British Museum. Taken near Birch Wood. June.
390 <i>Artemisiæ</i>	Green Silver Spangle	<i>St. 3, p. 91.</i> 6366 CUCULLIA.	British Museum.
391 <i>Linariæ</i>	Flax	<i>St. 3, p. 94, t. 29, f. 2.</i> 6367 CALOPHASIA.	British Museum and Mr. Ste- phens's Cabi- net. Taken at Woodside near Epping in June 1817.
392 <i>Ochroleuca</i>	Dusky Sallow	<i>D. 10, t. 340, f. 2. St. 3,</i> <i>p. 95.</i> 6369 EREMOBIA.	Hills near Dover, South Downs, &c. July.
393 <i>Triplasia</i>	Dark Spec- tacle	<i>St. 3, p. 96.</i> 6370 ABROSTOLA.	Gardens and wood-sides, &c. Hertford, Ep- ping, &c. July.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
394 <i>Urticæ</i>	Spectacle	<i>D. 9, t. 293. St. 3, p. 97.</i> 6371 <i>ABROSTOLA</i> .	Common in shady places near London, &c. End of July.
395 <i>Venosa</i>	Powdered Wainscot	<i>St. 3, p. 82.</i> 6351 <i>SIMYRA</i> .	Fenny places. Whittlesea Mere, &c. Middle of June.
396 <i>Illustris</i>	Purple shades	<i>St. 3, p. 98.</i> 6373 <i>ABROSTOLA</i> .	Taken formerly on Salisbury Plain. Now very rare. June or July.
<i>Iota</i> 397 <i>Porcontia</i> <i>tionis</i>	Plain Golden Y	<i>D. 8, t. ²⁶⁶256, f. 1. St. 3,</i> <i>p. 101.</i> 6376 <i>PLUSIA</i> .	Lanes near Darenth Wood and Hertford. End of June.
<i>Percontationis</i> 398 <i>Iota</i>	Beautiful Golden Y	<i>St. 3, p. 100.</i> 6375 <i>PLUSIA</i> .	Coombe and Darenth Woods, &c. Beginning of July.
399 <i>Bimaculata</i>	Double-spotted Spangle	<i>St. 3, p. 102.</i> 6377 <i>PLUSIA</i> .	Mr. Stephens's Cabinet.
400 <i>Interrogationis</i>	Scarce Silver Y	<i>D. 13, t. 453. St. 3, p. 102.</i> 6378 <i>PLUSIA</i> .	North of England. End of June.
401 <i>Gamma</i>	Silver Y	<i>A. t. 79, f. e—h. W. t. 69.</i> <i>D. 8, t. 265, f. 2. St. 3, p. 103.</i> 6379 <i>PLUSIA</i> .	Common in fields and hedges. April, June, and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
402 Chrysitis	Burnished Brass	<i>A. t. 71, f. a—d.</i> <i>H. t. 22, f. a—c. D. 4, t. 137. St. 3, p. 105.</i> 6383 PLUSIA.	Gardens, hedges, meadows, &c. End of June.
403 Aurifera	Slender burnished Brass	<i>St. 3, p. 104.</i> 6382 PLUSIA.	British Museum. Taken near Dover.
404 Circumflexa	Yorkshire Y	<i>D. 12, t. 412. St. 3, p. 103.</i> 6380 PLUSIA.	Mr. Stephens's Cabinet. Taken in Yorkshire.
405 Aurichal- cea	Scarce burnished Brass	<i>St. 3, p. 105.</i> 6384 PLUSIA.	Near Crayford, Kent, and Newbury, Berkshire; but rare. June.
406 Bractea	Gold Spangle	<i>St. 3, p. 106.</i> 6385 PLUSIA.	North of England and near Edinburgh. June.
407 Festucae	Gold Spot	<i>A. t. 84, f. e—h. W. t. 17. D. 2, t. 46. St. 3, p. 107.</i> 6386 PLUSIA.	Ditches and marshy places near London, &c. Middle of August.
408 Marginata	Bordered Sallow	<i>D. 5, t. 150, f. 1. St. 3, p. 108.</i> 6387 HELIOTHIS.	Darent and Birch Woods. Beginning of June.
409 Pelligera	Bordered Straw	<i>D. 2, t. 61. St. 3, p. 109.</i> 6388 HELIOTHIS.	Taken occasionally near Dover, Brighton, &c., but very rare.



341 a



350 a



359 a



368 a



342 a



351 a



360 a



369 n



343 a



352 a



361 a



370 n



344 a +



353 a +



362 a



371 n



345 a



354 a +



363 a



372 n



346 a



355 a +



364 a



373 n



347 a



356 b



365 a



374 a +



348 a



357 b



366 a



375 a



349 a



358 a +




367 a




376 a +

W. Wood Junr







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
410 <i>Dipsacea</i>	Marbled Clover	<i>D. 10, t. 327, f. 3. St. 3, p. 109.</i> 6389 <i>HELIOTHIS.</i>	Clover fields near Darenth Wood, &c.; but not common. Middle of July.
411 <i>Myrtilli</i>	Beautiful Yellow Underwing	<i>D. 7, t. 221. C. 3, t. 145. St. 3, p. 111.</i> 6390 <i>ANARTA.</i>	Heaths in several counties. Middle of June to the end of July.
412 <i>Nervosa</i>	Tawny veined Wainscot	<i>St. 3, p. 82.</i> 6352 <i>SIMYRA.</i>	Taken near Darenth Wood; but very rare. June.
413 <i>Vidua</i>	Dark Yellow Underwing		Mr. Curtis's Cabinet.
414 <i>Heliaca</i>	Small Yellow Underwing	<i>D. 10, t. 343, f. 3. St. 3, p. 112.</i> 6392 <i>ANARTA.</i>	Lanes and meadows, Middlesex, Kent, Essex, &c. July.
415 <i>Luctuosa</i>	Four spotted	<i>St. 3, p. 113.</i> 6393 <i>ACONTIA.</i>	Clover fields near Darenth Wood, but not common. June.
416 <i>Solaris</i>	Pale Shoulder	<i>St. 3, p. 113, t. 29, f. 3.</i> 6395 <i>ACONTIA.</i>	Mr. Stephens's Cabinet.
417 <i>Caloris</i>	Marbled Beauty.	<i>St. 3, p. 114.</i> 6396 <i>ACONTIA.</i>	Mr. Curtis's Cabinet.
418 <i>Ostrina</i>	Purple Marble	<i>C. 3, t. 140. St. 3, p. 119.</i> 6404 <i>ERASTRIA.</i>	Mr. Curtis's Cabinet. Taken in Devonshire by Cap. Blomer, June 1825.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
419 Sulphur- lis	Spotted Sul- phur	<i>D. 10, t. 339, f. 1. St. 3, p. 117.</i> 6399 ERASTRIA.	Battersea Fields. Middle of July.
420 Uncana	Silver hook	<i>St. 3, p. 117.</i> 6400 ERASTRIA.	Whittlesea Mere, &c. End of June.
421 <i>Bankiana</i>	Silver barred	<i>St. 3, p. 117.</i> 6401 ERASTRIA.	Mr. Stephens's Cabinet. Taken by the late Mr. Haworth in Norfolk. Be- ginning of July.
422 <i>Venustula</i>	Rosy Marbled	<i>St. 3, p. 118.</i> 6402 ERASTRIA.	Mr. Stephens's Cabinet. Taken in Epping Forest. Very rare.
423 <i>Minuta</i>	Small Marble	<i>St. 3, p. 119.</i> 6403 ERASTRIA.	Mr. Stephens's Cabinet. Very rare.
424 <i>Catena</i>	Brixton Beauty	<i>C. 6, t. 276. St. 3, p. 116.</i> 6398 DESMOPHORA.	<i>Euphasia</i> Mr. Curtis's Ca- binet.
425 <i>Apicosa</i>	Blossom tip	<i>St. 3, p. 119.</i> 6405 ERASTRIA.	Mr. Bentley's Cabinet.
426 <i>Fuscula</i>	Marbled White spot	<i>St. 3, p. 119.</i> 6406 ERASTRIA.	Chiselhurst and Bexley Woods. End of June.
427 <i>Albidilinea</i>	Marbled White line	<i>St. 3, p. 120.</i> 6407 ERASTRIA.	Found at the same time and place as 426 ; but rare.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
428 <i>Ænea</i>	Small Purple barred	<i>St. 3, p. 121.</i> 6408 PHYTOMETRA.	Heaths near London; also near Birch and Darenth Woods, &c. End of August.
429 <i>Lutescens</i>	Reddish Buff	<i>St. 3, p. 122.</i> 6409 ACOSMETIA.	Mr. Stephens's Cabinet. Taken near Lyndhurst. July 1821.
430 <i>Caliginosa</i>	Dingy	<i>St. 3, p. 122.</i> 6410 ACOSMETIA.	Mr. Stephens's Cabinet. Taken in the New Forest. June.
431 <i>Rufa</i>	Small Rufous	<i>St. 3, p. 123.</i> 6411 ACOSMETIA	Whittlesea Mere. Rare. June.
432 <i>Lineola</i>	Lineated Ru- fous	<i>St. 3, p. 123.</i> 6412 ACOSMETIA.	Mr. Stephens's Cabinet.
433 <i>Arcuosa</i>	Small dotted Buff	<i>St. 3, p. 123.</i> 6413 ACOSMETIA.	Near London, Hertford, Ep- ping. June.
434 <i>Lusoria</i>	Black-neck	<i>D. 10, t. 354, f. 2. C. 10,</i> <i>t. 475. St. 3, p. 126.</i> 6416 OPHIUSA.	Fields near Birch and Da- renth Woods. Beginning of August.
435 <i>Anomalata</i>	Anomalous	<i>St. 3, p. 125.</i> 6415 STILBIA.	Hampshire, De- vonshire. Au- tumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
436 <i>Crassius- cula</i>	Double-barr- ed	<i>St. 3, p. 126.</i> 6418 <i>OPHIUSA.</i>	Mr. Stephens's Cabinet. Taken in the North of England.
437 <i>Trifasciata</i>	Triple streak- ed	<i>St. 3, p. 128.</i> 6421 <i>CATEPHIA.</i>	Mr. Stephens's Cabinet. Taken by the Rev. W. Kirby.
438 <i>Maura</i>	Great Brown- bar	<i>D. 7, t. 230, f. 1. St. 3,</i> <i>p. 129.</i> 6422 <i>MORMO.</i>	Common in gar- dens and fields near London, &c. Beginning of August.
439 <i>Fraxini</i>	Clifden Non- pareil	<i>W.t. 90. H.t. 31, f. a—e.</i> <i>D. 5, t. 171. St. 3,</i> <i>p. 131.</i> 6423 <i>CATOCALA.</i>	Taken in York- shire, &c.; but very rare. Au- tumn.
440 <i>Nupta</i>	Red Under- wing	<i>A. t. 80, f. a—d. W.t. 35.</i> <i>H. t. 18, f. g—m. D. 7,</i> <i>t. 224. St. 3, p. 132.</i> 6425 <i>CATOCALA.</i>	Among willows in Middlesex Kent, Essex, &c. Beginning of August.
441 <i>Sponsa</i>	Dark Crimson Underwing	<i>D. 9, t. 324. St. 3, p. 133.</i> 6427 <i>CATOCALA.</i>	Birch and Da- renth Woods, near Lyndhurst, &c. End of June.
442 <i>Promissa</i>	Light Crimson Underwing	<i>St. 3, p. 134.</i> 6428 <i>CATOCALA.</i>	New Forest; Richmond Park. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
443 <i>Conjuncta</i>	Lesser Crimson Underwing	<i>St. 3, p. 135.</i> 6429 CATOCALA.	Mr. Stephens's Cabinet; very rare.
444 <i>Parthenias</i>	Orange Underwing	<i>H. t. 35, f. 1. D. 7, t. 246.</i> <i>f. 1. St. 3, p. 136.</i> 6430 BREPHA.	Birch and Darenth Woods, &c. End of March.
445 <i>Puella</i>	Pale Orange Underwing	<i>St. 3, p. 137.</i> 6431 BREPHA.	British Museum.
446 <i>Notha</i>	Light Orange Underwing	<i>C. 3, t. 121. St. 3, p. 137.</i> 6432 BREPHA.	Coombe and Birch Woods, &c. End of March.
447 <i>Glyphica</i>	Burnet	<i>St. 3, p. 138.</i> 6433 EUCLIDIA.	Clover fields and borders of woods. June.
448 <i>Mi</i>	Shipton	<i>H. t. 41, f. 5. St. 3, p. 139.</i> 6435 EUCLIDIA.	Common in fields and woods in several counties. End of June.
449 <i>Trepidaria</i>	Black Mountain	<i>St. 3, p. 144.</i> 6436 PSODOS.	Mr. Bentley's Cabinet. Taken in Scotland. June.
450 <i>Alpinata</i>	Gold four-spot	<i>C. 9, t. 424. St. 3, p. 144.</i> 6437 PSODOS.	Mr. Curtis's Cabinet.
451 <i>Brunneata</i>	Rannoch Geometra	<i>C. 5, t. 225. St. 3, p. 145.</i> 6439 SPERANZA.	Scotland, on heaths near Loch Rannoch. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
452 <i>Limbaria</i>	Frosted Yellow	<i>St. 3, p. 145.</i> 6428 SPERANZA.	Near Birch Wood, among broom. May, July.
453 <i>Piniarius</i> , M. and F.	Bordered White	<i>D. 10, t. 336. St. 3, p. 147.</i> 6444 BUPALUS.	Fir plantations near Ripley, &c. June.
454 <i>Atomaria</i> <i>M.</i>	Common Heath	<i>D. 7, t. 248, f. 1, 2. St. 3, p. 148.</i> 6441 FIDONIA.	Heathy places, in several counties. May or June, and August.
455 <i>Carbonaria</i> <i>Atomaria</i> <i>F.</i>	Black Heath	<i>St. 3, p. 149.</i> 6442 FIDONIA.	Heaths near London. Middle of June.
456 <i>Fuliginaria</i>	Waved Black	<i>St. 3, p. 149.</i> 6440 FIDONIA.	Taken near London; but very rare. Mr. Bentley's Cabinet.
457 <i>Ericetaria</i>	Bordered Grey	<i>St. 3, p. 149.</i> 6443 FIDONIA.	Fir-trees near Birch Wood; Ringwood in the New Forest. August.
458 <i>Favillacearius</i>	Grey Scolloped	<i>H. t. 33, f. m. D. 13, t. 461, f. 1. C. 1, t. 33.</i> <i>St. 3, p. 150. Maesia.</i> 6445 BUPALUS.	New Forest, Hants. June.
459 <i>Leucophearia</i> , M. and F.	Spring Usher	<i>H. t. 43, f. m, n, o, q. St. 3, p. 151.</i> 6446 ANISOPTERYX.	Oak woods near London, &c. End of February and in March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
460 <i>Æscularia</i> , M. and F.	March	<i>St. 3, p. 152.</i> 6447 <i>ANISOPTERYX.</i>	Palings and trunks of trees. March.
461 <i>Capreola- ria</i> , M. and F.	Dotted border	<i>A.t. 44, f. 72, a—d. St. 3,</i> <i>p. 153. Hibernia.</i> 6448 <i>LAMPETIA.</i>	Wood sides and heathy places, &c. End of February, and in March.
462 <i>Connecta- ria</i>	Connecting Umbre	<i>St. 3, p. 154. Hibernia.</i> 6449 <i>LAMPETIA.</i>	Middlesex and Essex. Novem- ber and Decem- ber.
463 <i>Prosapi- aria</i> , M. and F.	Scarce Umbre	<i>St. 3, p. 154. Hibernia.</i> 6450 <i>LAMPETIA.</i>	Coombe and Da- renth Woods ; Epping, &c. October or No- vember.
464 <i>Defoliaria</i> , M. and F.	Mottled Um- bre	<i>A.t. 100, f. e—h. W.t. 72.</i> <i>H. t. 14, f. n—r. St. 3,</i> <i>p. 155. Hibernia.</i> 6451 <i>LAMPETIA.</i>	Common in woods and copses. End of autumn.
465 <i>Pilosaria</i> , M. and F.	Pale Brindled Beauty	<i>A. t. 91, f. e—i. W. t. 87.</i> <i>St. 3, p. 156. Phigalia.</i> 6452 <i>AMPHIDASIS.</i>	Near London, &c. ; but not common. March.
466 <i>Hispidaria</i> , M. and F.	Small Brin- dled Beauty	<i>D. 13, t. 447. St. 3,</i> <i>p. 157. Nyssia.</i> 6453 <i>AMPHIDASIS.</i>	Richmond Park ; Coombe and Birch Woods ; but rare. End of March.
467 <i>Prodroma- ria</i>	Oak Beauty	<i>D. 7, t. 219. St. 3, p. 158.</i> 6454 <i>BISTON.</i>	Woods near Lon- don. April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
468 <i>Betularius</i>	Spotted Elm	<i>A. t.</i> 40, <i>f.</i> 64, a—d. <i>W. t.</i> 77. <i>H. t.</i> 18, <i>f.</i> a—f. <i>St.</i> 3, <i>p.</i> 159. 6455 <i>BISTON</i> .	Woods near London, &c. June.
469 <i>Hirtarius</i>	Brindled Beauty	<i>A. t.</i> 39, <i>f.</i> 62, a—d. <i>W. t.</i> 70. <i>H. t.</i> 9, <i>f.</i> a—f. <i>St.</i> 3, <i>p.</i> 159. 6456 <i>BISTON</i> .	Common on poplars and lime-trees near London. April.
470 <i>Pennaria</i>	October	<i>W. t.</i> 79. <i>H. t.</i> 43, <i>f.</i> g—i. <i>D.</i> 8, <i>t.</i> 287, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 160. <i>Himera</i> . 6457 <i>METRA</i> .	Woods near London, &c. Beginning of October.
471 <i>Elinguaria</i>	Scolloped Oak	<i>A. t.</i> 39, <i>f.</i> 63, e—h. <i>St.</i> 3, <i>p.</i> 162. 6458 <i>CROCALLIS</i> .	Woods round London, &c. June.
472 <i>Bidentata</i>	Scolloped Hazel	<i>A. t.</i> 96, <i>f.</i> a—c. <i>H. t.</i> 10, <i>f.</i> s—z. <i>St.</i> 3, <i>p.</i> 163. 6459 <i>ODONTOPERA</i> .	Woods near London. April and June.
473 <i>Tiliaria</i>	Canary-shoul- dred Thorn	<i>St.</i> 3, <i>p.</i> 164. 6460 <i>GEOMETRA</i> , <i>Al- niaria</i> .	Darenth and Birch Woods. End of August.
474 <i>Canaria</i>	Pale Thorn	<i>St.</i> 3, <i>p.</i> 165. 6461 <i>GEOMETRA</i> .	Darenth Wood. End of August.
475 <i>Ochraria</i>	Ochreous Thorn	<i>St.</i> 3, <i>p.</i> 165. 6462 <i>GEOMETRA</i> .	Same as above.
476 <i>Erosaria</i>	September Thorn	<i>St.</i> 3, <i>p.</i> 165. 6463 <i>GEOMETRA</i> .	Common in woods, parks, &c. August.
477 <i>Quercina- ria</i> , M. and F.	Plain August Thorn	<i>D.</i> 8, <i>t.</i> 275, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 166. 6464 <i>GEOMETRA</i> .	Common round London, &c. August.



413 n



422 n



431 n



440 c



414 n



423 n



432 n



441 c



415 a



424 a



433 n



442 b



416 a



425 n



434 a +



443 b



417 a +



426 n



435 a



444 a +



418 n



427 n



436 a +



445 a +



419 n



428 n



437 b



446 a +



420 n



429 a



438 b +



447 a



421 n




430 n



439 c +



448 a





449 n



457 a +



463 a +



468 a +



450 a



458 a +



463 n



469 a +



451 n



459 a +



464 a +



470 a +



452 a



459 n



464 n



471 a +



453 a +



460 a +



465 a +



472 a +



453 a +



460 n



465 n



473 a +



454 a



461 a +



466 a




474 a +



455 n



461 n



466 n



475 a +



456 n



462 a +




W. Wood Jun.

467 a +



476 a +



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
478 <i>Quercaria</i> , M. and F.	Clouded Au- gust Thorn	<i>St. 3, p. 166.</i> 6465 GEOMETRA.	Taken near Lon- don; but rare. August.
479 <i>Angularia</i>	Angled Thorn	<i>St. 3, p. 166.</i> 6466 GEOMETRA.	Common in woods and lanes. August and September.
480 <i>Carpiniaria</i>	Flounced Thorn	<i>St. 3, p. 167.</i> 6467 GEOMETRA.	Woods, &c.; but rare. End of August and be- ginning of Sep- tember.
481 <i>Illunaria</i>	Early Thorn	<i>W. t. 81. St. 3, p. 168.</i> 6469 GEOMETRA.	Woods and bushy lanes. End of March.
482 <i>Juliaria</i>	July Thorn	<i>A. t. 42, f. 68, a—d.</i> <i>St. 3, p. 168.</i> 6470 GEOMETRA.	Woods and lanes near London, &c. Beginning of July.
483 <i>Lunaria</i>	Lunar Thorn	<i>A. t. 15, f. a—d. W. t. 83.</i> <i>D. 4, t. 132. St. 3, p. 169.</i> 6471 GEOMETRA.	Coombe and Da- renth Woods, &c. June.
484 <i>Delunaria</i>	Simple Thorn	<i>St. 3, p. 170.</i> 6472 GEOMETRA.	Birch Wood. July.
485 <i>Fuscantaria</i>	Dusky Thorn	<i>St. 3, p. 167.</i> 6468 GEOMETRA.	Mr. Chant's Ca- binet. June.
486 <i>Sublunaria</i>	Crescent Thorn	<i>St. 3, p. 170, t. 28, f. 1.</i> 6473 GEOMETRA.	Mr. Stephens has seen but three, all taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
487 <i>Illustraria</i>	Purple Thorn	<i>A. t.</i> 42, <i>f.</i> 69, e—h. <i>St.</i> 3, <i>p.</i> 170, <i>t.</i> 28, <i>f.</i> 2. 6474 GEOMETRA.	Near Birch Wood, &c.; but rare. June.
488 <i>Syringaria</i>	Lilac Beauty	<i>W. t.</i> 82. <i>D.</i> 6, <i>t.</i> 181. <i>St.</i> 3, <i>p.</i> 171. 6475 PERICALLIA.	Birch Wood; also near High- gate, Epping, &c. June or July.
489 <i>Prunaria</i> , M. and F.	Orange	<i>A. t.</i> 43, <i>f.</i> 70, a—c. <i>W. t.</i> 84. <i>D.</i> 1, <i>t.</i> 87. <i>St.</i> 3, <i>p.</i> 172. 6476 ANGERONA.	Common in woods, &c. End of June.
490 <i>Cratægata</i>	Brimstone	<i>A. t.</i> 60, <i>f.</i> 65, e—h. <i>W. t.</i> 80. <i>H. t.</i> 29, <i>f.</i> g, l, m. <i>St.</i> 3, <i>p.</i> 174. 6477 RUMIA.	Woods and hedges: com- mon in several counties. April, June, August, and October.
491 <i>Sambu- caria</i>	Swallow-tail	<i>A. t.</i> 94, <i>f.</i> a—d. <i>W. t.</i> 78. <i>D.</i> 5, <i>t.</i> 170. <i>C.</i> 11, <i>t.</i> 508. <i>St.</i> 3, <i>p.</i> 175. 6478 OURAPTERYX.	Woods and gar- dens, Middle- sex, Surrey, Essex, &c. End of June or be- ginning of July.
492 <i>Margari- tata</i>	Light Emerald	<i>D.</i> 16, <i>t.</i> 543. <i>St.</i> 3, <i>p.</i> 176. <i>Campæa.</i> 6479 PHALÆNA.	Woods near Lon- don; also in Kent, Essex, &c. Middle of July or begin- ning of August.
493 <i>Fasciaria</i>	Barred Red	<i>St.</i> 3, <i>p.</i> 177. 6480 ELLOPIA.	Fir-trees, Birch Wood, Ripley, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
494 <i>Papilionarius</i>	Large Emerald	<i>D. 8, t. 287, f. 1. St. 3, p. 178.</i> 6481 HIPPARCHUS.	Darenth Wood, Waldershare, Kent, &c. Middle of July.
495 <i>Vernarius</i>	Small Emerald	<i>D. 3, t. 97. St. 3, p. 179.</i> Hemithea. 6482 HIPPARCHUS.	Darenth Wood; but rare. End of July.
496 <i>Smaragdarius</i>	Essex Emerald	<i>C. 7, t. 300. St. 3, p. 179.</i> Hemithea. HIPPARCHUS.	Mr. Parsons's Cabinet; taken near South Church, Essex.
497 <i>Cythisaria</i>	Grass Emerald	<i>W. t. 75. St. 3, p. 180.</i> Hemithea. 6485 HIPPARCHUS.	Heaths near London, Epping, Coombe Wood, &c. End of July.
498 <i>Bajularia</i>	Blotch'd Emerald	<i>H. t. 41, f. 1. D. 6, t. 202, f. 1.</i> 6486 CLEORA.	Darenth and Birch Woods. Beginning of July.
499 <i>Lichenaria</i>	Lime-Moss	<i>W. t. 76. D. 10, t. 342, f. 1.</i> 6487 CLEORA.	Brockenhurst in the New Forest, Coombe Wood, &c. End of July.
500 <i>Viduaria</i>	Speckled Beauty	<i>St. 3, p. 182.</i> 6488 CLEORA.	Near Lyndhurst in the New Forest; but rare. June.
501 <i>Teneraria</i>	Dotted Carpet	<i>St. 3, p. 182.</i> 6489 CLEORA. M 2	New Forest, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
502 <i>Cinctaria</i>	Ringed Carpet	<i>C. 2, t. 88. St. 3, p. 183.</i> 6490 CLEORA.	Near Lyndhurst and Brockenhurst in the New Forest. May and June.
503 <i>Pictaria</i>	Grey Carpet	<i>C. 10, t. 447. St. 3, p. 183.</i> 6491 CLEORA.	Mr. Stephens has seen but two specimens, taken between Eltham and Birch Wood in the spring.
504 <i>Repandata</i>	Mottled Beauty	<i>D. 10, t. 333, f. 1. St. 3, p. 184.</i> 6492 ALCIS.	Woods and forests. End of July.
505 <i>Destrigaria</i>	Light Mottled Beauty	<i>St. 3, p. 185.</i> 6493 ALCIS.	Woods near London. July.
506 <i>Muraria</i>	Dark Mottled Beauty	<i>St. 3, p. 185.</i> 6494 ALCIS.	Old walls in the North of England.
507 <i>Conversaria</i>	Large Carpet	<i>D. 10, t. 333, f. 2. St. 3, p. 186.</i> 6495 ALCIS.	Coombe, Birch, and Darenth Woods. Middle of July.
508 <i>Sericearia</i>	Satin Carpet	<i>C. 3, t. 113. St. 3, p. 186.</i> 6496 ALCIS.	New Forest, between Lyndhurst and Brockenhurst. July. Mr. Chant's Cabinet.



477 a +



484 a +



492 a +



501 a



477 a +



485 a +



493 a +



502 a +



478 a +



486 a +



494 b



503 a



478 a +



487 a +



495 a +



504 b



479 a +



488 a +



496 a +



505 b



480 a +



489 a +



497 a +



506 a +



481 a +



489 a +



498 a



507 a +



482 a



490 a +



499 a



508 b



483 a +



491 b




500 a



509 b

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
509 <i>Consortaria</i>	Pale Oak Beauty	<i>D.</i> 10, <i>t.</i> 333, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 186. 6497 <i>ALCIS.</i>	Coombe, Birch, and Darenth Woods. Middle of June.
510 <i>Roboraria</i>	Great Oak Beauty	<i>A. t.</i> 93, <i>f.</i> a—d. <i>D.</i> 15, <i>t.</i> 527. <i>St.</i> 3, <i>p.</i> 187. 6498 <i>ALCIS.</i>	Birch and Coombe Woods. End of June.
511 <i>Rhomboi- daria</i>	Willow Beauty	<i>St.</i> 3, <i>p.</i> 187. 6500 <i>ALCIS.</i>	Common in gar- dens near Lon- don, &c. Be- ginning of July.
512 <i>Consobri- naria</i>	Tawny Beauty	<i>St.</i> 3, <i>p.</i> 188. 6501 <i>ALCIS.</i>	New Forest and Devonshire. July.
513 <i>Fimbriaria</i>	Bordered Beauty	<i>St.</i> 3, <i>p.</i> 188, <i>t.</i> 30, <i>f.</i> 1. 6502 <i>ALCIS.</i>	Mr. Stephens possesses a single specimen, which he be- lieves was taken in Suffolk.
514 <i>Abruptaria</i>	Waved Umbre	<i>D.</i> 7, <i>t.</i> 251, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 189. 6503 <i>HEMEROPHILA.</i>	On walls in gar- dens; also in woods, &c. May.
515 <i>Tretrago- naria</i>	Square-spot	<i>C.</i> 6, <i>t.</i> 280. <i>St.</i> 3, <i>p.</i> 190. 6504 <i>BOARMIA.</i>	Birch Wood. Rare. Begin- ning of May.
516 <i>Abietaria</i>	Ingrailed	<i>St.</i> 3, <i>p.</i> 191. 6505 <i>BOARMIA.</i>	Coombe and Birch Woods, &c. March and April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
517 <i>Crepuscularia</i>	Small Ingrailed	<i>St. 3, p. 191.</i> 6506 BOARMIA.	Coombe and Birch Woods, Epping, &c. Middle of May, and in June.
518 <i>Consonaria</i>	Brindled Grey	<i>St. 3, p. 192.</i> 6507 BOARMIA.	Darenth Wood; but rare. July.
519 <i>Strigularia</i>	Streaked Beauty	<i>St. 3, p. 192.</i> 6508 BOARMIA.	Darenth Wood; but very rarely. July.
520 <i>Extersaria</i>	Brindled White-spot	<i>St. 3, p. 192.</i> 6509 BOARMIA.	Darenth Wood; but very rare. Beginning of June.
521 <i>Punctularia</i>	Grey Birch	<i>St. 3, p. 193.</i> 6510 BOARMIA.	Common in Coombe, Birch, and Darenth Woods, &c. Middle of May.
522 <i>Vauaria</i>	Common V Moth	<i>A. t. 47, f. 78, a—d.</i> <i>W. t. 86. H. t. 34,</i> <i>f. g—i. D. 6, t. 196.</i> <i>St. 3, p. 194. Halia.</i> 6511 GRAMMATOPHORA.	Common in gar- dens in many parts of En- gland. June and July.
523 <i>Pulveraria</i>	Barred Umber	<i>A. t. 96, f. d—f. H. t. 42,</i> <i>f. a. St. 3, p. 194.</i> Numaria. 6513 AZINEPHORA.	Woods near Lon- don, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
524 <i>Pusaria</i>	Common White Wave	<i>A. t.</i> 118, <i>f. e</i> — <i>h.</i> <i>H. t.</i> 44, <i>f. h.</i> <i>St.</i> 3, <i>p.</i> 196. 6514 CABERA.	Common in woods and copses in May; and also in August.
525 <i>Rotundaria</i>	Round-winged Wave	<i>St.</i> 3, <i>p.</i> 196. 6515 CABERA.	Coombe, Birch, and Darenth Woods; not common. May and August.
526 <i>Exanthemata</i>	Common Wave	<i>A. t.</i> 92, <i>f. e</i> — <i>h.</i> & <i>t.</i> 99, <i>f. a</i> — <i>d.</i> <i>St.</i> 3, <i>p.</i> 197. 6516 CABERA.	Abundant in woods and bushy lanes, Epping, &c. May and August.
527 <i>Omicronaria</i>	Mocha	<i>St.</i> 3, <i>p.</i> 198. Ephyra. 6517 CYCLOPHORA.	Darenth Wood, Epping, &c. End of August.
528 <i>Pendularia</i>	Birch Mocha	<i>A. t.</i> 85, <i>f. a</i> — <i>d.</i> <i>St.</i> 3, <i>p.</i> 199. Ephyra. 6519 CYCLOPHORA.	Woods in Middlesex, Kent, and Essex, &c. May and August.
529 <i>Orbicularia</i>	Dingy Mocha	<i>St.</i> 3, <i>p.</i> 199. Ephyra. 6521 CYCLOPHORA.	Coombe Wood; also woods near Erith, &c.; but rare. Beginning of June.
530 <i>Porata</i>	False Mocha	<i>A. t.</i> 49, <i>f.</i> 82, <i>a</i> — <i>d.</i> <i>St.</i> 3, <i>p.</i> 200. Ephyra. 6518 CYCLOPHORA <i>ocellaria</i> .	Common in Coombe, Birch, and Darenth Woods. May and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
531 <i>Punctaria</i>	Buff Argus	<i>W.t.</i> 74, lower fig. <i>D.</i> 13, <i>t.</i> 456. <i>St.</i> 3, <i>p.</i> 201. Ephyra. 6522 <i>CYCLOPHORA</i> .	Woods, lanes, &c. Middlesex, Kent, Essex, &c. May and August.
532 <i>Trilineararia</i>	Clay Triple- lines	<i>St.</i> 3, <i>p.</i> 201. Ephyra. 6523 <i>CYCLOPHORA</i> .	New Forest, and occasionally at Birch Wood, July.
533 <i>Amataria</i>	Blood vein	<i>D.</i> 2, <i>t.</i> 33, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 202. 6524 <i>BRADYEPETES</i> .	Lanes near Rip- ley, Darenth Wood, &c. End of June.
534 <i>Apiciaria</i>	Bordered Beauty	<i>D.</i> 7, <i>t.</i> 233, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 203. Epione. 6527 <i>BRADYEPETES</i> :	Epping Forest, a marshy lane near Ripley, &c. End of July.
535 <i>Vesper- taria</i>	Dark-bordered Beauty	<i>St.</i> 3, <i>p.</i> 204. Epione. 6528 <i>BRADYEPETES</i> .	Taken in York- shire; but very rare. Middle of July.
536 <i>Advenaria</i>	Little Thorn	<i>St.</i> 3, <i>p.</i> 204. Epione. 6525 <i>BRADYEPETES</i> .	Found, but rarely, in the woods between Hampstead and Highgate. Mid- dle of June.
537 <i>Dolabraria</i>	Scorched Wing	<i>D.</i> 10, <i>t.</i> 341, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 205. Eurymene. 6529 <i>BRADYEPETES</i> .	Richmond Park, Coombe and Darenth Woods, Epping, Dover, &c. End of June.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
538 <i>Vibicaria</i>	Purple-bar	<i>St. 3, p. 207. Pellonia.</i> 6735 <i>PTYCHOPODA.</i>	Mr. Swainson's Cabinet.
<i>glauca</i> 4539 <i>Purpuraria</i>	Purple-bar- red Yellow	<i>C. 10, t. 467. St. 3, p. 207.</i> 6530 <i>ASPILATES.</i>	Mr. Swainson's Cabinet.
540 <i>Citraria</i>	Yellow Belle	<i>St. 3, p. 208.</i> 6531 <i>ASPILATES.</i>	Clover fields, Kent and Hert- fordshire. June and August.
541 <i>Gilvaria</i>	Straw Belle	<i>St. 3, p. 208.</i> 6532 <i>ASPILATES.</i>	Grassy fields east of Dover Castle; abundantly. August.
542 <i>Respersa- ria</i>	Grass Wave	<i>St. 3, p. 209.</i> 6534 <i>ASPILATES.</i>	Heaths near Coombe Wood, and near Brock- enhurst in the New Forest. Middle of June.
543 <i>Plumba- ria</i>	Belle	<i>St. 3, p. 209. Phasiane.</i> 6533 <i>ASPILATES.</i>	Common on heaths by the sides of woods. June.
544 <i>Cervinata</i>	Mallow	<i>St. 3, p. 211.</i> 6535 <i>LARENTIA.</i>	Darenth and Coombe Woods; also near London, &c. Middle of October.
545 <i>Chenopo- diata</i>	Small Mallow	<i>H. t. 33, f. n. St. 3, p. 211.</i> 6536 <i>LARENTIA.</i>	Common in se- veral counties. End of June and in August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
547 <i>Bipunctaria</i>	Chalk Carpet	<i>St. 3, p. 212.</i> 6537 LARENTIA.	Chalky places, fields near Darenth Wood, &c. Middle of June.
548 <i>Multistri-garia</i>	Mottled Grey	<i>St. 3, p. 212.</i> 6538 LARENTIA.	Hampstead-Heath, and Epping; but rare. March.
549 <i>Didymata</i>	Twin-spot Carpet	<i>C. 7, t. 296. St. 3, p. 214.</i> 6539 CIDARIA.	Westerham, Kent; also near Ripley; and in Devonshire, &c. June.
550 <i>Munitata</i>	Rufous Carpet	<i>D. 13, t. 461, f. 2. St. 3, p. 214.</i> 6540 CIDARIA.	North of England; also at Epping, and near London; but rarely. End of June.
551 <i>Unidentaria</i>	Dark-barred Twin-spot	<i>A. t 97, f. e—h. St. 3, p. 215.</i> 6541 CIDARIA.	Coombe and Darenth Woods, &c.; common. Beginning of June and again in August.
552 <i>Quadrifasciaria</i>	Large Twin-spot	<i>St. 3, p. 215.</i> 6542 CIDARIA.	Darenth Wood; also at Hertford, and Ripley. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
553 <i>Ferrugata</i>	Red Twin-spot	<i>St. 3, p. 216.</i> 6543 <i>CIDARIA.</i>	Common in Middlesex, Essex, Kent, &c. May and August.
554 <i>Latentaria</i>	Northern Twin-spot	<i>St. 3, p. 217.</i> 6545 <i>CIDARIA.</i>	North of England; neighbourhood of Ambleside. July.
555 <i>Salicata</i>	Striped Twin-spot	<i>St. 3, p. 217.</i> 6544 <i>CIDARIA.</i>	Mr. Bentley's Cabinet. June.
556 <i>Miaria</i>	Green Carpet	<i>St. 3, p. 218.</i> 6546 <i>CIDARIA.</i>	Abundant in several counties. Middle of June.
557 <i>Olivata</i>	Beech Green Carpet	<i>D. 14, t. 479, f. 1. St. 3, p. 218.</i> 6547 <i>CIDARIA.</i>	Darenth Wood; the New Forest, &c. June.
558 <i>Montanata</i>	Silver ground	<i>St. 3, p. 219.</i> 6548 <i>CIDARIA.</i>	Very common in Middlesex, Surrey, Kent, Essex, &c. Middle of June.
559 <i>Fluctuata</i>	Garden Carpet	<i>A. t. 99, f. e—h. St. 3, p. 219.</i> 6549 <i>CIDARIA.</i>	Common in gardens near London; also in Surrey, Kent, &c. April till September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
560 <i>Propugnata</i>	Flame Carpet	<i>D. 10, t. 349, f. 3. St. 3, p. 220. 6551 CIDARIA.</i>	Near London; Hertford; Coombe and Darenth Woods; &c. June.
561 <i>Fulvata</i>	Barred Yellow	<i>H. t. 35, f. 1. St. 3, p. 221. 6552 HARPALYCE.</i>	Borders of woods Mid- dlesex, Essex, &c. End of June.
562 <i>Ocellata</i>	Purple-bar	<i>St. 3, p. 222. 6553 HARPALYCE.</i>	Coombe, Birch, and Darenth Woods.
563 <i>Galiata</i>	Galium Carpet	<i>St. 3, p. 222. 6554 HARPALYCE.</i>	Near Dover, and Dublin, &c. Beginning of June, and mid- dle of August.
564 <i>Unilobata</i>	Blue-angled Carpet	<i>St. 3, p. 223. 6555 HARPALYCE.</i>	Taken near Scar- borough in Yorkshire. Mr. Bentley's Cabi- net. June.
565 <i>Quadrian- nolata</i>	Necklace Car- pet	<i>St. 3, p. 223. 6556 HARPALYCE.</i>	Mr. Bentley's Cabinet.
566 <i>Tristata</i>	Small Argent and Sable	<i>St. 3, p. 223. 6565 HARPALYCE.</i>	Found in Devon- shire; and common at Rae Hills. June.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
567 <i>Substriata</i> <i>Substriata</i>	Common Carpet	D.15, t.510, f.2. St.3, p.224. 6564 HARPALYCE.	Bushy lanes and borders of woods. June and August.
568 <i>Sylvaticata</i>	Wood Carpet	St.3, p.225. 6563 HARPALYCE.	Darenth Wood. July.
569 <i>Unangulata</i>	Sharp-angled Carpet	St.3, p.225. 6562 HARPALYCE.	Birch, Darenth, and Coombe Woods. End of June.
570 <i>Biangulata</i>	Cloaked Carpet	St.3, p.225. 6561 HARPALYCE.	Darenth Wood and neighbourhood, Epping, &c. June.
571 <i>Silaceata</i>	Small Phoenix	D.14, t.487, f.2. St.3, p.226. 6566 HARPALYCE.	Dover, Epping, Newby Cross, &c. End of July or beginning of August.
572 <i>Corylata</i>	Broken-barr'd Carpet	A. t. 98, f. a—d. D. 14, t. 479, f. 2. St. 3, p. 227. 6567 HARPALYCE.	Common at Coombe Wood, &c. Middle of July.
573 <i>Immanata</i>	Dark Marbled Carpet	St.3, p.228. Polyphasia. 6570 HARPALYCE.	Woody places Epping, &c. Beginning of July.
574 <i>Amœnata</i>	Pretty Marbled Carpet	St.3, p.228. Polyphasia. 6571 HARPALYCE.	Taken near Ashburton in Devonshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
575 <i>Marmorata</i>	Marbled Carpet	<i>St. 3, p. 229.</i> Polyphasia. 6572 HARPALYCE.	Woods in Kent, Essex, &c. June.
576 <i>Concinnata</i>	Beautiful Marbled Carpet	<i>St. 3, p. 229.</i> Polyphasia. 6573 HARPALYCE.	Taken in Scotland. Mr. Stephens's Cabinet.
577 <i>Commanotata</i>	Yellow Marbled Carpet	<i>St. 3, p. 230.</i> Polyphasia. 6574 HARPALYCE.	Woody places in Middlesex, Surrey, Kent, Essex, &c. July.
578 <i>Centum-notata</i>	Common Marbled Carpet	<i>St. 3, p. 230.</i> Polyphasia. 6575 HARPALYCE.	Very common in woody places. End of July.
579 <i>Saturata</i>	Dusky Marbled Carpet	<i>St. 3, p. 231.</i> Polyphasia. 6576 HARPALYCE.	Middlesex, Essex, Kent, Surrey, &c. July.
580 <i>Perfuscata</i>	Brown Marbled Carpet	<i>St. 3, p. 231.</i> Polyphasia. 6577 HARPALYCE.	Darenth, Birch, and Coombe Woods. July.
581 <i>Prunata</i>	Clouded Carpet	<i>D. 7, t. 233, f. 1. St. 3, p. 232.</i> 6579 STEGANOLOPHIA.	Gardens at Epping; also at Ripley, Hertford, &c. End of July.
582 <i>Suffumata</i>	Water Carpet	<i>St. 3, p. 234.</i> Lampropteryx. 6578 HARPALYCE.	Epping, Rae Hills, Hertford; but not common. July.



510 b



519 a +



528 a



537 a



511 a +



520 a



529 a



538 a



512 a +



521 a



530 a



539 a +



513 a +



522 a



531 a



540 a



514 a +



523 a



532 a



541 a +



515 a +



524 a



533 a



542 a +



516 a +



525 a



534 a



543 a +



517 a +



526 a



535 a



544 a +



518 a



527 n




536 a



545 a +

W. Wood Junr





547 a +



556 a



565 a



574 a



548 a



557 a



566 n



575 a



549 n



558 a +



567 n



576 a



550 n



559 a



568 a



577 a



551 n



560 n



569 a



578 a +



552 a



561 n



570 a



579 a



553 n



562 a



571 a



580 a +



554 n



563 n



572 a



581 a +



555 n




564 a W. Wood Jun.?



573 a +



582 a



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
583 <i>Piceata</i>	Glossy Carpet	<i>St. 3, p. 234.</i> Lampropteryx.	Mr. Stephens has seen but three of this species, taken in the North of England.
584 <i>Badiata</i>	Shoulder Stripe	<i>D. 14, t. 493, f. 1. St. 3, p. 235.</i> Lampropteryx. 6608 PHIBALAPTERYX.	Woody places in Middlesex, Surrey, Essex, &c. February, and again in June or July.
585 <i>Berberata</i>	Raspberry Carpet	<i>St. 3, p. 236.</i> Anticlea. 6560 HARPALYCE.	Found in Berkshire; and at Weston on the Green, Oxfordshire. Middle of June.
586 <i>Rubidata</i>	Flame	<i>St. 3, p. 236.</i> Anticlea. 6559 HARPALYCE.	Darenth and Birch Woods; also at Epping. End of June.
587 <i>Sinuata</i>	Royal Mantle	<i>St. 3, p. 237.</i> Anticlea. 6557 HARPALYCE.	Taken in a lane between Darenth and Birch Woods; but very rare. End of June.
588 <i>Derivata</i>	Streamer	<i>St. 3, p. 237.</i> Anticlea. 6558 HARPALYCE.	Coombe and Darenth Woods, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
589 Comitata	Dark Spinach	<i>A. t.</i> 47, <i>f.</i> 79, <i>f</i> — <i>i.</i> <i>W.</i> <i>t.</i> 71. <i>St.</i> 3, <i>p.</i> 239. 6581 ELECTRA.	Middlesex, Essex, &c. Beginning of July.
590 Populata	Poplar	<i>St.</i> 3, <i>p.</i> 239. 6582 ELECTRA.	Common in the North of England, and in Scotland. July.
591 <i>Spinachinata</i>	Spinach	<i>St.</i> 3, <i>p.</i> 240. 6580 ELECTRA.	Gardens near London; abundant at Ripley in Surrey. Middle of July.
592 Testata	Chevron	<i>St.</i> 3, <i>p.</i> 240. 6583 ELECTRA.	Middlesex, Essex, Devon, Cheshire, &c. May and September.
593 <i>Achatinata</i>	Agate	<i>St.</i> 3, <i>p.</i> 241. 6584 ELECTRA.	The New Forest. End of June.
594 <i>Pyraliata</i>	Barred Straw	<i>A. t.</i> 14, <i>f.</i> 75, <i>a</i> — <i>g.</i> <i>St.</i> 3, <i>p.</i> 241. 6585 ELECTRA.	Gardens and bushy lanes in several counties. End of July.
595 <i>Imbutata</i>	Manchester Treble-bar	<i>St.</i> 3, <i>p.</i> 242. <i>Celma.</i> 6586 ELECTRA.	Heath in the North of England. July.
596 Plagiata	Slender Treble-bar	<i>H. t.</i> 28, <i>f.</i> k. <i>D. 7, t.</i> 233, <i>f.</i> 2. <i>C. 7, t.</i> 324. <i>St.</i> 3, <i>p.</i> 243. <i>Ani-</i> <i>atis.</i> 6624 APLOCERA.	Coombe and Darenth Woods, Epping Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
597 ^{Perfor-} mata	Purple Treble- bar	<i>St. 3, p. 244. Amatis.</i>	Coombe Wood? June.
598 Dealbata	Black veined	<i>St. 3, p. 245. Scoria. 6587 IDÆA.</i>	Kent, near Tun- bridge Wells, and Charing; but rare. June.
599 <i>Ulmata</i>	Scarce Magpie	<i>D. 9, t. 293, f. 1. C. 11, t. 515. St. 3, p. 246. 6589 ABRAXAS.</i>	Rare near Lon- don; but com- mon in several counties. Mid- dle of June. Dr. Bromfield found it near Bath, in May.
600 Pantaria	Panther	<i>St. 3, p. 246, t. 32, f. 1. 6588 ABRAXAS.</i>	Near Oakhamp- ton Park, Somersetshire; but very rare.
601 <i>Grossula- riata</i>	Magpie	<i>A. t. 43, f. 71, d—g. W. t. 85. H. t. 12, f. f—k. D. 1, t. 4. St. 3, p. 247. 6590 ABRAXAS.</i>	Very common in different parts of the country. Middle of July.
602 Hastata	Argent and Sa- ble	<i>H. t. 15. D. 4, t. 129. St. 3, p. 248. Melan- ippe. 6592 XERENE.</i>	Darenth and Coombe Woods; not common. Beginning of June.
603 Albicillata	Beautiful Car- pet	<i>D. 6, t. 202, f. 2. St. 3, p. 249. 6593 XERENE.</i>	Kent and Nor- folk; rare near London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
604 <i>Procellata</i>	Chalk Carpet	<i>D. 6, t. 202, f. 3. St. 3,</i> <i>p. 250.</i> 6594 XERENE.	Darenth and Birch Woods; near Dover, &c. June.
605 <i>Adustata</i>	Scorched Car- pet	<i>St. 3, p. 250.</i> 6595 XERENE.	Darenth and Coombe Woods, &c. Middle or end of August.
606 <i>Rubiginata</i>	Blue-bordered Carpet	<i>St. 3, p. 251.</i> 6596 XERENE.	Surrey, Middle- sex, Kent, &c. End of June and August.
607 <i>Plumbata</i>	Dark Blue bor- dered Carpet	<i>St. 3, p. 251.</i> XERENE.	Forfarshire. July.
608 <i>Miata</i>	Autumn Green Carpet	<i>A. t. 50, f. 86. D. 14,</i> <i>t. 479, f. 3. St. 3,</i> <i>p. 253. Euthalia.</i> 6568 HARPALYCE.	Middlesex, Es- sex, Cambridge- shire, Kent, &c. The Autumn.
609 <i>Psittacata</i>	Red-green Carpet	<i>D. 14, t. 485, f. 3. St. 3,</i> <i>p. 253. Euthalia.</i> 6569 HARPALYCE.	Essex, Cam- bridgeshire, Surrey, &c. September.
610 <i>Impluviata</i>	May Highflyer	<i>D. 14, t. 499, f. 2. St. 3,</i> <i>p. 254. Euthalia.</i> 6598 YPSIPETES.	Darenth and Coombe Woods; but not common. End of May.
611 <i>Elatata</i>	July Highflyer	<i>A. t. 44, f. 73, e—h. St. 3,</i> <i>p. 254. Euthalia.</i> 6599 YPSIPETES.	Very common in many counties. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
612 <i>Tersata</i>	Fern	<i>St. 3, p. 256.</i> 6601 PHIBALAPTE- RYX.	Near Darenth and Birch Woods; Hert- ford and Ripley. June.
613 <i>Vitalbata</i>	Small waved Umber	<i>St. 3, p. 256.</i> 6602 PHIBALAPTE- RYX.	Darenth and Birch Woods; &c. June.
614 <i>Lignata</i>	Oblique Car- pet	<i>D. 14, t. 485, f. 1 & 2.</i> <i>St. 3, p. 257.</i> 6603 PHIBALAPTE- RYX.	Near Cambridge; the New Forest, and in Battersea Fields. Begin- ning of July.
615 <i>Lineolata</i>	Oblique Striped	<i>St. 3, p. 257.</i> 6605 PHIBALAPTE- RYX.	Near Brighton and Lewes. End of June or beginning of July.
616 <i>Angustata</i>	Narrow-bar- red Carpet	<i>St. 3, p. 258.</i> 6607 PHIBALAPTE- RYX.	Taken in a gar- den at Camden Town. The end of Septem- ber. Very rare.
617 <i>Petraria</i>	Brown Silver lines	<i>St. 3, p. 259.</i> 6623 LOZOGRAMMA.	Heaths near London, Coombe Wood, &c. End of June.
618 <i>Rhamnata</i>	Dark Umber	<i>St. 3, p. 260.</i> 6609 SCOTOSIA.	Darenth Wood, Epping, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
619 <i>Vetulata</i>	Brown Scollop	<i>St. 3, p. 250.</i> 6610 SCOTOSIA.	Darenth and Coombe Woods; Ep- ping Forest, &c. End of June.
620 <i>Sparsaria</i>	Small Scollop	<i>St. 3, p. 261.</i> 6611 SCOTOSIA.	New Forest. End of June.
621 <i>Cervinata</i>	Scarce Tissue	<i>St. 3, p. 262.</i> 6614 TRIPHOSA.	Taken in the neighbourhood of London; but rare. April.
622 <i>Dubitata</i>	Common Tissue	<i>D. 7, t. 246, f. 2. St. 3,</i> <i>p. 262.</i> 6612 TRIPHOSA.	Darenth and Birch Woods, &c. Middle of July.
623 <i>Cinereata</i>	Ashy Tissue	<i>St. 3, p. 263.</i> 6613 TRIPHOSA.	Taken near Rip- ley. July.
624 <i>Bilineata</i>	Yellow Shell	<i>D. 8, t. 287, f. 3. St. 3,</i> <i>p. 264. Camptogram-</i> <i>ma.</i> 6615 ———	Hedges near London and elsewhere; very common. End of June and beginning of July.
625 <i>Undulata</i>	Scollop Shell	<i>D. 10, t. 324, f. 3. St. 3,</i> <i>p. 265. Eucosmia.</i> 6616 ———	Darenth and Coombe Woods; Ep- ping, &c. End of June.
626 <i>Obscuraria</i>	Dark Annulet	<i>St. 3, p. 266.</i> 6617 CHARISSA.	New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
627 <i>Dilucidaria</i>	Pale Annulet	<i>St. 3, p. 267.</i> 6618 CHARISSA.	Devonshire. June.
628 <i>Pullata</i>	Brown Annulet	<i>D. 13, t. 463. St. 3, p. 267.</i> 6619 CHARISSA.	Common behind Dover Castle, in August.
629 <i>Serotinaria</i>	Large Mocha	<i>St. 3, p. 267.</i> 6620 CHARISSA.	Found in Sussex. July.
630 <i>Operaria</i>	Scotch Annulet	<i>St. 3, p. 267.</i> 6621 CHARISSA.	Found at Flisk in Scotland. About the end of July.
631 <i>Hippocastanaria</i>	Chestnut Carpet	<i>St. 3, p. 269.</i> 6622 PACHYCNEMIA.	Near Birch Wood; Roch- ford in Essex, and the New Forest. July.
632 <i>Spartata</i>	Streak	<i>D. 10, t. 342, f. 2. St. 3, p. 270.</i> 6627 CHESIAS.	Near Coombe Wood. End of September.
633 <i>Obliquaria</i>	Chevron	<i>D. 11, t. 386, f. 4. St. 3, p. 270.</i> 6628 CHESIAS.	Near Coombe Wood House; also at Epping. May.
634 <i>Simulata</i>	Brick Carpet	<i>St. 3, p. 271. Thera.</i> 6629 ———	Birch Wood. End of June.
635 <i>Variata</i>	Grey Carpet	<i>St. 3, p. 372. Thera.</i> 6630 ———	Birch Wood; Hertford, Ep- ping, &c. June and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
636 <i>Fulvata</i>	Red-barred Grey Carpet	<i>St. 3, p. 272.</i> Thera. 6631 ———	Midland counties of England. June and September.
637 <i>Coniferata</i>	Northern Carpet	<i>C. 11, t. 519.</i> <i>St. 3, p. 272.</i> Thera.	
638 <i>Juniperata</i>	Juniper Carpet	<i>St. 3, p. 272.</i> Thera. 6632 ———	Mr. Stephens has seen but two specimens taken in September, among Juniper bushes in Birch Wood.
639 <i>Dilutata</i>	November	<i>A. t. 14, f. 74, a—c.</i> <i>D. 15, t. 517.</i> <i>St. 3, p. 273.</i> Oporabia. 6633 ———	Common in the South of England; also near Newcastle, Epping, &c.
640 <i>Brumata</i> , M. and F.	Winter	<i>St. 3, p. 275.</i> 6634 CHEIMATOBIA.	Epping, &c.; very common. End of November.
641 <i>Rupicapra</i> , M. and F.	Early	<i>A. t. 49, f. 83. e—g?</i> <i>St. 3, p. 275.</i> 6635 CHEIMATOBIA.	Epping, &c. End of January.
642 <i>Polycomata</i>	Spring Carpet	<i>C. 2, t. 81.</i> <i>St. 3, p. 276.</i> 6636 LOBOPHORA.	Near Dartford, and in a lane between Eltham and Birch Wood. March.
643 <i>Dentistriata</i>	Early Tooth-striped	<i>St. 3, p. 277.</i> 6638 LOBOPHORA.	Birch and Darenth Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
644 <i>Costæstri-gata</i>	Twin-striped Pinion.	<i>St. 3, p. 277.</i> 6637 LOBOPHORA.	Near London. July.
645 <i>Rupestrata</i>	Double lined	<i>St. 3, p. 277.</i> Lobophora.	Mr. Stephens's Cabinet. Taken in Devonshire, in June.
646 <i>Viretata</i>	Brindle-barred Yellow	<i>D. 14, t. 499, f. 1. St. 3, p. 278.</i> 6339 LOBOPHORA.	Birch Wood and Epping; but rare. June.
647 <i>Hexapterata</i>	Prominent	<i>D. 6, t. 192. St. 3, p. 278.</i> 6340 LOBOPHORA.	Birch Wood, Epping, &c. June
648 <i>Sexalisata</i>	Small Seraphim	<i>St. 3, p. 278.</i> 6641 LOBOPHORA.	Coombe Wood, and in the New Forest. June and August.
649 <i>Linariata</i>	Beautiful Pug	<i>C. 2, t. 64. St. 3, p. 279.</i> 6642 EUPITHECIA.	Near Darenth and Birch Woods; also near Dover. August.
650 <i>Pulchellata</i>	Pretty Pug	<i>St. 3, p. 280.</i> 6643 EUPITHECIA.	Near Coombe and Birch Woods. July.
651 <i>Rectangulata</i>	Green Pug	<i>St. 3, p. 280.</i> 6644 EUPITHECIA.	Common in gardens near London, Epping, &c. Middle and end of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
652 <i>Subærata</i>	Greenish Pug	<i>St. 3, p. 280.</i> 6645 EUPITHECIA.	Taken in Devon- shire by Messrs. Chant and Bentley. June.
653 <i>Nigro- punctata</i>	Little Pug	<i>Entomol. Mag. 1. p. 184.</i> <i>t. 24. St. 4, p. 392.</i> Eupithecia.	Mr. Chant's Ca- binet. Taken near Ashbur- ton, Devon- shire, in June.
654 <i>Nigroseri- ceata</i>	Black-silk Pug	<i>St. 3, p. 281.</i> 6646 EUPITHECIA.	Found near Lon- don; but rare.
655 <i>V. ata.</i>	V. Pug	<i>St. 3, p. 281.</i> 6648 EUPITHECIA.	Near Ripley, at Darenth Wood, and Epping. July.
656 <i>Strobilata</i>	Double- striped Pug	<i>St. 3, p. 282.</i> 6649 EUPITHECIA.	Fir plantations near Ripley; also, but not common, near London. June.
657 <i>Rufifasci- ata</i>	Red-barred Pug	<i>St. 3, p. 282.</i> 6650 EUPITHECIA.	Near London, and in Devon- shire. April.
658 <i>Lævigata</i>	Juniper Pug	<i>St. 3, p. 282.</i> 6651 EUPITHECIA.	Woods in Kent. July or August.
659 <i>Exiguata</i>	Little Pug	<i>St. 3, p. 283.</i> 6652 EUPITHECIA.	Woods in the neighbourhood of London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
660 <i>Abbreviata</i>	Short Pug	<i>St. 3, p. 283.</i> 6655 EUPITHECIA.	Taken at Darenth, also at York. June.
661 <i>Singulariata</i>	Grey Pug	<i>St. 3, p. 283.</i> 6656 EUPITHECIA.	Found near Darenth Wood; but rare. June.
662 <i>Nebulata</i>	Brindled Pug	<i>St. 3, p. 283.</i> 6657 EUPITHECIA.	Middlesex, Surrey, Essex, &c.; in woody places. June.
663 <i>Albipunctata</i>	Speckled Pug	<i>St. 3, p. 284.</i> 6658 EUPITHECIA.	Woods in Middlesex, &c. June.
664 <i>Subumbriata</i>	Small Brindled Pug	<i>St. 3, p. 284.</i> 6659 EUPITHECIA.	Woody places; but not common. June or July.
665 <i>Subfasciata</i>	False-barred Pug	<i>St. 3, p. 284.</i> 6660 EUPITHECIA.	Mr. Stephens has seen but one specimen, taken at Darenth Wood in June.
666 <i>Vulgata</i>	Common Pug	<i>St. 3, p. 285.</i> 6661 EUPITHECIA.	Common in gardens round London, &c. June.
667 <i>Subfuscata</i>	Brown-grey Pug	<i>St. 3, p. 285.</i> 6662 EUPITHECIA.	In the same place as the last, but not so common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
668 <i>Innotata</i>	Simple Pug	<i>St. 3, p. 285.</i> 6663 <i>EUPITHECIA.</i>	Taken in a garden near Darenth Wood in June. Mr. Stephens's Cabinet.
669 <i>Absinthiata</i>	Wormwood Pug	<i>St. 3, p. 286.</i> 6664 <i>EUPITHECIA.</i>	Common in gardens round London, &c. June.
670 <i>Notata</i>	Spotted Pug	<i>St. 3, p. 286.</i> 6665 <i>EUPITHECIA.</i>	Found near London in June. Mr. Stephens's Cabinet.
671 <i>Elongata</i>	Long-winged Pug	<i>St. 3, p. 286.</i> 6666 <i>EUPITHECIA.</i>	Taken in gardens. End of June.
672 <i>Simpliciata</i>	Plain Pug	<i>St. 3, p. 287.</i> 6667 <i>EUPITHECIA.</i>	Bushy lanes near Darenth Wood, &c. Beginning of July.
673 <i>Pusillata</i>	Small Grey Pug	<i>St. 3, p. 287.</i> 6668 <i>EUPITHECIA.</i>	Near Birch Wood, &c. June.
674 <i>Plumbeolata</i>	Lead-coloured Pug	<i>St. 3, p. 287.</i> 6669 <i>EUPITHECIA.</i>	Lanes near Darenth Wood. End of May and beginning of June.
675 <i>Subfulvata</i>	Tawny Speck	<i>St. 3, p. 287.</i> 6670 <i>EUPITHECIA.</i>	Darenth and Birch Woods. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
676 <i>Cognata</i>	Scarce Tawny Speck	<i>St. 3, p. 288.</i> 6671 EUPITHECIA.	Taken near Edinburgh; rare. July.
677 <i>Succenturiata</i>	Bordered Lime Speck	<i>St. 3, p. 288.</i> 6672 EUPITHECIA.	Coombe and Darenth Woods, July.
678 <i>Piperata</i>	Peppered Pug	<i>St. 3, p. 288.</i> 6674 EUPITHECIA.	Taken on Riddlesdown, near Croydon. Beginning of July.
679 <i>Centaureata</i>	Lime Speck	<i>St. 3, p. 289.</i> 6673 EUPITHECIA.	Middlesex, Surrey, Essex, &c. in gardens. June.
680 <i>Angustata</i>	Narrow-winged	<i>St. 3, p. 289.</i> 6675 EUPITHECIA.	Darenth and Birch Woods, &c. August.
681 <i>Variegata</i>	Marble	<i>St. 3, p. 290.</i> 6676 EUPITHECIA.	Darenth and Birch Woods; but rare. June.
682 <i>Consignata</i>	Pinion Spotted	<i>St. 3, p. 290.</i> 6677 EUPITHECIA.	Taken near London and Birch Wood; but rare. End of June or beginning of July.
683 <i>Venosata</i>	Netted	<i>D. 3, t. 266, f. 3. St. 3, p. 290.</i> 6678 EUPITHECIA.	Lane near Darenth Wood. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
684 <i>Niveata</i>	Snow	<i>St. 3, p. 291.</i> 6682 CLEOGENE.	Mr. Stephens's Cabinet. Received from Scotland.
685 <i>Auroraria</i>	Purple bordered Gold	<i>C. 11, t. 523. St. 3, p. 292.</i> 6706 HYRIA.	Near Croydon; also in Norfolk. June.
686 <i>Chærophyllata</i>	Looping Chimney-sweeper	<i>H. t. 30, f. o. D. 7, t. 253, f. 4. St. 3, p. 293.</i> 6679 MINOA.	Richmond Park, Kensington Gardens, &c.; very common. Beginning of June.
687 <i>Euphorbia</i>	Drab looper	<i>D. t. 153, f. 1. St. 3, p. 294.</i> 6680 MINOA.	Coombe and Darenth Woods, &c. End of May.
688 <i>Bimaculata</i>	White Pinion Spotted	<i>St. 3, p. 294.</i> 6683 BAPTA.	Lanes between Darenth and Birch Woods. June.
689 <i>Punctata</i>	Clouded Silver	<i>St. 3, p. 295.</i> 6684 BAPTA.	Darenth Wood, Epping, &c. June.
690 <i>Cægiata</i>	February Carpet	<i>St. 3, p. 295.</i> 6625 APLOCERA.	On old walls. North of England. June.
691 <i>Flavicincta</i>	Yellow ringed	<i>St. 3, p. 296, t. 30, f. 3.</i> 6626 APLOCERA.	North of England. June.



583 a



592 a +



601 a +



610 a



584 a



593 a



602 a +



611 a



585 a



594 a +



603 a



612 a



586 a



595 n



604 a



613 a



587 a



596 a +



605 a



614 n



588 a



597 a +



606 n



615 n



589 a



598 a +



607 n



616 n



590 a



599 a +



608 a



617 a



591 a



600 a +




609 a



618 a

R. Wood Jun.





619 a



628 a +



637 n



644 a +



620 n



629 a



638 n



645 a



621 a +



630 a +



639 a



646 n



622 a +



631 a



640 a



647 a



623 a +



632 a +



640 n



648 n



624 a



633 a



641 a



649 n



625 a +



634 a



641 n



650 n



626 a



635 a



642 a



651 n



627 a +




636 a



643 a +



652 n





653 n



662 n



671 n



680 n



654 n



663 n



672 n



681 n



655 n



664 n



673 n



682 n



656 n



665 n



674 n



683 a



657 n



666 n



675 n



684 n



658 n



667 n



676 n



685 n



659 n



668 n



677 n



686 n



660 n



669 n



678 n



687 n



661 n



670 n




679 n



688 a

W. Wood Jun. r



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
692 <i>Decolorata</i>	Sandy Carpet	<i>St. 3, p. 297.</i> 6685 EMMELESIA.	Hedges and lanes between Pen- tonville and Highgate. End of June.
693 <i>Affinitata</i>	Allied	<i>St. 3, p. 297.</i> 6686 EMMELESIA.	Copenhagen Fields; also near Hertford, Ep- ping, &c. June.
694 <i>Turbaria</i>	Middle Rivulet	<i>St. 3, p. 298.</i> 6688 EMMELESIA.	Middlesex, near Kentish Town, &c. End of June and be- ginning of July.
695 <i>Rivulata</i>	Small Rivulet	<i>St. 3, p. 298.</i> 6689 EMMELESIA.	Grassy places near woods. Middle of June.
696 <i>Ericetata</i>	Heath Rivulet	<i>St. 3, p. 298, t. 32, f. 2.</i> 6690 EMMELESIA.	North of En- gland and in Scotland. June.
697 <i>Blandiata</i>	Barred Rivulet	<i>St. 3, p. 299.</i> 6693 EMMELESIA.	North of En- gland. June.
698 <i>Albulata</i>	Grass Rivulet	<i>St. 3, p. 299.</i> 6691 EMMELESIA.	Battersea Fields, Epping Forest, Meldon Park near Morpeth, &c. End of June or begin- ning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
699 <i>Trigonata</i>	Small Blue-border	<i>St. 3, p. 299.</i> 6692 EMMELESIA.	Near Westerham, Kent; and in Cumberland. June.
700 <i>Tæniata</i>	Banded Rivulet	<i>St. 3, p. 299, t. 32, f. 3.</i> EMMELESIA.	Mr. Stephens has seen but four specimens, all taken in Cumberland in July 1827.
701 <i>Unifasciata</i>	Single-barred Rivulet	<i>St. 3, p. 300.</i> 6694 EMMELESIA.	Westerham, and Birch Wood; but rare. June.
702 <i>Bifasciata</i>	Double-barred Rivulet	<i>St. 3, p. 300.</i> 6695 EMMELESIA.	Birch Wood; also near Dover, &c.; but rare. June.
703 <i>Rusticata</i>	Least Carpet	<i>St. 3, p. 300.</i> 6696 EMMELESIA.	On palings near Eltham and Bexley in Kent. June.
704 <i>Sylvata</i>	Waved Carpet	<i>D. 14, t. 487, f. 1. St. 3, p. 301.</i> 6699 EMMELESIA.	Coombe Wood. June.
705 <i>Blomeri</i>	Blomer's	<i>C. 9, 416.</i> EMMELESIA.	Castle Eden Dene, Durham. July.
706 <i>Candidata</i>	Small white Wave	<i>St. 3, p. 301.</i> 6700 EMMELESIA.	Middlesex, Surrey, Kent, &c.; very common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
707 <i>Luteata</i>	Small yellow Wave	<i>D. 9, t. 386, f. 1. 2. St. 3, p. 301.</i> 6701 EMMELESIA.	Darenth and Birch Woods; near Dover, &c. June.
708 <i>Heparata</i>	Dingy Shell	<i>St. 3, p. 302.</i> 6702 EMMELESIA.	Coombe and Darenth Woods; beginning of July.
709 <i>Clathrata</i>	LatticedHeath	<i>D. 7, t. 248, f. 2. St. 3, p. 303. Strenia.</i> 6703 HERCYNIA.	Darenth, Epping, Hertford, &c. End of May, and middle of July.
710 <i>Maculata</i>	Speckled Yellow	<i>H. t. 28, f. f. D. 7, t. 251, f. 3. St. 3, p. 304.</i> Venilia. 6704 HERCYNIA.	Common in woods about London and elsewhere. End of May.
711 <i>Quadrinaculata</i>	Pinion-spotted Yellow	<i>St. 3, p. 304. Venilia.</i> 6705 HERCYNIA.	In a wood near Colney Hatch, Middlesex. Beginning of May.
712 <i>Dilutaria</i>	Small fan-footed Wave	<i>St. 3, p. 305.</i> 6713 PTYCHOPODA.	Coombe and Darenth Woods; Epping, &c. May.
713 <i>Fimbriolata</i>	BorderedWave	<i>St. 3, p. 306.</i> 6714 PTYCHOPODA.	Near London. June.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
714 <i>Cinereata</i>	Ashy Wave	St. 3, p. 306. 6712 PTYCHOPODA.	Found in woody places about London. June.
715 <i>Lividata</i>	Small dotted Wave	St. 3, p. 306. 6710 PTYCHOPODA.	Woods and hedges near London, &c. June.
716 <i>Bisetata</i>	Treble Twin-spot	St. 3, p. 307. 6711 PTYCHOPODA.	Darenth and Birch Woods. June.
717 <i>Ornata</i>	Lace border	St. 3, p. 307. 6727 PTYCHOPODA.	Darenth Wood; the New Forest, &c. June.
718 <i>Incanata</i>	Mullein Wave	St. 3, p. 308. 6722 PTYCHOPODA.	Coast of Norfolk; also near Dover, &c. End of June.
<i>Contiguaria</i> 719 <i>Degenaria</i> <i>ria</i>	Portland ribbon Wave	C. 8, t. 384. PTYCHOPODA.	Isle of Portland. June.
<i>Degenotaria</i> 720 <i>Contiguaria</i> <i>ria</i>	Tooth-striped Wave	St. 3, p. 308. 6723 PTYCHOPODA.	Norfolk and near Dover. End of June.
721 <i>Immutata</i>	Lesser Cream Wave	St. 3, p. 308. 6729 PTYCHOPODA.	Marshy places in Norfolk; also on the borders of Yaxley Mere. End of June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
722 <i>Rubricata</i>	Reddish Wave	<i>St. 3, p. 308, t. 31, f. 1.</i> Ptychopoda. 6697 EMMELESIA.	Mr. Stephens's specimen was taken near York; another was captured near Dover.
723 <i>Osseata</i>	Dwarf Cream Wave	<i>St. 3, p. 309.</i> Acidalia. 6707 PTYCHOPODA.	Coombe and Darenth Woods, &c. June.
724 <i>Margine-punctata</i>	Dotted Border-ed Wave	<i>St. 3, p. 310.</i> Acidalia. 6709 PTYCHOPODA.	Brockenhurst in the New Forest. June.
725 <i>Virgularia</i>	Small Dusty Wave	<i>St. 3, p. 310.</i> Acidalia. 6715 PTYCHOPODA.	Common in gardens, &c., near London. June.
726 <i>Subsericeata</i>	Satiny Wave	<i>St. 3, p. 311.</i> Acidalia. 6716 PTYCHOPODA.	Hedges near Darenth Wood. June.
727 <i>Inornata</i>	Plain Wave	<i>St. 3, p. 311.</i> Acidalia. 6717 PTYCHOPODA.	Darenth Wood. June.
728 <i>Aversata</i>	Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6719 PTYCHOPODA.	Woods near London; Epping, &c. June.
729 <i>Remutata</i>	False Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6718 PTYCHOPODA.	Woods in Middlesex, Surrey, Essex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
730 <i>Fumata</i>	Smoky Wave	<i>St. 3, p. 312.</i> <i>Acidalia.</i> 6721 <i>PTYCHOPODA.</i>	North of England, and Scotland. June.
731 <i>Lactata</i>	Pale Cream Wave	<i>St. 3, p. 313.</i> <i>Acidalia.</i> 6724 <i>PTYCHOPODA.</i>	Woods in Middlesex and elsewhere. June.
732 <i>Floslactata</i>	Cream Wave	<i>St. 3, p. 313.</i> <i>Acidalia.</i> 6726 <i>PTYCHOPODA.</i>	Woods and hedges. June.
733 <i>Marginata</i>	Clouded-border	<i>St. 3, p. 314.</i> <i>Pœcilo- phasia.</i> 6731 <i>PTYCHOPODA.</i>	Very common in woods and hedges, &c. From May to August.
734 <i>Viridata</i>	Small Grass Emerald	<i>A. t. 48, f. 80, a—c. C. 7,</i> <i>t. 300. St. 3, p. 336.</i> <i>Chlorissa.</i> 6483 <i>HIPPARCHUS.</i>	New Forest. Middle of June.
735 <i>Cloraria</i>	Middle Grass Emerald	<i>St. 3, p. 316.</i> <i>Chlorissa.</i> 6484 <i>HIPPARCHUS.</i>	Mr. Stephens's Cabinet.
736 <i>Thymiaria</i>	Common Emerald	<i>A. t. 48, f. 81, d—g.</i> <i>H. t. 3. D. 9, t. 310.</i> <i>St. 3, p. 316.</i> <i>Chlorissa.</i> 6733 <i>PTYCHOPODA.</i>	Woods and hedges round London; very common. June.
737 <i>Putataria</i>	Little Emerald	<i>St. 3, p. 317.</i> <i>Chlorissa.</i> 6732 <i>PTYCHOPODA.</i>	Very common in woody places round London, &c. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
738 <i>Imitaria</i>	Small Blood- vein	<i>St. 3, p. 318.</i> Timandra. 6737 <i>MACARIA.</i>	Darenth Wood; New Forest, &c. June.
739 <i>Variegata</i>	Subangled Wave	<i>St. 3, p. 318.</i> Timandra. 6738 <i>MACARIA.</i>	Mr. Stephens's specimens were taken in a lane near Darenth, in June.
740 <i>Emutaria</i>	Dusky Wave	<i>St. 3, p. 318.</i> Timandra. 6739 <i>MACARIA.</i>	New Forest near Lyndhurst. July.
741 <i>Pallidaria</i>	Pale Wave	<i>C. 8, p. 384.</i> Acidalia. — <i>MACARIA.</i>	Mr. Bentley's Cabinet. The only specimen Mr. Curtis has seen here received from Kent.
742 <i>Notata</i>	Peacock	<i>St. 3, p. 319.</i> 6740 <i>MACARIA.</i>	Darenth, Birch, and Coombe Woods. Begin- ning of June.
743 <i>Alternata</i>	Sharp-angled Peacock	<i>St. 3, p. 320.</i> 6741 <i>MACARIA.</i>	Darenth Wood; but rare. June.
744 <i>Subrufata</i>	Slender- striped Ru- fous	<i>St. 3, p. 320.</i> 6742 <i>MACARIA.</i>	Mr. Bentley's Cabinet.
745 <i>Liturata</i>	Tawny-barred Angle	<i>C. 3, t. 132.</i> <i>St. 3, p. 320.</i> 6743 <i>MACARIA.</i>	Near Brocken- hurst in the New Forest. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
746 <i>Præatomata</i>	Dingy Angled	<i>St. 3, p. 321.</i> 6744 <i>MACARIA</i> .	Mr. Bentley's Cabinet.
747 <i>Unipunctata</i>	White Spot	<i>St. 3, p. 321, t. 31, f. 3.</i> 6745 <i>MACARIA</i> .	Mr. Stephens's Cabinet.
748 <i>Limbata</i>	Bordered Chequer	<i>St. 3, p. 322.</i> <i>Ania.</i> 6746 <i>MACARIA</i> .	Mr. Chant's Cabinet.
749 <i>Emarginata</i>	Scalloped Double-line	<i>D. 14, t. 493, f. 3.</i> <i>St. 3,</i> <i>p. 322.</i> <i>Ania.</i> 6747 <i>MACARIA</i> .	Woods and hedges round London, &c. End of July.
750 <i>Flexula</i>	Beautiful Hook-tip	<i>St. 3, p. 323.</i> 6748 <i>ENNOMOS</i> .	Woods in Middlesex, Surrey, Essex, &c.; but not common. End of July.
751 <i>Lacertula</i>	Scallop Hook-tip	<i>D. 7, t. 251, f. 2, St. 4, p. 4.</i> 6749 <i>PLATYPTERYX</i> .	Coombe and Darenth Woods among birch-trees, &c. May.
752 <i>Cultraria</i>	Pale Scallop Hook-tip	<i>St. 4, p. 5.</i> 6750 <i>PLATYPTERYX</i> .	Monks Wood, Huntingdonshire. June.
753 <i>Falcataria</i>	Pebble Hook-tip	<i>St. 4, p. 6.</i> 6751 <i>DREPANA</i> .	Coombe, Darenth, and Birch Woods, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
754 <i>Hamula</i>	Oak Hook-tip	<i>A.t.</i> 65, <i>f.</i> a—d. <i>H.t.</i> 41, <i>f.</i> a. b. <i>St.</i> 4, <i>p.</i> 7. 6752 DREPANA.	Coombe Wood, the New Forest, &c. End of May.
755 <i>Uncula</i>	Pale Oak Hook-tip	<i>St.</i> 4, <i>p.</i> 7. 6753 DREPANA.	Mr. Stephens's Cabinet.
756 <i>Unguicula</i>	Barred Hook-tip	<i>St.</i> 4, <i>p.</i> 7. 6754 DREPANA.	Epping. Beginning of June.
757 <i>Compressa</i>	Chinese Character	<i>A.t.</i> 65, <i>f.</i> e—h. <i>D.</i> 7, <i>t.</i> 239, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 9. 6756 CILIX.	Common round London, &c. End of May.
758 <i>Proboscidalis</i>	Snout Eggar likeness	<i>H.t.</i> 31, <i>f.</i> f—h. <i>St.</i> 4, <i>p.</i> 11. 6757 HYPENA.	Woods, hedges, gardens, &c., near London; Epping, Hertford, &c. End of June to the middle of August.
759 <i>Obesalis</i>	Pinion Snout	<i>St.</i> 4, <i>p.</i> 11. 6758 HYPENA.	Mr. Chant's Cabinet.
760 <i>Palpalis</i>	Dark Snout	<i>St.</i> 4, <i>p.</i> 12. 6759 HYPENA.	Mr. Chant's Cabinet.
761 <i>Rostralis</i>	Buttoned Snout	<i>St.</i> 4, <i>p.</i> 12. 6759 HYPENA.	Gardens at Chelsea, Battersea, &c. June and July.
762 <i>Crassalis</i>	Beautiful Snout	<i>C.</i> 6, <i>t.</i> 288. <i>St.</i> 4, <i>p.</i> 13. 6760 HYPENA.	Taken by Messrs. Chant and Bentley in Devonshire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
763 <i>Cribralis</i>	Dotted Fan-foot	<i>C.11, t. 527. St. 4, p. 14.</i> <i>Macrochica.</i> 6761 POLYPOGON.	Wittlesea Mere. End of June or beginning of July.
764 <i>Barbalis</i>	Common Fan-foot	<i>A.t. 74, f. c—h. H.t. 43,</i> <i>f. l, t. St. 4, p. 15.</i> 6762 POLYPOGON.	Very common in woody places in the neigh- bourhood of London. Mid- dle of May to the beginning of July.
765 <i>Derivalis</i>	Clay Fan-foot	<i>St. 4, p. 16, t. 33, f. 2.</i> <i>Paracolax.</i> 6763 POLYPOGON.	Bexley and Da- renth Wood; near Woolwich and at Dover. June.
766 <i>Nemoralis</i>	Small Fan-foot	<i>St. 4, p. 16. Paracolax.</i> 6765 POLYPOGON.	Woods in Mid- dlesex, Surrey, Essex, &c. June.
767 <i>Tarsicri- nalis</i>	Fan-foot	<i>St. 4, p. 17. Paracolax.</i> 6764 POLYPOGON.	Coombe and Da- renth Woods, Epping, &c. Middle of June.
768 <i>Emortualis</i>	Olive Crescent	<i>St. 4, p. 18. Æthia.</i> 6766 POLYPOGON.	Taken in Devon- shire. End of May. Very rare.
769 <i>Salicalis</i>	Lesser Bell	<i>St. 4, p. 18. Colobochyla.</i> 6767 MADOPA.	Neighbourhood of Bexley in Kent; but very rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
770 <i>Angustalis</i>	Small Snout	<i>St. 4, p. 19.</i> Synaphe. 6768 CLEDEOBIA.	Coombe and Darenth Woods. Middle of July.
771 <i>Albistrigatus</i>	White-line Snout	<i>St. 4, p. 20.</i> 6769 CLEDEOBIA.	At Darenth, also in Norfolk; but rare.
772 <i>Costæstrigalis</i>	Dark-line Snout	<i>St. 4, p. 21.</i> 6770 CLEDEOBIA.	Whittlesea Mere; but rare. Mr. Bentley's Cabinet. June.
773 <i>Undulalis</i>	Waved Tabby	<i>St. 4, p. 22.</i> Camptylo- chila. 6771 CLEDEOBIA.	Very rare. Mr. Stephens possesses a single specimen.
774 <i>Bistrigalis</i>	Twin-striped Tabby	<i>St. 4, p. 22.</i> Camptylo- chila. 6772 CLEDEOBIA.	Mr. Stephens has seen but two, one of which is in his Cabinet.
775 <i>Pinguinalis</i>	Large Tabby	<i>St. 4, p. 23.</i> 6773 AGLOSSA.	Common in the neighbourhood of London, &c. End of July.
776 <i>Cuprealis</i>	Small Tabby	<i>St. 4, p. 23.</i> 6774 AGLOSSA.	Near London, Hertford, Ripley.
777 <i>Streatfeildii</i>	Streatfeild's Tabby	<i>C. 10, t. 455, St. 4, p. 24.</i> — AGLOSSA.	Taken at Compton Bishop, Somersetshire. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
778 <i>Farinalis</i>	Meal Moth	<i>St. 4, p. 25.</i> 6776 PYRALIS.	Common in houses, &c. End of August.
779 <i>Pictalis</i>	Painted Meal Moth	<i>C. 11, t. 503. St. 4, p. 395.</i> — PYRALIS.	Found in a house near Poplar. July.
780 <i>Glaucinalis</i>	Double-striped	<i>St. 4, p. 26.</i> 6778 PYRALIS.	Taken near London, &c. June.
781 <i>Costalis</i>	Gold Fringe	<i>St. 4, p. 27. Hypsopygia.</i> 6779 AGROTERA.	Houses and gardens near London, &c. July and August.
782 <i>Flammealis</i>	Rosy Flounced	<i>St. 4, p. 28.</i> 6780 AGROTERA.	Coombe, Darenth, and Birch Woods. End of June.
783 <i>Fabriciana</i>	Autumn Nettle-tap	<i>St. 4, p. 29.</i> 6781 SIMAËTHIS.	Common on flowers from April to October.
784 <i>Pariana</i>	Double-barred Nettle-tap	<i>St. 4, p. 29.</i> 6782 SIMAËTHIS.	Birch and Darenth Woods; also near Ripley, &c. June.
785 <i>Lutosa</i>	Early Nettle-tap	<i>St. 4, p. 29.</i> 6783 SIMAËTHIS.	In the neighbourhood of London, &c.; but rare. March and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
786 <i>Myllerana</i>	Myller's Nettle tap	C.7, t. 320. St.4, p. 30. 6784 SIMAËTHIS.	Birch Wood and near London, &c., on nettles. June and October.
787 <i>Punctuosa</i>	Narrow Silver-dotted	St.4, p. 30. 6785 SIMAËTHIS.	Ashdown Forest; also in Devonshire. July.
788 <i>Cingulata</i>	Silver-barred Sable	C.3, t. 123. St.4, p. 32. 6788 ENNYCHIA.	In Devonshire and the North of England. June and August.
789 <i>Anguinalis</i>	Wavy-barred Sable	St.4, p. 32. 6787 ENNYCHIA.	Darenth and Birch Woods, &c. June.
790 <i>Rufofascialis</i>	Flounced	St.4, p. 33. 6789 ENNYCHIA.	Mr. Chant's Cabinet.
791 <i>Cespitalis</i>	Straw-barred	St.4, p. 34. 6795 PYRAUSTA.	Darenth and Coombe Woods, Dover, &c. End of June and middle of August.
792 <i>Sordidalis</i>	Dingy Straw-barred	St.4, p. 34. 6796 PYRAUSTA.	Habitat the same as above.
793 <i>Purpuralis</i>	Crimson and Gold	H.t.23, f.m. D.10, t.339. f.2. St.4, p. 35. 6791 PYRAUSTA.	Coombe, Birch, and Darenth Woods; also at Hertford, Epping, &c. May and the middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
794 <i>Punicealis</i>	Purple and Gold	<i>St. 4, p. 35.</i> 6792 PYRAUSTA.	Common on grassy banks near London and elsewhere. Beginning of June and middle of August.
795 <i>Ostrinalis</i>	Scarce Purple and Gold	<i>St. 4, p. 36.</i> 6793 PYRAUSTA.	Reigate, Ripley, and the New Forest. June.
796 <i>Porphyralis</i>	Porphyry	<i>St. 4, p. 36.</i> 6794 PYRAUSTA.	Middlesex, Surrey, Kent, &c. June and August.
797 <i>Octomaculata</i>	White-spot	<i>H. t. 27, f. p. D. 8, t. 266, f. 4. St. 4, p. 31. Anania.</i> 6786 ENNYCHIA.	Darenth and Birch Woods. June and August.
798 <i>Literalis</i>	Lettered China-mark	<i>St. 4, p. 37. Diasemia.</i> 6797 HYDROCAMPA.	Near Brockenhurst in the New Forest, and occasionally near the middle of Darenth Wood. Beginning of June.
799 <i>Potamogeta</i>	Brown China-mark	<i>H. t. 41, f. o—q. D. 9, t. 363, f. 1. St. 4, p. 38.</i> 6799 HYDROCAMPA.	Very common in marshy places, and on the borders of ponds in several counties. June.



689 a



698 n



707 n



716 n



690 a +



699 n



708 n



717 n



691 a +



700 n



709 a



718 a



692 n



701



710 a



719 n



693 a



702 n



711 a



720 a



694 n



703 n



712 n



721 n



695 n



704 n



713 n



722 n



696 n



705 a



714 n



723 n



697 n



706 n




715 n



724 n

W. Wood Junr.





725 n



734 n



743 a



752 a



726 n



735 n



744 a



753 a +



727 a



736 a



745 a




754 a



728 a



737 n



746 a



755 a



729 a



738 a



747 a



756 a



730 a



739 a



748 n



757 n



731 a



740 n



749 n



758 a +



732 n



741 n



750 a



759 a



733 n




742 a W. Wood Junr



751 a



760 a +





761 a



770 n



779 n



788 n



762 a



771 n



780 n



789 n



763 a



772 n



781 n



790 n



764 a



773 n



782 n



791 n



765 a



774 n



783 n



792 n



766 n



775 a



784 n



793 n



767 a



776 n



785 n



794 n



768 a



777 a



786 n



795 n



769 n




778 a



787 n



796 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
800 Nymphæ- ata	Beautiful China-mark	<i>D. 11. t. 363, f. 3. St. 4,</i> <i>p. 39.</i> 6800 HYDROCAMPA.	Cambridgeshire fens, and other marshy places. Middle of July.
801 Lemnata M. and F.	Small China- mark	<i>H. t. 7, f. k—m. D. 8,</i> <i>t. 266, f. 1 & 2. St. 4,</i> <i>p. 40. Cataclysta.</i> 6801 HYDROCAMPA.	Very common nearditches and ponds covered with duckweed. Middle of June.
802 Stratiotata	Ringed China- mark	<i>C. 11. t. 495. St. 4, p. 41.</i> Paraponyx. 6802 HYDROCAMPA.	Near ponds, and in marshy pla- ces. End of June or begin- ning of July.
803 <i>Sambucalis</i>	Garden China- mark	<i>A. t. 37, f. 59. a—d. St. 4,</i> <i>p. 42. Phlyctenia.</i> 6798 HYDROCAMPA.	Common in gar- dens near Lon- don and else- where. Middle of June.
804 <i>Lucernalis</i>	Transparent China-mark	<i>St. 4, p. 43. Eudiotis.</i> 6804 DIAPHANIA.	Mr. Stephens's Cabinet. Taken near Plymouth.
805 Urticata	Small Magpie	<i>A. t. 37, f. 60. i—m. D. 10,</i> <i>t. 349, f. 2. St. 4, p. 44.</i> Eurrhypara. 6806 BOTYS.	Very common in gardens and hedges. May or early in June.
806 Forficalis	Garden Pebble	<i>St. 4, p. 45. Mesographe.</i> 6805 DIAPHANIA.	Very common in gardens and fields from the middle of May till October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonymis and new genera.</i>	<i>Habitat, and when found.</i>
807 <i>Diversalis</i>	Yellow under- wing Pearl	<i>St. 4, p. 47.</i> 6807 MARGARITIA.	British Museum. Taken near Bristol in July, 1815.
808 <i>Asinalis</i>	Dingy Pearl	<i>St. 4, p. 47.</i> — MARGARITIA.	Mr. Stephens's Cabinet.
809 <i>Lancealis</i>	Long-winged Pearl	<i>St. 4, p. 48.</i> 6808 MARGARITIA.	Birch Wood, Charlton, &c.; but rare. End of June.
810 <i>Verticalis</i>	Mother of Pearl	<i>A. t. 72, f. a—d. W. t. 51,</i> <i>H. t. 33, f. h—l. D. 16,</i> <i>t. 556. St. 4, p. 48.</i> 6809 MARGARITIA.	Abundant among nettles, in gar- dens, fields, &c. June.
811 <i>Centro- strigalis</i>	Central- striped Pearl	<i>St. 4, p. 49.</i> 6811 MARGARITIA.	A single speci- men in Mr. Ste- phens's Cabi- net. Taken in Devonshire.
812 <i>Cinctalis</i>	Lesser Pearl	<i>St. 4, p. 49.</i> 6812 MARGARITIA.	Darenth Wood and Ripley, &c.; also in clover- fields and hed- ges. End of June or begin- ning of July.
813 <i>Palealis</i>	Sulphur	<i>St. 4, p. 50.</i> 6810 MARGARITIA.	Near Dover, and in Norfolk; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
814 <i>Hyalinalis</i>	Scarce Pearl	<i>St. 4, p. 51.</i> 6813 MARGARITIA.	Near Darenth Wood. June.
815 <i>Angustalis</i>	Narrow- winged Pearl	<i>St. 4, p. 51.</i> 6815 MARGARITIA.	Darenth Wood. Beginning of June.
816 <i>Terminalis</i>	Bordered Pearl	<i>St. 4, p. 51.</i> 6816 MARGARITIA.	Darenth Wood, and near Do- ver; but rare. June.
817 <i>Glabralis</i>	Dingy Pearl	<i>St. 4, p. 52.</i> 6814 MARGARITIA.	Mr. Stephens's Cabinet.
818 <i>Pallidalis</i>	Delicate Pearl	<i>St. 4, p. 52.</i> 6817 MARGARITIA.	Mr. Stephens's Cabinet.
819 <i>Flavalis</i>	Gold China- mark	<i>St. 4, p. 52.</i> 6822 MARGARITIA.	Woody places near London; but rare. Mid- dle of July.
820 <i>Ochrealis</i>	Small Straw <i>China-mark</i>	<i>St. 4, p. 53.</i> 6819 MARGARITIA.	Darenth Wood, and near Lon- don; also at Hertford and Ripley. June.
821 <i>Cilialis</i>	Orange Cloud	<i>C. 12, t. 559. St. 4, p. 53.</i> 6830 MARGARITIA.	Mr. Curtis's Ca- binet.
822 <i>Ferrugalis</i>	Rusty Dot	<i>St. 4, p. 53.</i> 6823 MARGARITIA.	Near Darenth Wood and Herne Bay; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
823 <i>Fulvalis</i>	Fulvous Dot	<i>St. 4, p. 54.</i> — MARGARITIA.	Mr. Stephens's Cabinet.
824 <i>Verbascalis</i>	Rusty China- mark	<i>St. 4, p. 54.</i> 6821 MARGARITIA.	Coombe and Darenth Woods, &c. July.
825 <i>Longipedalis</i>	Long-legged Pearl	<i>St. 4, p. 55.</i> 6820 MARGARITIA.	Taken near Teignmouth, by Captain Blomer. July.
826 <i>Pulveralis</i>	Dusted Pearl	<i>St. 4, p. 55.</i> 6824 MARGARITIA.	Darenth Wood. June.
827 <i>Fuscalis</i>	Cinereous Pearl	<i>St. 4, p. 56.</i> 6825 MARGARITIA <i>cineralis.</i>	Birch, Darenth, and Coombe Woods, &c. June.
828 <i>Fimbrialis</i>	Edged Pearl	<i>St. 4, p. 56.</i> 6826 MARGARITIA.	Darenth Wood, and near Dover. June.
829 <i>Institialis</i>	Pale Straw	<i>St. 4, p. 56.</i> 6828 MARGARITIA <i>lutealis.</i>	Woods and hed- ges in Kent, Cambridge- shire, &c. End of June.
830 <i>Stramentalis</i>	Chequered Straw	<i>St. 4, p. 57.</i> 6833 MARGARITIA <i>elutalis.</i>	Marshy places in Norfolk. July.
831 <i>Margaritalis</i>	Clouded Yel- low Pearl	<i>St. 4, p. 57.</i> 6832 MARGARITIA.	Bristol; near Bedford, and in Berkshire. June.



797 n



805 a



814 a



823 n



798 n



806 a



815 a



824 n



799 n



807 a



816 n



825 n



800 n



808 a



817 n



826 n



801 n



809 a



818 n



827 n



801 n



810 a +



819 n



828 n



802 n



811 a



820 n



829 n



803 n



812 a



821 a



830 n



804 a



813 a

W. Wood Jun.?



822 n



831 a

Lin. no

822 Serie

823 Alpi

824 Suet

825 Offic

826 Pra

827 Den

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
832 <i>Sericealis</i>	Straw Dot	<i>St. 4, p. 58.</i> 6831 MARGARITIA.	Woods, hedges, and shrubby places, in Mid- dlesex, Kent, &c. July.
833 <i>Alpinalis</i>	Alpine Pearl	<i>St. 4, p. 58.</i> 6827 MARGARITIA uliginosalis.	Taken by Mr. Dale on the summit of Ben Lawers in July 1827. Mr. Stephens's Cabinet.
834 <i>Sticticalis</i>	Diamond Spot	<i>St. 4, p. 59.</i> 6829 MARGARITIA tetragonalis.	Near Coombe Wood; Dover, and Ripley; but rare, July.
835 <i>Olivalis</i>	White Brindled	<i>H. t. 29, f. p—s. St. 4,</i> <i>p. 59. Margaritia.</i> 6836 SCOPULA nivea- lis	Common near London, &c. End of June.
836 <i>Prunalis</i>	Clouded Pearl	<i>St. 4, p. 60. Margaritalis.</i> 6834 SCOPULA.	Common in hed- ges in Middle- sex, Surrey, Kent, &c. End of June.
837 <i>Dentalis</i>	Starry Brindle	<i>C. 12, t. 563. St. 4, p. 61.</i> <i>Cynæda.</i> 6838 SCOPULA.	A single speci- men in Mr. Stephens's Ca- binet; also an- other in Mr. Bentley's Col- lection.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
838 <i>Strigulalis</i>	Least Black- arches	<i>St. 4, p. 62.</i> 6840 NOLA.	Coombe and Da- renth Woods. End of May or beginning of June.
839 <i>Monacha- lis</i>	Small Black- arches	<i>C. 9, t. 428. St. 4, p. 62.</i> 6839 NOLA.	Near London, also at Coombe and Colney Hatch Wood; but rare. June.
840 <i>Cuculla- tella</i>	Short-cloaked	<i>St. 4, p. 62.</i> 6841 NOLA.	Common in gar- dens and hedges in several parts of the country; about the mid- dle or end of June.
841 <i>Prasinana</i>	Green Silver lines	<i>W. t. 30. H. t. 30, f. i—m. D. 8, t. 280, fa- gana. St. 4, p. 66. Hy- lophila.</i> 6843 CHLOEPHORA.	Coombe, Da- renth, and Birch Woods, &c. June.
842 <i>Quercana</i>	Scarce Silver lines	<i>H. t. 30, f. e—h. D. 2, t. 40. St. 4, p. 67. Hy- lophila.</i> 6844 CHLOEPHORA prasinana.	Woody places in Middlesex, Kent, Surrey, Essex, &c. Middle of June.
843 <i>Clorana</i>	Small Green Oak	<i>W. t. 5. St. 4, p. 68.</i> Earis. 6845 TORTRIX.	On willows in marshy places, Battersea Fields, Plum- stead, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
844 <i>Viridana</i>	Pea Green	<i>A. t. 72, f. e—h. H. t. 10, f. 1. 2. D. 4, t. 144. St. 4, p. 68.</i> 6846 <i>TORTRIX.</i>	On Oak trees, &c., in several parts of the country. End of June.
845 <i>Galiana</i>	Glossy Golden-brown	<i>St. 4, p. 396.</i> — <i>TORTRIX.</i>	Whittlesea Mere. July.
846 <i>Palleana</i>	Plain Yellow	<i>St. 4, p. 69.</i> 6847 <i>TORTRIX.</i>	Near Dover. July and August.
847 <i>Viburnana</i>	Viburnian	<i>St. 4, p. 69.</i> 6848 <i>TORTRIX.</i>	Whittlesea Mere; but not common. July.
848 <i>Forsterana</i>	Forsterian	<i>A. t. 72, f. a—d. St. 4, p. 70.</i> 6850 <i>LOZOTENIA.</i>	Coombe and Darenth Woods, also in the New Forest. June.
849 <i>Sorbiana</i>	Hazel Tortrix	<i>St. 4, p. 70.</i> 6851 <i>LOZOTENIA avellana.</i>	Darenth and Birch Woods. June.
850 <i>Heparana</i>	Dark Oblique-bar	<i>St. 4, p. 71.</i> 6852 <i>LOZOTENIA.</i>	Very common in woods and shrubby places in several parts. June and July.
851 <i>Cinnamomeana</i>	Cinnamon	<i>St. 4, p. 71.</i> — <i>LOZOTENIA.</i>	A single specimen in Mr. Stephens's Cabinet. Taken by him in Coombe Wood, in June 1832.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
852 <i>Ribeana</i>	Common Ob- lique-bar	<i>St. 4, p. 72.</i> 6853 <i>LOZOTÆNIA.</i>	Common in woods and gar- dens. June.
853 <i>Grossula- riana</i>	Gooseberry	<i>St. 4, p. 72.</i> 6854 <i>LOZOTÆNIA.</i>	Woods and gar- dens, Middle- sex, Essex, Kent, &c. June.
854 <i>Cerasana</i>	Hollow Ob- lique-bar	<i>St. 4, p. 72.</i> 6855 <i>LOZOTÆNIA.</i>	Coombe, Birch, and Darenth Woods. End of June.
855 <i>Corylana</i>	Great Chec- quered	<i>St. 4, p. 73.</i> 6857 <i>LOZOTÆNIA.</i>	Middlesex, Es- sex, Kent, Sur- rey, &c. End of June or be- ginning of July.
856 <i>Croceana</i>	Saffron	<i>St. 2, p. 73.</i> 6875 <i>LOZOTÆNIA.</i>	Woods and hedges in seve- ral parts; but not common. June.
857 <i>Lævigana</i>	Glossy Ob- lique-bar	<i>St. 4, p. 74.</i> 6856 <i>LOZOTÆNIA.</i>	Hedges and gar- dens near Lon- don, and else- where. Middle of June.
858 <i>Nebulana</i>	Rose	<i>St. 4, p. 74.</i> 6858 <i>LOZOTÆNIA ro- sana.</i>	Common with the last, towards the end of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
859 <i>Suboccellana</i>	Ocellated Oblique-bar	<i>St. 4, p. 75.</i> 6861 LOZOTÆNIA.	Mr. Stephens has seen two specimens only, taken either in Devonshire or Cornwall.
860 <i>Oporana</i>	Great Hook-tipped	<i>A. t. 86, f. 33, f—l.</i> <i>W. t. 84. St. 4, p. 75.</i> 6864 LOZOTENIA.	Hedges and gardens near London, &c. Middle of June.
861 <i>Rosana</i> M. and F.	Great Brown	<i>St. 4, p. 75.</i> 6862 LOZOTENIA fus- cana.	Gardens near London. End of June.
862 <i>Branderiana</i>	Branderian	<i>St. 4, p. 76.</i> 6863 LOZOTENIA.	Near Brockenhurst in the New Forest; but rare. End of June.
863 <i>Xylosteana</i>	Forked Red-bar	<i>St. 4, p. 76.</i> 6866 LOZOTENIA.	Woods round London, &c. End of June or beginning of July.
864 <i>Roborana</i>	Oak Red-bar	<i>St. 4, p. 77.</i> 6867 LOZOTENIA.	Taken at Darenth Wood and occasionally near London. Beginning of July.
865 <i>Obliquana</i>	Oblique-barred	<i>St. 4, p. 77.</i> 6868 LOZOTENIA.	Darenth and Coombe Woods; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
866 <i>Costana</i>	Straw Oblique-bar	<i>Det.</i> 369, f. 2. <i>St.</i> 4, p. 78. 6869 LOZOTÆNIA.	Near London, Battersea Fields; Coombe Wood, &c.; but not common. June.
867 <i>Biustulana</i>	Double Spotted Oblique-bar	<i>St.</i> 4, p. 78. 6870 LOZOTÆNIA.	Mr. Stephens has seen but two specimens, taken, he thinks, in the West of England.
868 <i>Modeeriana</i>	Modeerian	<i>St.</i> 4, p. 78. 6871 LOZOTÆNIA.	Darenth Wood; but very rare. Beginning of July.
869 <i>Acerana</i>	Maple	<i>St.</i> 4, p. 79. 6872 LOZOTÆNIA.	Coombe and Darenth Woods. June.
870 <i>Trifasciana</i>	Afternoon	<i>St.</i> 4, p. 79. 6873 LOZOTÆNIA.	Found with the above, and also in the New Forest.
871 <i>Grotiana</i>	Grotian	<i>St.</i> 4, p. 79. 6874 LOZOTÆNIA.	Darenth Wood and the New Forest. End of June.
872 <i>Ochreana</i>	Saffron	<i>St.</i> 4, p. 80. 6874 LOZOTÆNIA.	Near London; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
873 <i>Cruciana</i>	Red Cross	<i>St. 4, p. 80.</i> 6876 <i>LOZOTENIA</i> .	Near London; also at Coombe, Darenth, and Birch Woods. Middle of June.
874 <i>Holmiana</i>	Holmian	<i>St. 4, p. 81.</i> 6878 <i>LOZOTENIA</i> .	Common in gar- dens and hedges near London. End of June.
875 <i>Schreberiana</i>	Schreberian	<i>St. 4, p. 81.</i> 6879 <i>LOZOTENIA</i> .	Mr. Stephens has seen but two specimens, both taken in Corn- wall.
876 <i>Gerningiana</i>	Gerningian	<i>St. 4, p. 82.</i> <i>Philedone.</i> 6880 <i>AMPHISA</i> .	Near Birming- ham. June.
877 <i>Walkeriana</i>	Walkerian	<i>St. 4, p. 82.</i> <i>Philedone.</i> 6881 <i>AMPHISA</i> .	Found by Mr. Walker near New Lanark, in Scotland.
878 <i>Rotundana</i>	Round-tipped Red-bar	<i>St. 4, p. 84.</i> 6883 <i>DITULA</i> .	Near London, Dover, &c.; but very rare. July.
879 <i>Angustiorana</i>	Narrow-wing- ed Red-bar	<i>St. 4, p. 83.</i> 6882 <i>DITULA</i> .	Common in Middlesex, Sur- rey, Kent, &c. June and July.
880 <i>Porphyra-na</i>	Bright Ob- lique-barred	<i>St. 4, p. 84.</i> 6884 <i>DITULA</i> .	Darenth and Birch Woods; but not com- mon. End of June and be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
881 <i>Nebulana</i>	Clouded Iron	<i>D. 13, t. 364, f. 3. St. 4, p. 85.</i> 6885 <i>DITULA</i> .	Darenth and Birch Woods, New Forest, and, though rarely, in the neighbourhood of London. June.
882 <i>Wellensiana</i>	Barred Blotch-back	<i>St. 4, p. 85.</i> 6887 <i>DITULA Asseclana</i> .	Darenth Wood, New Forest, &c. June.
883 <i>Æthiopiana</i>	Negro	<i>St. 4, p. 85.</i> 6888 <i>DITULA</i> .	Taken with the above in June.
884 <i>Scriptana</i>	Short-barred White	<i>St. 4, p. 86.</i> 6889 <i>DITULA</i> .	Middlesex, Essex, Surrey; also in Devonshire. July.
885 <i>Semifasciana</i>	Short-barred Grey	<i>St. 4, p. 86.</i> 6890 <i>DITULA</i> .	New Forest; also occasionally in Kent. July.
886 <i>Corticana</i>	Marbled Long-cloak	<i>St. 4, p. 87.</i> 6891 <i>ANTITHESIA</i> .	Coombe and Darenth Woods. Middle of July.
887 <i>Betulana</i>	Birch Long-cloak	<i>St. 4, p. 87.</i> 6892 <i>ANTITHESIA</i> .	Very common in Middlesex, Kent, Surrey, &c. June and July.
888 <i>Tripunctata</i>	Common Long-cloak	<i>St. 4, p. 88.</i> 6893 <i>ANTITHESIA</i> .	Woods in Surrey, Essex, &c. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
889 <i>Grevilleana</i>	Grevilleian	<i>C. t.</i> 567.	Taken in Sutherlandshire in July by Dr. Greville. Mr. Curtis's Cabinet.
890 <i>Pruniana</i>	Lesser Long-cloak	<i>St.</i> 4, p. 88. 6894 <i>ANTITHESIA</i> .	Wood in Surrey, &c. End of July.
891 <i>Pullana</i>	Dingy Marbled	<i>St.</i> 4, p. 88. 6895 <i>ANTITHESIA</i> .	Near London; but very rare. June.
892 <i>Marginana</i>	Bordered Long-cloak	<i>St.</i> 4, p. 89. 6896 <i>ANTITHESIA</i> .	Darenth Wood; but very rare. July.
893 <i>Oblongana</i>	Narrow Long-cloak	<i>St.</i> 4, p. 89. 6897 <i>ANTITHESIA</i> .	Woods near London; but rare. July.
894 <i>Gentianæ-nana</i>	Gentian	<i>St.</i> 4, p. 89. 6898 <i>ANTITHESIA</i> .	Near Walthamstow, also in Devonshire; but very rare. August.
895 <i>Salicella</i>	White-backed	<i>St.</i> 4, p. 89. 6899 <i>ANTITHESIA</i> .	Battersea Fields, &c. End of July or beginning of August.
896 <i>Nubifera-na</i>	Cloudy White	<i>St.</i> 4, p. 91. 6900 <i>SPILONOTA</i> .	Hedges near Darenth Wood; very rare. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
897 <i>Cynosbatella</i>	Black-cloaked	<i>St.</i> 4, <i>p.</i> 91. 6901 SPILONOTA.	Gardens near London, &c. July and August.
898 <i>Aquana</i>	Brown-cloaked	<i>St.</i> 4, <i>p.</i> 91. 6902 SPILONOTA.	Gardens in Middlesex, Kent, Surrey, Essex, &c. End of June.
899 <i>Trimaculana</i>	Triple Blotched	<i>St.</i> 4, <i>p.</i> 91. 6903 SPILONOTA.	Hedges, woods, &c., with the last.
900 <i>Comitana</i>	Cream Short-cloak	<i>St.</i> 4, <i>p.</i> 92. 6914 SPILONOTA.	Common in hedges and woods near London, &c. Middle of June.
901 <i>Foenella</i>	White-foot	<i>D.</i> 2, <i>t.</i> 65, <i>f.</i> 1. <i>St.</i> 4, <i>p.</i> 92. 6904 SPILONOTA.	Epping Forest; very rare. August.
902 <i>Sylvana</i>	Red Blotch-back	<i>St.</i> 4, <i>p.</i> 84. 6886 DITULA.	Darenth Wood, and in Norfolk; but rare. June.
902 <i>Pflugiana</i> Pl. 31.	Pflugian	<i>St.</i> 4, <i>p.</i> 93. 6906 SPILONOTA.	Darenth and Birch Woods. June.
903 <i>Stræmiana</i>	Stræmian	<i>St.</i> 4, <i>p.</i> 93. 6907 SPILONOTA.	Darenth and Coombe Woods, &c. End of July.



832 n



841 a



850 n



859 n



833 a



842 a +



851 n



860 n



834 n



843 n



852 n



861 n



835 n



844 n



853 n



861 n



836 n



845 n



854 n



862 n



837 n



846 n



855 n



863 n



838 n



847 n



856 n



864 n



839 n



848 n



857 n



865 n



840 n



849 a




858 n



866 n

W. Wood Jun.





867 n



876 n



885 n



894 n



868 n



877 n



886 n



895 n



869 n



878 n



887 n



896 n



870 n



879 n



888 n



897 n



871 n



880 n



889 n



898 n



872 n



881 n



890 n



899 n



873 n



882 n



891 n



900 n



874 n



883 n



892 n



901 n



875 n



884 n




893 n



902 n

W. Wood Jun. r



120.

121. Ro

122. Tr

123. Tr

124. St

125. Co

126. Co

127. A

128. Q

129. T

130. T

131. N

132. N

133. C

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
904 <i>Rusticana</i>	Tawny Blotch- back	<i>St.</i> 4, p. 93. 6905 SPILONOTA.	Near London. June.
905 <i>Trigemi- nana</i>	Three-spotted	<i>St.</i> 4, p. 94. 6908 SPILONOTA.	Mr. Stephens has seen but one specimen, which he caught at Ripley, in July 1827.
906 <i>Sticticana</i>	Brown Blotch- back	<i>St.</i> 4, p. 94. 6909 SPILONOTA.	Hedges at Peck- ham, and also at Coombe Wood. End of July.
907 <i>Costipunc- tana</i>	Lesser Blotch- back	<i>St.</i> 4, p. 95. 6910 SPILONOTA.	Near London; but rare. July.
908 <i>Argyran</i>	Silver Blotch- back	<i>St.</i> 4, p. 95. —— SPILONOTA.	Highlands of Scotland. Au- gust.
909 <i>Quadrana</i>	Highland Blotch-back	<i>St.</i> 4, p. 95. —— SPILONOTA.	Taken in Scot- land in July.
910 <i>Tetrago- nana</i>	Four-angled Blotch-back	<i>St.</i> 4, p. 96. 6911 SPILONOTA.	Coombe and Da- renth Woods; but very rare. July.
911 <i>Nigricos- tana</i>	Black-edged Marble	<i>St.</i> 4, p. 96. 6912 SPILONOTA.	On Elm trees near Hertford. June.
912 <i>Ustulana</i>	Scorched Blunt-wing	<i>St.</i> 4, p. 96. 6913 SPILONOTA.	Coombe Wood, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
913 <i>Fimbriana</i>	Brown Border- ed	<i>St. 4, p. 97.</i> Heusimene. <i>6915</i>	Taken by Mr. Stephens at Coombe Wood, in March.
914 <i>Obscurana</i>	Obscure Blotch-back	<i>St. 4, p. 98.</i> 6916 PSEUDOTOMIA.	Very rare. Taken near London.
915 <i>Fraternana</i>	Cinereous Sil- ver-barred	<i>St. 4, p. 98.</i> 6917 PSEUDOTOMIA.	Found in the spring, at Coombe Wood; rare.
916 <i>Atromar- gana</i>	Black, Border- ed	<i>St. 4, p. 99.</i> 6918 PSEUDOTOMIA.	Darenth, Birch, and Coombe Woods; among Oaks, &c. June.
917 <i>Strobilella</i>	Light Silver- striped	<i>St. 4, p. 99.</i> 6919 PSEUDOTOMIA.	Fir Woods. End of May.
918 <i>Sequana</i>	Silver Blotch- back	<i>St. 4, p. 99.</i> 6920 PSEUDOTOMIA.	Woods in Mid- dlesex and in Norfolk. Be- ginning of June.
919 <i>Petiverella</i>	Petiverian	<i>St. 4, p. 100.</i> 6921 PSEUDOTOMIA.	Woods near London, also in the New Fo- rest, Devon- shire, &c. End of May, or be- ginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
920 <i>Lunulana</i>	Crescent	<i>St. 4, p. 100.</i> 6922 <i>PSEUDOTOMIA</i> <i>concinna</i> .	Taken in Hampshire by the Rev. G. T. Rudd. June.
921 <i>Simpliciana</i>	Plain Silver-fringed	<i>St. 4, p. 100.</i> 6923 <i>PSEUDOTOMIA.</i>	Norfolk. Middle of June.
922 <i>Jacquiana</i>	Jacquinian	<i>St. 4, p. 100.</i> 6924 <i>PSEUDOTOMIA.</i>	Coombe and Darenth Woods; the New Forest, &c. June.
923 <i>Strigana</i>	Plain Gold-fringed	<i>St. 4, p. 101.</i> 6025 <i>PSEUDOTOMIA.</i>	Coombe Wood, Hertford, Brockenhurst, &c. June.
924 <i>Atropurpurana</i>	Purple Black	<i>St. 4, p. 101.</i> 6926 <i>PSEUDOTOMIA.</i>	Coombe Wood. End of July.
925 <i>Nigricana</i>	Black Striped-edge	<i>St. 4, p. 101.</i> 6927 <i>PSEUDOTOMIA.</i>	Darenth and Coombe Woods, &c. Middle of June.
926 <i>Proximana</i>	Pale Brown Striped-edge	<i>St. 4, p. 101.</i> 6928 <i>PSEUDOTOMIA.</i>	Devonshire, &c. Middle of June.
927 <i>Puncticosata</i>	Sector-spotted	<i>St. 4, p. 102.</i> 6929 <i>PSEUDOTOMIA.</i>	Ripley, in grassy places; but rare. June.
928 <i>Populana</i>	Pygmy Y	<i>St. 4, p. 102.</i> 6931 <i>PSEUDOTOMIA.</i>	Norfolk, &c., on Nettles; but scarce. Autumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
929 <i>Ephippana</i>	Three-angled Blotch-back	<i>St. 4, p. 102.</i> 6932 <i>PSEUDOTOMIA</i> <i>trigonana.</i>	Birch and Da- renth Woods. June.
930 <i>Trauniana</i>	Traunian	<i>St. 4, p. 103.</i> 6930 <i>PSEUDOTOMIA.</i>	Near Holt in Norfolk; but very rare. June.
931 <i>Compositella</i>	Triple-striped Blotch-back	<i>St. 4, p. 103, t. 37, f. 2.</i> 6936 <i>PSEUDOTOMIA.</i>	Birch and Da- renth Woods. June.
932 <i>Gundiana</i>	Gundian	<i>St. 4, p. 103.</i> 6935 <i>PSEUDOTOMIA.</i>	Same time and place as 931.
933 <i>Dorsana</i>	Single-striped Blotch-back	<i>St. 4, p. 103.</i> 6937 <i>PSEUDOTOMIA.</i>	Birch and Da- renth Woods; but very rare. June.
934 <i>Lediana</i>	Ledian	<i>St. 4, p. 104.</i> 6933 <i>PSEUDOTOMIA.</i>	Woods in Nor- folk, Devon- shire, &c. June.
935 <i>Nitidana</i>	Dark Silver- striped	<i>St. 4, p. 104.</i> 6939 <i>PSEUDOTOMIA.</i>	Darenth Wood, the New Fo- rest, &c. June.
936 <i>Aurana</i>	Double Orange-spot	<i>D. 2, t. 57, f. 2. St. 4, p. 105.</i> 6938 <i>PSEUDOTOMIA.</i>	Near London, Ripley, and Hertford, &c. June.



902 n



911 n



920 n



929 n



903 n



912 n



921 n



930 n



904 n



913 n



922 n



931 n



905 n



914 n



923 n



932 n



906 n



915 n



924 n



933 n



907 n



916 n



925 n



934 n



908 n



917 n



926 n



935 n



909 n



918 n



927 n



936 n



910 n




919 n



928 n



937 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
937 <i>Tetraquetra</i>	Square-barred Single-dot	<i>St. 4, p. 105.</i> 6940 STEGANOPTYCHA.	On the margin of Darenth and Coombe Woods; but rare. June.
938 <i>Angulana</i>	Angle-striped Single-dot	<i>St. 4, p. 106.</i> 6943 STEGANOPTYCHA.	Darenth Wood. June.
939 <i>Unipunctana</i>	Marbled Single-dot	<i>St. 4, p. 106.</i> 6941 STEGANOPTYCHA.	Near London, and in the New Forest. June.
940 <i>Triquetra</i>	Angle-barred Single-dot	<i>St. 4, p. 106.</i> 6942 STEGANOPTYCHA.	Middlesex, the West of England, and in the New Forest. End of June.
941 <i>Pavonana</i>	Blotch-backed Grey	<i>D. 2, t. 58, f. 3. St. 4, p. 107.</i> 6945 STEGANOPTYCHA rubiana.	Epping Forest, Darenth Wood, &c. August.
942 <i>Bœberana</i>	Bœberian	<i>St. 4, p. 107.</i> 6944 STEGANOPTYCHA.	Woods near London, also in the New Forest. August.
943 <i>Cuspidana</i>	Pointed Bar	<i>St. 4, p. 107.</i> 6946 STEGANOPTYCHA.	Darenth and Coombe Woods. Beginning of August.
944 <i>Rhombifasciana</i>	Square Bar	<i>St. 4, p. 108.</i> 6948 STEGANOPTYCHA.	Darenth Wood; but rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
945 <i>Stictana</i>	Spotted Red	<i>St.</i> 4, p. 108. 6947 STEGANOPTY- CHA.	Taken near Lon- don; but very rare. August.
946 <i>Cinerana</i>	Mottled Grey	<i>St.</i> 4, p. 108. 6949 STEGANOPTY- CHA.	Taken near Lon- don.
947 <i>Retusana</i>	Variable Red	<i>St.</i> 4, p. 108. Stegano- ptycha. 6950 ANCHYLOPERA.	Common in hedges near Darenth Wood, &c. June.
948 <i>Subuncana</i>	Red Hook-tip	<i>St.</i> 4, p. 109. Stegano- ptycha. 6951 ANCHYLOPERA.	Woods in Mid- dlesex, Kent, Surrey, &c. June.
949 <i>Obtusana</i>	Blunt-winged Blotch-back	<i>St.</i> 4, p. 110. 6952 ANCHYLOPERA.	Darenth and Coombe Woods. Beginning of June.
950 <i>Unculana</i>	Hook-tipped Blotch-back	<i>St.</i> 4, p. 110. 6953 ANCHYLOPERA.	Birch and Da- renth Woods, &c. June.
951 <i>Lundana</i>	Lundian	<i>D.</i> 11, t. 374, f. 1. <i>St.</i> 4, p. 110. 6954 ANCHYLOPERA.	Darenth and Coombe Woods. End of May.
952 <i>Lyellana</i>	Lyell's	<i>C. fol.</i> 376. <i>St.</i> 4, p. 111. — ANCHYLOPERA.	Taken at Kin- nordy in Scot- land, by C. Lyell, Esq. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
953 <i>Fractifasciana</i>	Broken-barred	<i>St. 4, p. 111, t. 34, f. 3.</i> 6955 <i>ANCHYLOPERA.</i>	Brockenhurst in the New Forest. June.
954 <i>Siculana</i>	Hook-tipped Streak	<i>St. 4, p. 111.</i> 6956 <i>ANCHYLOPERA.</i>	Coombe and Darenth Woods, &c. End of May.
955 <i>Diminutana</i>	Festoon Tortrix	<i>St. 4, p. 112.</i> 6957 <i>ANCHYLOPERA.</i>	In woody places near London, also at Coombe and Darenth Woods; but rare. June.
956 <i>Funulana</i>	Dark Festoon	<i>St. 4, p. 112.</i> 6958 <i>ANCHYLOPERA.</i>	Mr. Stephens mentions it as being once taken at Coombe Wood in June. Mr. Chant's Cabinet.
957 <i>Uncana</i>	Bridge	<i>St. 4, p. 112.</i> 6959 <i>ANCHYLOPERA.</i>	Darenth and Coombe Woods. Beginning of June.
958 <i>Ustomaculana</i>	Loch Ranoch	<i>C. 8, t. 376. St. 4, p. 112.</i> — <i>ANCHYLOPERA.</i>	Mr. Curtis's Cabinet, taken in the Black wood of Loch Ranoch, in June.
959 <i>Cuspidana</i>	Sharp-angled	<i>St. 4, p. 113.</i> 6960 <i>ANCHYLOPERA.</i>	Taken in May, by Mr. Chant at Coombe Wood.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
960 <i>Derasana</i>	Naked-winged	<i>St. 4, p. 113.</i> — ANCHYLOPERA.	Taken at Spitch- week, in Devon- shire by Mr. Chant in June.
961 <i>Harpana</i>	Hooked Mar- ble	<i>St. 4, p. 114.</i> 6961 ANTICLEA.	Darenth Wood. June.
962 <i>Nigromaculata</i>	Beautiful Mar- ble	<i>St. 4, p. 114.</i> 6962 ANTICLEA.	Tunbridge Wells, &c.; but very rare. Begin- ning of July.
963 <i>Albana</i>	Light Mar- bled	<i>St. 4, p. 114.</i> Anticlea. 7135 EUPÆCILIA.	Darenth Wood; but rare. End of June.
964 <i>Nævana</i>	Spotted Short- cloak	<i>St. 4, p. 115.</i> Anticlea. 6963 —.	Darenth and Birch Woods. June.
965 <i>Sociana</i>	White Short- cloak	<i>St. 4, p. 115.</i> Anticlea. 6964 —.	Darenth Wood, &c. June.
966 <i>Incarpana</i>	Marbled Short- cloak	<i>St. 4, p. 115.</i> Anticlea. 6965 —.	Darenth Wood, &c. August.
967 <i>Paykulliana</i>	Paykullian	<i>St. 4, p. 116.</i> Anticlea. 6966 —.	Darenth Wood. End of March.
968 <i>Fimbriana</i>	Double-cres- cent	<i>St. 4, p. 116.</i> Anticlea. 6967 —.	Birch, Darenth and Coombe Woods. June.
969 <i>Bilunana</i>	Hoary Double- crescent	<i>St. 4, p. 116.</i> Anticlea. 7134 EUPÆCILIA.	Darenth and Birch Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
970 <i>Subocellana</i>	Retuse Marble	<i>D. 12, t. 381, f. 1. St. 4, p. 116. Anticlea.</i> 6968 —.	Hedges near London. End of June and beginning of July.
971 <i>Asseclana</i>	Obtuse Marble	<i>St. 4, p. 117. Anticlea.</i> 6969 —.	Darenth Wood. July.
972 <i>Mitterbacheriana</i>	Mitterbachian	<i>D. 11, t. 369, f. 1. St. 4, p. 117. Anticlea.</i> 6970 —.	On Elm trees near London; common in the summer.
973 <i>Arcuana</i>	Arched	<i>D. 11, t. 364, f. 1. St. 4, p. 118. Roxana.</i> 6984 —.	Near London, also at Darenth and Coombe Woods, &c. End of June.
974 <i>Pomonella</i>	Apple-tree	<i>W. t. 9. St. 4, p. 119. Carpocapsa.</i> 6971 SEMASIA.	Gardens and orchards, near London, &c. June.
975 <i>Splendana</i>	Splendid	<i>St. 4, p. 119. Carpocapsa.</i> 6972 SEMASIA.	Epping Forest and Darenth Wood; but rare. June.
976 <i>Grossana</i>	Smoky Marble	<i>St. 4, p. 120. Carpocapsa.</i> 6973 SEMASIA.	Birch Wood; rare. June.
977 <i>Weberana</i>	Weberian	<i>St. 4, p. 120. Carpocapsa.</i> 6974 SEMASIA.	Apple-orchards, and the borders of woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
978 <i>Aspidis- na</i>	Spotted Tor- trix	<i>St. 4, p. 120.</i> Carpocapsa. — SEMASIA.	Near London, and in the North of En- gland, but very rare.
979 <i>Rheediella</i>	Rheedian	<i>D. 12, t. 377, f. 1. St. 4, p. 121.</i> Carpocapsa. 6975 SEMASIA.	Near London; the New Forest, &c. June.
980 <i>Lanceolana</i>	Light-striped- edge	<i>St. 4, p. 121.</i> Carpocapsa. 6976 SEMASIA.	Coombe Wood; in hedges, among nettles, &c. Spring.
981 <i>Hyperica- na</i>	Yellow- striped-edge	<i>St. 4, p. 121.</i> Carpocapsa. 6977 SEMASIA.	Coombe and Da- renth Woods. June.
982 <i>Leplastris- ana</i>	Leplastrian	<i>C. 8, t. 352. St. 4, p. 121.</i> Carpocapsa. — SEMASIA.	Near Dover. Beginning of June.
983 <i>Perlepida- na</i>	Beautiful Crescent	<i>St. 4, p. 122.</i> Carpocapsa. 6978 SEMASIA.	Darenth Wood, but rare. June.
984 <i>Stellifera- na</i>	Starry Tortrix	<i>St. 4, p. 122.</i> Carpocapsa. — SEMASIA.	Mr. Curtis's Ca- binet. Taken in Perthshire.
985 <i>Pupillana</i>	Wormwood Tortrix	<i>St. 4, p. 122, t. 34, f. 2.</i> Carpocapsa. 6979 SEMASIA.	Coasts of En- gland, especi- ally Devon- shire. June.
986 <i>Fulvana</i>	Fulvous Sealed	<i>St. 4, p. 123.</i> Carpocapsa. 6980 SEMASIA.	Near London, in meadows ad- joining woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
987 <i>Cana</i>	Hoary Sealed	<i>St. 4, p. 123.</i> Carpocapsa. 6981 SEMASIA.	Coombe and Darenth Woods, &c. June.
988 <i>Scopoliana</i>	Scopolian	<i>St. 4, p. 123.</i> Carpocapsa. 6982 SEMASIA.	Near London; the New Forest, &c. June.
989 <i>Rufana</i>	Red Sealed	<i>St. 4, p. 124.</i> Carpocapsa. 6983 SEMASIA.	Darenth Wood. July.
990 <i>Egenana</i>	Dusty Drab	<i>St. 4, p. 124.</i> Bactra. 6985 APHELIA.	Moist places near Coombe Wood. June.
991 <i>Pauperana</i>	Spotted Drab	<i>St. 4, p. 125.</i> Bactra. 6986 APHELIA.	Marshy places on Wimbledon Common, &c. July.
992 <i>Egestana</i>	Lesser Drab	<i>St. 4, p. 125.</i> Bactra. 6987 APHELIA.	Marshy places; end of June.
993 <i>Plagana</i>	Broad-streaked Drab	<i>St. 4, p. 125.</i> Bactra. 6988 APHELIA.	Near London, but rare. June.
994 <i>Expallidana</i>	Pale Drab	<i>St. 4, p. 125.</i> Bactra. 6989 APHELIA.	Taken near Coombe Wood. June.
995 <i>Quadripunctata</i>	Dotted Drab	<i>St. 4, p. 126.</i> Ablabia. 6990 APHELIA.	Near Dover. August.
996 <i>Penziana</i>	Penzian	<i>St. 4, p. 127.</i> 6992 CNEPHASIA.	North of England and Scotland. Beginning of July.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
997 <i>Longana</i>	Long-winged	St. 4, p. 127. 6994 CNEPHASIA.	Meadows and marshy places near London. June.
998 <i>Icteriana</i>	Jaundiced Drab	St. 4, p. 128. 6995 CNEPHASIA.	Meadows near London. June.
999 <i>Simuana</i> ^{<i>Obsoletana</i>} (Waved Elm)		St. 4, p. 128. 6996 CNEPHASIA.	Mr. Stephens has seen but one specimen, taken at Darenth in June.
1000 <i>Assinana</i>	Large Grey Elm	St. 4, p. 128. 6998 CNEPHASIA.	Near London, and in the New Forest. Middle of June.
1001 <i>Interjectana</i>	Lesser Grey Elm	St. 4, p. 129. 6999 CNEPHASIA.	Near London, &c. June.
1002 <i>Logiana</i>	Logian	St. 4, p. 129. 7000 CNEPHASIA.	Very common near London, and in other places. June.
1003 <i>Obsoletana</i> ^{<i>Simuana</i>} (Obscure Elm)		St. 4, p. 129. 6997 CNEPHASIA.	Taken by Mr. Stephens near Ripley in Surrey, in June, 1827.
1004 ^{<i>cc</i>} <i>Rutifasciana</i>	Straight-barred Elm	D. 11, t. 370, f. 2. St. 4, p. 130. 7001 CNEPHASIA.	Darenth and Coombe Woods. June.



938 n



947 n



956 n



965 n



939 n



948 n



957 n



966 n



940 n



949 n



958 n



967 n



941 n



950 n



959 n



968 n



942 n



951 n



960 n



969 n



943 n



952 n



961 n



970 n



944 n



953 n



962 n



971 n



945 n



954 n



963 n



972 n



946 n



955 n




964 n



973 n

W. Wood Jun.^r





974 n



983 n



992 n



1001 n



975 n



984 n



993 n



1002 n



976 n



985 n



994 n



1003 n



977 n



986 n



995 n



1004 n



978 n



987 n



996 n



1005 n



979 n



988 n



997 n



1006 n



980 n



989 n



998 n



1007 n



981 n



990 n



999 n



1008 n



982 n



991 n




1000 n



1009 n

W. Wood Jun.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1005 <i>Curvifasci- ciana</i>	Curve Barred Elm	<i>St. 4, p. 130.</i> — CNEPHASIA.	Darenth and Birch Woods and near Do- ver. June.
1006 <i>Nubilana</i>	Smoky Grey	<i>St. 4, p. 130.</i> 7004 CNEPHASIA.	Common near London in mea- dows, &c. June.
1007 <i>Perfusa- cana</i>	Deep Brown	<i>St. 4, p. 131.</i> 7005 CNEPHASIA.	Taken at the same time and place as the above.
1008 <i>Quadri- maculana</i>	Blotched Drab	<i>St. 4, p. 131.</i> Sericoris. 7006 ORTHOTÆNIA.	Near London; also at Ripley and in Norfolk. June.
1009 <i>Striana</i>	Straight Bar- red	<i>St. 4, p. 132.</i> Sericoris. 7007 ORTHOTÆNIA fas- ciana.	Woods and hedges near London; at Coombe and Darenth Woods, &c. June.
1010 <i>Fascio- lana</i>	Small Barred	<i>St. 4, p. 132.</i> Sericoris. — ORTHOTÆNIA.	Mr. Stephens's Cabinet.
1011 <i>Urticana</i>	Barred Nettle	<i>St. 4, p. 132.</i> Sericoris. 7008 ORTHOTÆNIA.	Common in June among nettles, &c., in Middlesex, Essex, Kent, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1012 <i>Obsoletana</i>	Dull Barred Nettle	<i>St.</i> 4, <i>p.</i> 133. <i>Sericoris.</i> — <i>ORTHOTÆNIA.</i>	Near London and at Darent and Coombe Woods, &c. June.
1013 <i>Alternana</i>	Alternate Barred	<i>St.</i> 4, <i>p.</i> 133. <i>Sericoris.</i> — <i>ORTHOTÆNIA.</i>	Mr. Curtis's Cabinet. Taken at Loch Rannock in Scotland.
1014 <i>Undulana</i>	Silver-striped	<i>St.</i> 4, <i>p.</i> 133. <i>Sericoris.</i> 7010 <i>ORTHOTÆNIA.</i>	Birch and Darent Woods, &c. June.
1015 <i>Graminiana</i>	Great Barred	<i>St.</i> 4, <i>p.</i> 134. <i>Sericoris.</i> — <i>ORTHOTÆNIA.</i>	Mr. Curtis's Cabinet. Taken at Arthur's Seat near Edinburgh. July.
1016 <i>Micana</i>	Silver-dotted	<i>St.</i> 4, <i>p.</i> 134. <i>Sericoris.</i> 7009 <i>ORTHOTÆNIA.</i>	In the east of Norfolk; rare near London. End of June.
1017 <i>Cespitana</i>	Meadow Barred	<i>St.</i> 4, <i>p.</i> 134. <i>Sericoris.</i> — <i>ORTHOTÆNIA.</i>	Taken in Devonshire in June.
1018 <i>Politana</i>	Red-barred Grey	<i>St.</i> 4, <i>p.</i> 135. <i>Sericoris.</i> 7015 <i>ORTHOTÆNIA.</i>	The New Forest and Devonshire; but rare. June.
1019 <i>Pulchellana</i>	Dark-barred Grey	<i>St.</i> 4, <i>p.</i> 135. <i>Sericoris.</i> 7017 <i>ORTHOTÆNIA.</i>	Mr. Stephens has a specimen taken in the New Forest in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1020 <i>Fuligana</i>	Smoky Barred	<i>St. 4, p. 135. Sericoris.</i> 7016 <i>ORTHOTÆNIA.</i>	Near London and in Norfolk; but very rare. June.
1021 Subse- quana	Faint Silver- striped	<i>St. 4, p. 136. Sericoris.</i> 7021 <i>ORTHOTÆNIA.</i>	Mr. Stephens has a specimen found near Lon- don in June.
1022 <i>Aurifas- ciana</i>	Gold-barred	<i>St. 4, p. 136, t. 38, f. 3.</i> <i>Sericoris.</i> 7019 <i>ORTHOTÆNIA.</i>	Taken by Mr. Stephens on Clandon Com- mon near Rip- ley. July.
1023 <i>Bifasci- ana</i>	Double-barred Orange	<i>St. 4, p. 136. Sericoris.</i> 7018 <i>ORTHOTÆNIA.</i>	Taken at Da- renth Wood; but very rare. June.
1024 <i>Furfura- na</i>	Mottled Bran	<i>St. 4, p. 137. Sericoris.</i> 7020 <i>ORTHOTÆNIA.</i>	Mr. Stephens's Cabinet, ob- tained from the late Mr. Haworth.
1025 <i>Marmo- rana</i>	Marbled Dog's-tooth	<i>St. 4, p. 137. Sericoris.</i> 7011 <i>ORTHOTÆNIA.</i>	Coombe and Da- renth Woods, &c. June.
1026 <i>Udman- niana</i>	Udmannian	<i>D. 5, t. 153, f. 1—3. St. 4,</i> <i>p. 138. Notocelia.</i> 7024 <i>PÆCULOCHROMA.</i>	Woody places near London, and in Kent, &c. June.

<i>Linn names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1027 <i>Solandri- ana</i>	Solandrian	<i>St. 4, p. 139.</i> 7026 <i>PÆCILOCHROMA.</i>	Middlesex, Es- sex, Surrey, Kent, &c. End of July or be- ginning of Au- gust.
1028 <i>Trapeza- na</i> M. & F.	Marbled Dia- mond-back	<i>St. 4, p. 139.</i> 7025 <i>PÆCILOCHROMA</i> Sparmanniana.	Coombe and Da- renth Woods, &c. August.
1029 <i>Commu- nana</i>	Cock's head	<i>St. 4, p. 139.</i> 7023 <i>ORTHOTÆNIA.</i>	Very common in several coun- ties. June.
1030 <i>Piceana</i>	Shining Pitch	<i>St. 4, p. 140.</i> 7029 <i>PÆCILOCHROMA.</i>	Near Brocken- hurst in the New Forest. August.
1031 <i>Semifus- cana</i>	Half Brown	<i>St. 4, p. 140, t. 36, f. 1.</i> 7028 <i>PÆCILOCHROMA.</i>	The New Forest. August.
1032 <i>Maculana</i>	Black Double- blotched	<i>St. 4, p. 141.</i> 7027 <i>PÆCILOCHROMA.</i>	Darenth and Coombe Woods. Be- ginning of Au- gust.
1033 <i>Maurana</i>	Great Double- bar	<i>St. 4, p. 141.</i> 7030 <i>PÆCILOCHROMA.</i>	Mr. Stephens's Cabinet. Very rare.
1034 <i>Lecheana</i>	Lecbean	<i>St. 4, p. 142.</i> 7031 <i>PTYCHOLOMA.</i>	Darenth and Coombe Woods; woody places near London, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1035 <i>Obsoleta-na</i>	Obsolete	<i>St. 4, p. 142.</i> 7012 ORTHOTÆNIA.	Mr. Stephens has seen but one, taken at Birch Wood in June.
1036 <i>Purpura-na</i>	Purple	<i>St. 4, p. 143.</i> 7032 EUCHROMIA.	New Forest, and in Norfolk; but very rare. June.
1037 <i>Fulvi-punctana</i>	Tawny-dotted	<i>St. 4, p. 143.</i> 7033 EUCHROMIA.	Near London and in Norfolk. Very rare. June.
1038 <i>Ministra-na</i>	Yellow-barred Iron	<i>St. 4, p. 144.</i> 7034 LOPHODERUS.	Common in several places, especially near Dover. June.
1039 <i>Subfasci-ana</i>	Pale-barred Iron	<i>St. 4, p. 144.</i> 7035 LOPHODERUS.	Taken in the New Forest, in June.
1040 <i>Degeneranus</i>	Large Marbled	<i>D. 11, t. 357, f. 3. St. 4, p. 146.</i> 7036 SARROTHRIPUS.	Darenth and Birch Woods. July to December.
1041 <i>Undulatus</i>	Waved Marbled	<i>St. 4, p. 146.</i> — SARROTHRIPUS.	Darenth and Birch Woods; also in the New Forest. July to December.
1042 <i>Lathamianus</i>	Lathamian	<i>D. 10, t. 359, f. 2. St. 4, p. 146.</i> 7039 SARROTHRIPUS.	Birch and Darenth Woods. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1043 <i>Dilutatus</i>	Large Brown	<i>St. 4, p. 146.</i> 7037 SARROTHRIPUS.	Darenth and Birch Woods, &c. August.
1044 <i>Ilicanus</i>	Large Holly	<i>St. 4, p. 147.</i> 7040 SARROTHRIPUS.	Birch, Darenth, and Coombe Woods. End of July and be- ginning of Au- gust.
1045 <i>Afzelianus</i>	Afzelian	<i>St. 4, p. 147.</i> 7038 SARROTHRIPUS.	Taken at the same time and place with the above.
1046 <i>Ramulanus</i>	Twigged Bar	<i>C. 1, t. 29. St. 4, p. 147.</i> 7041 SARROTHRIPUS.	Birch and Da- renth Woods; but very rare. July.
1047 <i>Profana</i>	Rusty Button	<i>D. 12, t. 377, f. 3. St. 4, p. 149.</i> 7043 PERONEA.	Birch and Coombe Woods. Autumn.
1048 <i>Striana</i>	Brown Button	<i>St. 4, p. 149.</i> 7044 PERONEA.	Birch Wood, &c. July.
1049 <i>Substriana</i>	Striped But- ton	<i>St. 4, p. 149.</i> 7045 PERONEA.	Birch Wood and the New Fo- rest. August.
1050 <i>Brunnea</i>	Brown Button	<i>St. 4, p. 149.</i> 7046 PERONEA.	Darenth Wood and the New Forest. August.
1051 <i>Vittana</i>	Streaked But- ton	<i>St. 4, p. 150.</i> 7047 PERONEA.	Near London; but rare. Au- gust.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
1052 <i>Spadiceana</i>	Bay-shouldered Button	St. 4, p. 150. 7048 PERONEA.	Coombe Wood. Autumn.
1053 <i>Consimilana</i>	Pale Bay Button	St. 4, p. 150. 7049 PERONEA.	The New Forest and near Ripley in Surrey. Autumn.
1054 <i>Desfontaniana</i>	Desfontainian	St. 4, p. 150. 7050 PERONEA.	Birch and Coombe Woods; also the New Forest. Autumn.
1055 <i>Fulvocristana</i>	Tawny-crested Button	St. 4, p. 151. 7051 PERONEA.	The New Forest; but rare. Autumn.
1056 <i>Albovitana</i>	White-streaked Button	St. 4, p. 151. 7052 PERONEA.	Mr. Stephens has seen but one taken in the New Forest in August 1821.
<i>Cristalana</i> 1057 <i>Fulvo-</i> <i>tana</i>	Tawny-streaked Button	St. 4, p. 151. 7053 PERONEA.	The New Forest, and at Greenhithe. Autumn.
<i>Fulvo-cristana</i> 1058 <i>Cristal-</i> <i>ana</i>	Barred Button	St. 4, p. 152. 7054 PERONEA.	The New Forest, also Birch and Coombe Woods. End of August or beginning of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1059 <i>Subvittana</i>	Obscure- streaked Button	<i>St. 4, p. 152.</i> 7055 PERONEA.	The New Forest. August.
1060 <i>Cristana</i>	White Button	<i>St. 4, p. 152.</i> 7056 PERONEA.	Birch and Coombe Woods, Nor- folk, and the New Forest. August and September.
1061 <i>Albipunctana</i>	White-spotted Button	<i>St. 4, p. 152.</i> 7057 PERONEA.	The New Fo- rest. Autumn.
1062 <i>Ruficostana</i>	Red-edged Button	<i>St. 4, p. 153.</i> 7074 PERONEA.	The New Fo- rest. August to October.
1063 <i>Umbrana</i>	Dark-streaked Button	<i>St. 4, p. 153.</i> 7058 PERONEA.	The New Fo- rest, and Coombe Wood. August and September.
1064 <i>Divisana</i>	Half-coloured Button	<i>St. 4, p. 153.</i> 7059 PERONEA.	The New Fo- rest; but rare. Autumn.
1065 <i>Radiana</i>	Buff-edged	<i>St. 4, p. 154.</i> 7061 PERONEA.	Coombe Wood. September.
1066 <i>Ramostriana</i>	Branched But- ton	<i>St. 4, p. 154.</i> 7063 PERONEA.	The New Fo- rest. Autumn.
1067 <i>Centrovittana</i>	Centre-streak- ed Button	<i>St. 4, p. 154.</i> 7062 PERONEA.	Near London, and Ripley; also in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1068 <i>Combustana</i>	Flame Button	<i>St. 4, p. 154.</i> 7064 PERONEA.	The New Forest, and near Ripley. August.
1069 <i>Albistria-na</i>	Grey-streak Button	<i>St. 4, p. 155.</i> 7065 PERONEA.	Greenhithe and the New Forest. August and September.
1070 <i>Autumnana</i>	Autumnal Button	<i>St. 4, p. 155.</i> 7066 PERONEA.	The New Forest. Autumn.
1071 <i>Subcristana</i>	Half-crested Button	<i>St. 4, p. 155.</i> 7067 PERONEA.	The New Forest. Autumn.
1072 <i>Coronana</i>	Marbled Chestnut	<i>St. 4, p. 156.</i> 7068 PERONEA.	The New Forest, and Coombe Wood. October.
1073 <i>Byrringerana</i>	Byrringer's	<i>St. 4, p. 156.</i> 7069 PERONEA.	The New Forest. Autumn.
1074 <i>Obsoleta-na</i>	Obscure Button	<i>St. 4, p. 156.</i> 7070 PERONEA.	Found by Mr. Stephens at Ripley, in July 1827.
1075 <i>Favilla-ceana</i>	Ash-coloured	<i>St. 4, p. 155.</i> 7071 PERONEA.	Common in the New Forest, also occasionally in woods about London. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1076 <i>Tristana</i>	Lesser Ash-coloured	<i>St. 4, p. 157.</i> 7072 PERONEA.	Taken at the same time and places as the above.
1077 <i>Reticulana</i>	Checquered Grey	<i>St. 4, p. 157.</i> 7073 PERONEA.	Woods about London; but rare. July to September.
1078 <i>Bistriana</i>	Double Bay-streak	<i>St. 4, p. 157.</i> 7075 PERONEA.	Birch Wood; but very rare. July and August.
1079 <i>Albicostana</i>	White-edged Button	<i>St. 4, p. 158.</i> 7076 PERONEA.	Taken by Mr. Stephens at Dover, in August.
1080 <i>Similana</i>	Pale-edged Button	<i>St. 4, p. 158.</i> 7077 PERONEA.	Birch Wood; but very rare. Autumn.
1081 <i>Latifasciana</i>	Broad Barred	<i>St. 4, p. 158.</i> 7078 PERONEA.	Taken, but rarely, round London. August and September.
1082 <i>Plumbosana</i>	Lead-coloured	<i>St. 4, p. 158.</i> 7079 PERONEA.	Mr. Bentley's Cabinet. Birch Wood and the New Forest. September.
1083 <i>Boscana</i>	Boscan	<i>St. 4, p. 159.</i> 7080 PERONEA.	Darenth and Birch Woods; also in the New Forest. August.



1010 n



1019 n



1028 n



1036 n



1011 n



1020 n



1028 n



1037 n



1012 n



1021 n



1029 n



1038 n



1013 n



1022 n



1030 n



1039 n



1014 n



1023 n



1031 n



1040 n



1015 n



1024 n



1032 n



1041 n



1016 n



1025 n



1033 n



1042 n



1017 n



1026 n



1034 n



1043 n



1018 n




1027 n



1035 n



1044 n





1043 n



1054 n



1063 n



1072 n



1046 n



1055 n



1064 n



1073 n



1047 n



1056 n



1065 n



1074 n



1048 n



1057 n



1066 n



1075 n



1049 n



1058 n



1067 n



1076 n



1050 n



1059 n



1068 n



1077 n



1051 n



1060 n



1069 n



1078 n



1052 n



1061 n



1070 n



1079 n



1053 n



1062 n




1071 n



1080 n

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1084 <i>Trigona- na</i>	Three-dotted	<i>St. 4, p. 159.</i> 7081 PERONEA.	Birch Wood; but rare. Sep- tember.
1085 <i>Schalle- riana</i>	Schallerian	<i>St. 4, p. 159.</i> 7082 PERONEA.	Darenth, Birch, and Coombe Woods, and gardens near London. End of August and in September.
1086 <i>Rufana</i>	Red Triangle	<i>St. 4, p. 160.</i> 7083 PERONEA.	Woods and gar- dens round London. Sep- tember.
1087 <i>Costima- culana</i>	Costal Dotted	<i>St. 4, p. 160.</i> 7084 PERONEA.	Taken near Do- ver; but very rare. August.
1088 <i>Asperana</i>	White-shoul- dered	<i>St. 4, p. 160.</i> 7086 PERONEA.	Woods and gar- dens round London. July and August.
1089 <i>Variega- na</i>	Common Rough-wing	<i>St. 4, p. 160.</i> 7087 PERONEA.	Woods and hedges in Mid- dlesex, Essex, Kent, &c. Au- gust and Sep- tember.
1090 <i>Borana</i>	Crested Buff	<i>St. 4, p. 161.</i> 7088 PERONEA.	Woods round London. Au- gust.

<i>Linn names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1091 <i>Logiana</i>	Logian	<i>St. 4, p. 161.</i> 7085 <i>PERONEA</i> .	Mr. Bentley's Cabinet. Taken at Greenhithe, in September 1823.
1092 <i>Subtripunctulana</i>	False three-dotted	<i>St. 4, p. 162.</i> <i>Acleris.</i> 7089 <i>PARAMESIA</i> .	Near London; also in the New Forest. August.
1093 <i>Gnomana</i>	Dial	<i>St. 4, p. 162.</i> <i>Acleris.</i> 7090 <i>PARAMESIA</i> .	Common in woods and hedges near London and elsewhere. July to September.
1094 <i>Tripunctulana</i>	Rusty Treble-spot	<i>St. 4, p. 163.</i> <i>Acleris.</i> 7092 <i>PARAMESIA</i> .	Not uncommon round London from July to September.
1095 <i>Bifidana</i>	Forked-striped	<i>St. 4, p. 163.</i> <i>Acleris.</i> 7091 <i>PARAMESIA</i> .	Darenth and Coombe Woods; the New Forest, &c. July to September.
1096 <i>Cerusana</i>	White Treble-spot	<i>St. 4, p. 163.</i> <i>Acleris.</i> 7093 <i>PARAMESIA</i> .	Darenth Wood, the New Forest, and near Dover. July.
1097 <i>Scabrana</i>	Grey Rough-wing	<i>St. 4, p. 163.</i> <i>Acleris.</i> 7099 <i>LEPTOGRAMMA</i> .	Darenth and Birch Woods. July and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1098 <i>Literana</i>	Black-sprigged Green	<i>D. 10, t. 355, f. 2. St. 4, p. 164.</i> 7094 LEPTOGRAMMA.	Darenth Wood; the New Forest, &c. July to October.
1099 <i>Squamana</i>	Green-tufted	<i>D. 5, t. 157, f. 7. St. 4, p. 165.</i> 7095 LEPTOGRAMMA.	Darenth, Birch, and Coombe Woods; also near Dover, &c. August.
1100 <i>Irrorana</i>	Sprinkled Green	<i>C. 9, t. 440. St. 4, p. 165.</i> 7097 LEPTOGRAMMA.	Birch Wood; the New Forest, &c. August.
1101 <i>Tricolorana</i>	Tricoloured Green	<i>St. 4, p. 165.</i> 7096 LEPTOGRAMMA.	Darenth Wood; the New Forest, and the West of England. August and September.
1102 <i>Fulvo-mixtana</i>	Tawny and Green	<i>St. 4, p. 166.</i> 7098 LEPTOGRAMMA.	The New Forest. August.
1103 <i>Emargana</i>	Checquered Notch-wing	<i>St. 4, p. 167, t. 38, f. 1. Teras.</i> 7100 GLYPHISIA.	The New Forest, Devonshire, and Bere Wood near Dover; but rare. Autumn.
1104 <i>Excavana</i>	Iron Notch-wing	<i>D. 3, t. 106, f. 5. St. 4, p. 167. Teras.</i> 7101 GLYPHISIA.	Birch, Darenth, and Coombe Woods. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1105 <i>Effracta-nana</i>	Common Notch-wing	<i>D. 3, t. 106, f. 1. St. 4, p. 168. Teras. 7102 GLYPHISIA.</i>	Woods in Middlesex, Surrey, Essex, &c. Autumn.
1106 <i>Caudana</i>	Shallow Notch-wing	<i>St. 4, p. 168. Teras. 7103 GLYPHISIA.</i>	Round London; also in Yorkshire and the North of England. Autumn.
1107 <i>Contaminana</i>	Checquered Pebble	<i>St. 4, p. 169. 7105 DICTYOPTERYX.</i>	Common in Middlesex, Essex, Kent, &c. July to September.
1108 <i>Ciliana</i>	White-fringed	<i>D. 12, t. 374, f. 2. St. 4, p. 169. 7106 DICTYOPTERYX.</i>	Woods and hedges round London, &c. Beginning of autumn.
1109 <i>Rhombana</i>	Dark-chequered	<i>St. 4, p. 170. 7107 DICTYOPTERYX.</i>	Middlesex, Surrey, Essex, &c. August and September.
1110 <i>Plumbana</i>	Clouded Straw	<i>St. 4, p. 170. 7108 DICTYOPTERYX.</i>	Woods and hedges near London, &c. August and September.
1111 <i>Lœflingiana</i>	Lœflingian	<i>D. 3, t. 90. St. 4, p. 170. 7109 DICTYOPTERYX.</i>	Common in several counties. August and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1112 <i>Forskalia-ana</i>	Forskalian	<i>St. 4, p. 171.</i> 7110 <i>DICTYOPTERYX.</i>	Common round London, and in the New Forest. June and July.
1113 <i>Ochrea-ceana</i>	Ochreous	<i>St. 4, p. 172.</i> Capua. 7111 <i>DICTYOPTERYX.</i>	Taken by Messrs. Chant and Bentley near Lyndhurst. June.
1114 <i>Castane-ana</i>	Chestnut Tortrix	<i>St. 4, p. 172.</i> 7112 <i>CHEIMATOPHILA.</i>	Common in the New Forest, &c., in the autumn.
1115 <i>Bergman-niana</i>	Bergmannian	<i>D. 5, t. 157, f. 1—6. St. 4, p. 173.</i> 7113 <i>ARGYROTOXA.</i>	Common in hedges, gardens and woods, in several parts of England. End of June, and beginning of August.
1116 <i>Hoffman-seggiana</i>	Hoffmanseggian	<i>St. 4, p. 174.</i> 7116 <i>ARGYROTOXA.</i>	Darenth Wood, the New Forest, and near Dover; but very rare. June.
1117 <i>Conway-ana</i>	Conwayian	<i>St. 4, p. 174.</i> 7114 <i>ARGYROTOXA.</i>	Coombe, Birch, and Darenth Woods, &c. June.
1118 <i>Subau-rantiana</i>	Gold-varied	<i>St. 4, p. 175.</i> 7115 <i>ARGYROTOXA.</i>	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1119 Daldorfi- ana	Daldorfian	<i>D. 11, t. 264, f. 2. St. 4, p. 175.</i> 7118 ARGYROTOGA.	Darenth, Birch, and Coombe Woods, &c. June.
1120 Lathonia- na	Silver-spotted	<i>St. 4, p. 176.</i> 7119 ARGYROLEPIA.	Mr. Stephens be- lieves a pair of this very rare species were taken near Tun- bridge Wells in July 1831.
1121 Margari- tana	Orange-barred Pearl	<i>St. 4, p. 176. Argyrolepia.</i> 7141 EUPÆCILLA.	Mr. Stephens's Cabinet, from the late Mr. Haworth's col- lection.
1122 Æneana	Silvery Broad Bar	<i>St. 4, p. 176.</i> 7123 ARGYROLEPIA.	Epping Forest; but very rare. June.
1123 Bistriga- na	Two-striped	<i>St. 4, p. 177. Argyrolepia.</i> 7013 ORTHOTÆNIA.	Mr. Stephens has seen but three specimens; found near London.
1124 Tessera- na	Tessellated	<i>St. 4, p. 177.</i> 7124 ARGYROLEPIA.	On the Downs near Brighton and Dover, &c. June.
1125 Decimana	Ten-dotted	<i>St. 4, p. 177.</i> 7125 ARGYROLEPIA.	Coombe Wood. May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1126 <i>Turionana</i>	Orange-spotted	<i>C. 8, t. 364. St. 4, p. 178. Orthotænia.</i> 7121 ARGYROLEPIA.	Birch Wood. June.
1127 <i>Gemmana</i>	Scarce Orange-spotted	<i>St. 4, p. 178. Orthotænia.</i> 7122 ARGYROLEPIA.	Birch Wood; rare. July and August.
1128 <i>Bentleyana</i>	Bentleyan	<i>D. 10, t. 357, f. 1. St. 4, p. 179. Orthotænia.</i> 7120 ARGYROLEPIA.	Mountains in Cumberland and Scotland. June.
1129 <i>Haworthana</i>	Silver-marbled	<i>St. 4, p. 179.</i> 7014 ORTHOTÆNIA Pinetana.	Norfolk; but very rare. End of July.
1130 <i>Resinella</i>	Spotted Pine	<i>St. 4, p. 179. Orthotænia.</i> 7003 CNEPHASIA.	Fir-trees near Birch Wood. July.
1131 <i>Comitana</i>	Streaked Pine	<i>St. 4, p. 180. Orthotænia.</i> 6934 PSEUDOTOMIA.	Common in Birch Wood among fir-trees. June.
1132 <i>Hastiana</i>	Hastian	<i>St. 4, p. 180. Rhyacionia.</i> 7022 ORTHOTÆNIA.	Mr. Stephens's specimens were taken in Devon- shire, in June 1820.
1133 <i>Maculosana</i>	Small Black-spotted	<i>St. 4, p. 181.</i> 7127 EUPÆCILIA.	Common in woods and hedges, in Middlesex and elsewhere. Be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1134 <i>Angustana</i>	Barred Marble	<i>St. 4, p. 182.</i> 7128 EUPÆCILIA.	Woods round London; also in the New Forest, &c. July.
1135 <i>Nana</i>	Barred Dwarf	<i>St. 4, p. 182.</i> 7130 EUPÆCILIA.	Darenth and Birch Woods. July.
1136 <i>Pygmæa</i> <i>na</i> <i>See Stephens's Insects, p. 679.</i>	Dingy Dwarf	<i>St. 4, p. 182.</i> 7129 EUPÆCILIA.	Near Darenth Wood; but rare. July.
1137 <i>Permixta</i> <i>na</i>	Orangeland Black	<i>St. 4, p. 183.</i> Eupæcilia. 7117 ARGYROTOZA.	Woods and hedges round London. June.
1138 <i>Dubitana</i>	Doubtful T.	<i>St. 4, p. 183.</i> 7132 EUPÆCILIA.	North of England, and in Scotland. July.
1139 <i>Sodaliana</i>	Brindled Marble	<i>St. 4, p. 183.</i> 7133 EUPÆCILIA.	Taken by Mr. Stephens, near Ripley, in July 1827.
1140 <i>Luteolana</i>	Clay Tortrix	<i>St. 4, p. 184.</i> 7131 EUPÆCILIA.	Mr. Stephens's Cabinet; taken, he thinks, near Darenth Wood, in June.
1141 <i>Rugosana</i>	Rough-wing	<i>D. 11, t. 371, f. 1. St. 4, p. 184.</i> 7143 PHTHEOCHROA.	Darenth and Coombe Wood; but not common. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1142 <i>Roseana</i>	Rosy	<i>St. 4, p. 185, t. 35, f. 1.</i> Cochylis. 7136 EUPÆCILIA.	Isle of Wight, Darenth Wood, and near Dover ; but rare. June.
1143 <i>Subrose-ana</i>	Dingy Rosy	<i>St. 4, p. 186.</i> Cochylis. 7137 EUPÆCILIA.	Birch Wood. June.
1144 <i>Ruficili-ella</i>	Red Fringe	<i>St. 4, p. 186.</i> Cochylis. 7138 EUPÆCILIA.	Meadows in Yorkshire; also at Darenth Wood; but very rare. June.
1145 <i>Griœana</i>	Oblique-bar- red Grey	<i>St. 4, p. 186.</i> Cochylis. 7139 EUPÆCILIA.	Near London, and at Darenth Wood.
1146 <i>Rupicola</i>	The Chalk- cliff Tortrix	<i>C. 10, t. 491. St. 4, p. 187.</i> Cochylis. 7140 EUPÆCILIA marginana.	Mr. Stephens's specimen was taken near Lon- don in June.
1147 <i>Alternana</i>	Alternate-bar- red T	<i>St. 4, p. 187, t. 35, f. 2.</i> 7144 LOZOPERA.	On the hills near Dover. July and beginning of August.
1148 <i>Dubrisana</i>	Dover Straw	<i>St. 4, p. 188.</i> — LOZOPERA.	Taken on the top of cliffs near Dover. Middle of August.
1149 <i>Marmora- ratana</i>	Marbled Straw	<i>St. 4, p. 188.</i> LOZOPERA.	Taken near Dover. Middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1150 <i>Straminea</i>	Short-barred Straw	<i>St. 4, p. 183.</i> 7145 LOZOPERA.	Darenth Wood, and near Dover. May and the end of August.
1151 <i>Smeathmanniana</i>	Smeathmanian	<i>St. 4, p. 189.</i> 7146 LOZOPERA Fabriciana.	Near Darenth Wood; but rare. Beginning of August.
1152 <i>Francillana</i>	Francillonian	<i>D.t. 355, f. 1. St. 4, p. 189.</i> 7147 LOZOPERA.	Near Darenth Wood. Middle of June; and on the cliff below Dover Castle, middle of July.
1153 <i>Badiana</i>	Chestnut Straw	<i>St. 4, p. 189.</i> 7142 LOZOPERA Smeathmanniana.	Marshes near Whittlesea Mere, Battersea fields, &c. Beginning of July.
1154 <i>Baumanniana</i>	Baumannian	<i>St. 4, p. 190.</i> Lozopera. 7126 ARGYROLEPIA.	Darenth Wood, &c. June.
1155 <i>Zœgana</i>	Zœgian	<i>D. 3, t. 106, f. 2. St. 4, p. 191.</i> 7148 XANTHOSSETIA.	Darenth and Coombe Woods; the New Forest, &c. August.



1081 n



1090 n



1099 n



1108 n



1082 n



1091 n



1100 n



1109 n



1083 n



1092 n



1101 n



1110 n



1084 n



1093 n



1102 n



1111 n



1085 n



1094 n



1103 n



1112 n



1086 n



1095 n



1104 n



1113 n



1087 n



1096 n



1105 n



1114 n



1088 n



1097 n



1106 n



1115 n



1089 n



1098 n




1107 n



1116 n

W. Wood Jun.





1117 n



1126 n



1135 n



1144 n



1118 n



1127 n



1136 n



1145 n



1119 n



1128 n



1137 n



1146 n



1120 n



1129 n



1138 n



1147 n



1121 n



1130 n



1139 n



1148 n



1122 n



1131 n



1140 n



1149 n



1123 n



1132 n



1141 n



1150 n



1124 n



1133 n



1142 n



1151 n



1125 n



1134 n



1143 n



1152 n

1156 *Per*

1157 *Ha*

1158 *Die*

1159 *Inc*

1160 *Qu*

1161 *Ch*

1162 *Per*

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1156 <i>Ferrugina</i>	Clouded Iron	<i>St. 4, p. 192.</i> 7149 XANTHOSSETIA.	A single specimen taken by Mr. Stephens at Darenth in August.
1157 <i>Hamana</i>	Hook-marked Straw	<i>St. 4, p. 121.</i> 7150 XANTHOSSETIA.	Grassy places round London, &c. August.
1158 <i>Diversana</i>	Crossed Straw	<i>St. 4, p. 192.</i> 7151 XANTHOSSETIA.	Not uncommon round London. Beginning of August.
1159 <i>Inopiana</i>	Plain Drab	<i>St. 4, p. 192.</i> 7152 XANTHOSSETIA.	Mr. Stephens has taken but two specimens; one in the New Forest in June, the other at Ripley in July.
1160 <i>Quercana</i>	Long-horned	<i>D. 3, t. 106, f. 3. St. 4, p. 193.</i> 7153 PHIBALOCERA.	Common in woods and gardens round London. August.
1161 <i>Christier-nana</i>	Christiernian	<i>D. 2, t. 20, f. 1. St. 4, p. 194, t. 38, f. 2.</i> 7154 HYPERCALLIA.	Darenth Wood; but very rare. July.
1162 <i>Venosa</i>	Veined Wainscot	<i>St. 4, p. 195, t. 35, f. 3.</i> 7155 ORTHOTÆLIA.	Marshy places near Walthamstow, &c. End of July and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1163 <i>Heracleana</i>	Cow-Parsnip	<i>At.</i> 38, f. 61. a—d. <i>St.</i> 4, p. 197. 7156 <i>DEPRESSARIA</i> .	The neighbourhood of London; Darenth Wood, &c. July.
1164 <i>Umbellana</i>	Large-streaked	<i>St.</i> 4, p. 197. 7157 <i>DEPRESSARIA</i> .	Near London, &c. July and August.
1165 <i>Venosa</i>	Wainscot Flat-body	<i>St.</i> 4, p. 198. 7159 <i>DEPRESSARIA</i> .	Near London; also at Dover; but rare. July and August.
1166 <i>Nervosa</i>	Coarse Wainscot	<i>St.</i> 4, p. 198. 7161 <i>DEPRESSARIA</i> .	Taken round London. July and beginning of August.
1167 <i>Apicella</i>	Brindled Flat-body	<i>St.</i> 4, p. 198. 7160 <i>DEPRESSARIA</i> .	Bere Wood, near Dover; but rare. August.
1168 <i>Badiella</i>	Brown Brindled Flat-body	<i>St.</i> 4, p. 199. 7162 <i>DEPRESSARIA</i> .	Darenth Wood, Hertford, Dover, &c. July.
1169 <i>Characterosa</i>	Lesser Flat-body	<i>St.</i> 4, p. 199. 7163 <i>DEPRESSARIA</i> .	Found round London in the Autumn.
1170 <i>Carduella</i>	Thistle Flat-body	<i>St.</i> 4, p. 199. 7173 <i>DEPRESSARIA</i> .	Mr. Stephens has a pair of this species taken near Brockenhurst, in July 1821.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1171 <i>Gilvella</i>	Brindled Straw	<i>St. 4, p. 199.</i> 7170 <i>DEPRESSARIA.</i>	Darenth, Hertford, &c., amongst Willows. July.
1172 <i>Sparmaniana</i>	Straw-coloured	<i>St. 4, p. 200.</i> 7175 <i>DEPRESSARIA.</i>	Round London; also at Dover, &c. August.
1173 <i>Yatesana</i>	Yates's	<i>St. 4, p. 200.</i> 7177 <i>DEPRESSARIA.</i>	Darenth and Coombe Woods; the New Forest, &c. July.
1174 <i>Immaculana</i>	Spotless Flat-body	<i>St. 4, p. 200.</i> 7176 <i>DEPRESSARIA.</i>	The New Forest, near Brockenhurst; rare. July.
1175 <i>Ocellana</i>	Red Letter	<i>St. 4, p. 201.</i> 7169 <i>DEPRESSARIA.</i>	Woods and hedges round London, &c. July and August.
1176 <i>Applana</i>	Common Flat-body	<i>St. 4, p. 201.</i> 7166 <i>DEPRESSARIA.</i>	Gardens and hedges round London, &c. End of August.
1177 <i>Curvipunctosa</i>	Curve Dotted	<i>St. 4, p. 201.</i> 7167 <i>DEPRESSARIA.</i>	Near London. August.
1178 <i>Albipunctella</i>	Rufous Brindled	<i>St. 4, p. 202.</i> 7168 <i>DEPRESSARIA.</i>	Near London; but rare. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1179 <i>Alstroemeriana</i>	Alstroemer's	<i>St. 4, p. 202.</i> 7178 <i>DEPRESSARIA.</i>	Round London; also in the New Forest, &c. The Au- tumn.
1180 <i>Putridella</i>	Brown-veined	<i>St. 4, p. 202.</i> 7158 <i>DEPRESSARIA.</i>	In Norfolk, and the New Fo- rest; but rare. August.
1181 <i>Atomella</i>	Powdered	<i>St. 4, p. 202.</i> 7174 <i>DEPRESSARIA.</i>	Round London, and near Do- ver; but rare. April and Sep- tember.
1182 <i>Costa^{ana}ana</i>	Dingy Straw	<i>St. 4, p. 203.</i> 7171 <i>DEPRESSARIA.</i>	Near London, and in different parts of the country. Be- ginning of Au- tumn.
1183 <i>Irrorella</i>	Dusted Flat- body	<i>St. 4, p. 203.</i> 7172 <i>DEPRESSARIA.</i>	In the New Fo- rest, near Brockenhurst. July.
1184 <i>Liturella</i>	Purple Flat- body	<i>St. 4, p. 203.</i> 7164 <i>DEPRESSARIA.</i>	Taken at Birch Wood; but very rare. June.
1185 <i>Bluntii</i>	Blunt's	<i>C. 5, t. 221. St. 4, p. 193.</i> 7165 <i>DEPRESSARIA.</i>	Taken at South- church, Essex. Mr. Curtis's Cabinet.



1153 n



1162 n



1171 n



1180 n



1154 n



1163 n



1172 n



1181 n



1155 n



1164 n



1173 n



1182 n



1156 n



1165 n



1174 n



1183 n



1157 n



1166 n



1175 n



1184 n



1158 n



1167 n



1176 n



1185 n



1159 n



1168 n



1177 n



1186 n



1160 n



1169 n



1178 n



1187 n



1161 n



1170 n



1179 n



1188 n

W. Wood Jun.

1185 *La*

1186 *Pa*

1187 *Jur*
ella

1188 *La*
tella

1189 *He*

1190 *Lis*

1191 *Ne*

1192 *Be*

1193 *Ze*
vella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1186 <i>Purpurea</i>	Lesser Purple	<i>St. 4, p. 204.</i> 7179 <i>DEPRESSARIA.</i>	Near Hertford; the New Fo- rest, &c. April and Autumn.
1187 <i>Juniper- ella</i>	Juniper	<i>St. 4, p. 205.</i> 7180 <i>ANACAMPSIS.</i>	Gardens and hedges round London; also near Dover, &c. July.
1188 <i>Laticinc- tella</i>	Poplar	<i>St. 4, p. 205.</i> 7181 <i>ANACAMPSIS</i> <i>Populella.</i>	Gardens round London. June and July.
1189 <i>Hortuella</i>	Dark Brown	<i>St. 4, p. 205.</i> 7182 <i>ANACAMPSIS</i> <i>Rusticella.</i>	The same as above.
1190 <i>Listerella</i>	Lister's	<i>St. 4, p. 206.</i> 7184 <i>ANACAMPSIS.</i>	The same as above.
1191 <i>Nebulca</i>	Dotted Brown	<i>St. 4, p. 206.</i> 7185 <i>ANACAMPSIS.</i>	The same as above.
1192 <i>Betulea</i>	Birch	<i>St. 4, p. 206.</i> 7186 <i>ANACAMPSIS.</i>	Birch Wood, and the New Forest. June.
1193 <i>Zephy- rella</i>	Powdered Grey	<i>St. 4, p. 206.</i> — <i>ANACAMPSIS.</i>	Mr. Stephens has two of this species, one taken by him- self near Lon- don, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1194 <i>Rhom- bella</i>	Black-specked Grey	<i>St. 4, p. 207.</i> 7187 ANACAMPSIS.	Darenth and Birch Woods. June.
1195 <i>Cinerella</i>	Cinereous	<i>St. 4, p. 207.</i> 7188 ANACAMPSIS.	Found round London; at Coombe Wood, and near Hert- ford. June.
1196 <i>Subcine- rea</i>	Subcinereous	<i>St. 4, p. 207.</i> 7189 ANACAMPSIS.	Round London, and in the New Forest. June.
1197 <i>Lutarea</i>	Clay-coloured	<i>St. 4, p. 207.</i> 7190 ANACAMPSIS.	Darenth Wood; but not com- mon. June.
1198 <i>Longicor- nis</i>	Long-horned	<i>C. 4, t. 189. St. 4, p. 207.</i> 7183 ANACAMPSIS.	North of En- gland, and Scotland. June and July.
1199 <i>Annuli- cornis</i>	Ring-horned	<i>St. 4, p. 208.</i> — ANACAMPSIS.	Mr. Stephens's Cabinet. Taken in the Isle of Wight, in June.
1200 <i>Dodecel- la</i>	Small Black- specked Grey	<i>St. 4, p. 208.</i> 7191 ANACAMPSIS.	Coombe Wood; rare. Begin- ning of June.
1201 <i>Mouffet- tella</i>	Dotted Grey	<i>St. 4, p. 208.</i> 7193 ANACAMPSIS.	Darenth Wood; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1202 <i>Aspera</i>	Rough	<i>St. 4, p. 209.</i> 7192 ANACAMPSIS.	Gardens and shrubby places round London. June.
1203 <i>Domestica</i>	Domestic	<i>St. 4, p. 209.</i> 7198 ANACAMPSIS.	Common in houses and gardens. June and July.
1204 <i>Affinis</i>	Brindled Brown	<i>St. 4, p. 209.</i> 7199 ANACAMPSIS.	Gardens and woody places round London. June.
1205 <i>Diffinis</i>	Greater Brindled-brown	<i>St. 4, p. 209.</i> 7200 ANACAMPSIS.	The same as above; but rare.
1208 <i>Lacteella</i>	Cream-shouldered	<i>St. 4, p. 210.</i> 7196 ANACAMPSIS.	The only two Mr. Stephens has seen, are in his cabinet; one taken at Dover, the other near London. July.
1207 <i>Sarcitella</i>	White-shouldered Wool-len	<i>St. 4, p. 210.</i> 7195 ANACAMPSIS.	Very common in houses about London and elsewhere. Beginning of Spring to the end of Autumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1209 <i>Rusticella</i>	Dusted Black	<i>St. 4, p. 210.</i> 7194 <i>ANACAMPSIS.</i>	Darenth Wood; the new Fo- rest, &c. June.
1210 <i>Lanceo- lella</i>	Black-dotted	<i>St. 4, p. 211.</i> — <i>ANACAMPSIS.</i>	A single speci- men taken in the North of England in July.
1211 <i>Hubneri</i>	Hubner's	<i>St. 4, p. 211.</i> 7197 <i>ANACAMPSIS.</i>	Neighbour- hood of Lon- don and at Da- renth Wood; but very rare. June.
1212 <i>Contigua</i>	Light Brin- dled-brown	<i>St. 4, p. 211.</i> 7201 <i>ANACAMPSIS.</i>	Gardens round London. June.
1213 <i>Sequax</i>	Dark Brindled- brown	<i>St. 4, p. 211.</i> 7202 <i>ANACAMPSIS.</i>	Common in gar- dens near Lon- don. June.
1214 <i>Proxima</i>	Beautiful Brin- dled-brown	<i>St. 4, p. 212.</i> 7203 <i>ANACAMPSIS.</i>	Gardens round London. June and July.
1215 <i>Tricolo- rella</i>	Tricoloured	<i>St. 4, p. 212.</i> 7204 <i>ANACAMPSIS.</i>	Darenth and Birch Woods; but rare. June.
1206 <i>Luctuella</i>	Crescent- shouldered	<i>St. 4, p. 212.</i> 7205 <i>ANACAMPSIS.</i>	Woody places round London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1219 <i>Subrosea</i>	Little Blossom	<i>St. 4, p. 212.</i> 7207 <i>ANACAMPSIS.</i>	Darenth and Birch Woods. June.
1217 <i>Decorella</i>	Neat	<i>St. 4, p. 213.</i> 7206 <i>ANACAMPSIS.</i>	Darenth Wood; but rare. June.
1218 <i>Marmorea</i>	Beautiful Mar- ble	<i>St. 4, p. 213.</i> 7208 <i>ANACAMPSIS.</i>	Birch Wood and the New Forest; rare. June.
1216 <i>Guttifera</i>	White-dotted Black	<i>St. 4, p. 213.</i> 7209 <i>ANACAMPSIS.</i>	Found near Lon- don; but very rare. June.
1220 <i>Atra</i>	Little Black	<i>St. 4, p. 213.</i> 7210 <i>ANACAMPSIS.</i>	Woody places near London; also in the New Forest. June.
1221 <i>Subocella</i>	Eylet	<i>St. 4, p. 214.</i> — <i>ANACAMPSIS.</i>	Taken in the New Forest. June.
1222 <i>Maculella</i>	Short-barred White	<i>St. 4, p. 214.</i> 7211 <i>ANACAMPSIS.</i>	Darenth and Coombe Woods. June.
1223 <i>Tremella</i>	Horse-shoe	<i>St. 4, p. 214.</i> 7212 <i>ANACAMPSIS.</i>	Hedges near Birch and Da- renth Woods, &c. June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1224 <i>Nivella</i>	Black-dotted White	<i>St. 4, p. 214.</i> 7213 ANACAMPSIS.	Darenth Wood; and near Dover. June.
1225 <i>Aleella</i>	Black-clouded	<i>St. 4, p. 214.</i> 7214 ANACAMPSIS.	Gardens, on apple trees. June and be- ginning of July.
1226 <i>Interrup- tella</i>	Brown-Streak	<i>St. 4, p. 214.</i> 7215 ANACAMPSIS.	Round London, and near Lewes and Brighton; but scarce. June.
1227 <i>Fulves- cens</i>	Tawny	<i>St. 4, p. 214.</i> 7116 ANACAMPSIS.	Near London; also at Dover, and in Norfolk. June.
1228 <i>Fusces- cens</i>	Faint-dotted Brown	<i>St. 4, p. 216.</i> 7217 ANACAMPSIS.	Round London; but not com- mon. June.
1229 <i>Alternel- la</i>	Black-spotted White	<i>St. 4, p. 216.</i> 7218 ANACAMPSIS.	Darenth and Birch Woods. June.
1230 <i>Angustel- la</i>	Black-spotted Brimstone	<i>St. 4, p. 216.</i> 7219 ANACAMPSIS.	Near London; Battersea fields; &c. Beginning of June.
1231 <i>Albima- culea</i>	White-spotted Black	<i>St. 4, p. 217.</i> 7220 ANACAMPSIS.	Round London; at Charlton, and Plaistow, &c.; but scarce. Beginning of June.



1189 n



1198 n



1207 n



1216 n



1190 n



1199 n



1208 n



1217 n



1191 n



1200 n



1209 n



1218 n



1192 n



1201 n



1210 n



1219 n



1193 n



1202 n



1211 n



1220 n



1194 n



1203 n



1212 n



1221 n



1195 n



1204 n



1213 n



1222 n



1196 n



1205 n



1214 n



1223 n



1197 n



1206 n


W. Wood Jun.?



1215 n



1224 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1232 <i>Quadripuncta</i>	Four-spotted	<i>St. 4, p. 217.</i> 7221 <i>ANACAMPSIS.</i>	Near London; rare. August.
1233 <i>Bifasciella</i>	Two-banded	<i>St. 4, p. 217.</i> <i>Anacampsis.</i> 7279 <i>YPONOMEUTA.</i>	Environs of London; Chel- sea, Kenning- ton; also near Dover. Au- gust.
1234 <i>Fascicellus</i>	Prominent Tinea	<i>St. 4, p. 218, t. 39, f. 1.</i> 7222 <i>LOPHONOTUS.</i>	Mr. Stephens has seen but one specimen; taken in July 1824, near Whittlesea Mere.
1260 <i>Emarginella</i>	Notch-winged Tinea	<i>D. 11, t. 392, f. 3.</i> <i>St. 4,</i> <i>p. 219.</i> <i>Acria.</i> 7223 —.	Taken in Kent, according to Donovan.
1235 <i>Rhomboidella</i>	Lobster-claw- ed	<i>C. 8, t. 368.</i> <i>St. 4, p. 219.</i> 7224 <i>CHELARIA.</i>	Coombe and Darenth Woods; near Dover, &c. Middle of Au- gust.
1236 <i>Silacella</i>	Dingy Straw	<i>St. 4, p. 220.</i> <i>Cleodora.</i> 7225 —.	The New Fo- rest. End of July.
1237 <i>Rufescens</i>	Dwarf Wain- scot	<i>St. 4, p. 221.</i> <i>Cleodora.</i> 7226 —.	Near London, and in the New Forest; but very rare. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1238 <i>Nebulella</i>	Clouded Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7227 —.	The New Forest, near Brockenhurst; also near Ripley in Surrey. July.
1239 <i>Ochroleucella</i>	Pale-ochreous Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7228 —.	Near Ripley; but very rare. End of July.
1240 <i>Lucidella</i>	Lucid Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7229 —.	Near Brockenhurst. July.
1241 <i>Falciformis</i>	Hook-tipped	<i>St. 4, p. 221.</i> Cleodora. 7230 —.	Near London; but very rare. July and August.
1242 <i>Cinerella</i>	Ash-coloured	<i>St. 4, p. 222.</i> Acompsia. 7232 —.	Darenth Wood. Beginning of July.
1243 <i>Unitella</i>	Brown-gold	<i>St. 4, p. 222.</i> Acompsia. 7233 —.	Near London. June to August.
1244 <i>Tinctella</i>	Tinted	<i>St. 4, p. 223.</i> Acompsia. 7231 —.	Darenth Wood. End of June.
1245 <i>Fasciella</i>	Long-winged	<i>St. 4, p. 223.</i> 7234 MACROCHILA.	Round London; near Darenth Wood; but very rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1246 Parenth- esella	Parenthesis	<i>St. 4, p. 224.</i> 7235 MACROCHILA.	Shooter's Hill, Kent; but rare. End of July or beginning of August.
1247 Margin- ella	White Border- ed	<i>D. 3, t. 58, f. 2. St. 4,</i> <i>p. 224.</i> 7236 MACROCHILA.	Chalky places near Faver- sham and Do- ver; but very rare. End of June or begin- ning of July.
1248 Bicostella	Light Streak	<i>St. 4, p. 224.</i> 7237 MACROCHILA.	The New Forest; Darenth Wood, and near Do- ver. July.
1249 Palpella	Dingy Streak	<i>St. 4, p. 225. Aplota.</i> 7239 MACROCHILA.	A specimen taken by Mr. Stephens in a clover field near Ripley, in July 1827.
1250 Thun- bergana	Thunberg's	<i>St. 4, p. 226.</i> 7240 ENICOSTOMA.	Gardens round London. June.
1251 Geoffroy- ella	Geoffroy's	<i>St. 4, p. 227. Alabonia.</i> 7241 ENICOSTOMA.	Woods and hedges near London. End of May and be- ginning of June.
1252 Olivella / Olivier's		<i>St. 4, p. 228. Ecophora.</i> 7142 DASYCERA.	Hedges, &c., round London. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1253 <i>Sulphurella</i>	Yellow Under-winged	C.9, t. 408. <i>St.</i> 4, p. 228. Æcophora. 7143 DASYCERA.	Gardens and hedges near London, &c. June.
1254 <i>Latreillella</i>	Latreille's	<i>St.</i> 4, p. 229. 7244 ADELA.	North of England. July.
1255 <i>Sulzella</i>	Sultz's	<i>St.</i> 4, p. 230. <i>D.</i> 8, t. 267, f. 3. 7245 ADELA.	Hedges, &c., near Darent and Birch Woods. End of May and beginning of June.
1256 <i>DeGeerella</i>	DeGeer's	<i>D.</i> 8, t. 267, f. 1 & 2. <i>St.</i> 4, p. 230. 7246 ADELA.	Common near London, and elsewhere. End of June and beginning of July.
1257 <i>Fasciella</i>	Copper Japan	<i>St.</i> 4, p. 230. 7247 ADELA.	Near Darent Wood; and several other places. July.
1258 <i>Cuprella</i>	Scabious Long-horn	<i>St.</i> 4, p. 230. 7248 ADELA.	Very rare. Mr. Stephens has a specimen taken in Devonshire in June.
1259 <i>Reaumurella</i>	Reaumur's	<i>C.</i> 10, t. 463. <i>St.</i> 4, p. 231. 7250 ADELA.	Mr. Stephens has seen but two specimens; one taken in June near London; the other in Devonshire.



1225 n



1234 n



1243 n



1252 n



1226 n



1235 n



1244 n



1253 n



1227 n



1236 n



1245 n



1254 n



1228 n



1237 n



1246 n



1255 n



1229 n



1238 n



1247 n



1256 n



1230 n



1239 n



1248 n



1257 n



1231 n



1240 n



1249 n



1258 n



1232 n



1241 n



1250 n



1259 n



1233 n



1242 n



1251 n



1260 n

W. Wood Jun. r

1801 V

1802 F

1803 S

1804 P
ella

1805 R
ella

1806 T

1807 L

1808 M

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1261 <i>Viridella</i>	Green Long-horn	<i>St. 4, p. 231.</i> 7249 ADELA.	Very common in hedges round London. May.
1262 <i>Frischella</i>	Frischian	<i>St. 4, p. 231.</i> 7251 ADELA.	Near Darenth Wood, &c. End of July.
1263 <i>Swam-merdammella</i>	Swammerdam's	<i>St. 4, p. 232.</i> 7252 ADELA.	Coombe and Darenth Woods, &c. Middle of May.
1264 <i>Panzer-ella</i>	Panzer's	<i>St. 4, p. 232.</i> 7253 ADELA.	Darenth and Birch Woods. Dover, &c. End of June and beginning of July.
1265 <i>Robert-ella</i>	Pale-brown Long-horn	<i>St. 4, p. 232.</i> 7254 ADELA.	Chalky places near Hertford, and Cottingham in Yorkshire. Beginning of June.
1266 <i>Tessellea</i>	Pale chequered Brown	<i>C. 11, t. 487. St. 4, p. 233.</i> Cochleophasia. 7257 ———.	Near London, also at Darenth Wood, &c. End of May.
M. and F.			
1267 <i>Pubicornis</i>	Pale downy-horned	<i>St. 4, p. 233.</i> Cochleophasia. 7258 ———	Of two specimens, one was taken near London; the other in July 1831, near Brockenhurst.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1268 <i>Tortri- cella</i>	Pale Chequer- ed Brown	<i>St. 4, p. 234.</i> Oporinia. 7255 —.	Oak Woods near Hertford; Coombe Wood, &c. Spring.
1269 <i>Nubilea</i>	Clouded Brown	<i>St. 4, p. 234.</i> Oporinia. 7256 —.	Woods round London. March.
1270 <i>Gelatella</i> M. and F.	Autumnal Dagger	<i>St. 4, p. 235.</i> Oxypate. 7260 —.	Epping Forest, Hertford, and in Hampshire; but rare. De- cember.
1271 <i>Salicella</i> M. and F.	Rosy Day	<i>St. 4, p. 236.</i> Dasystema. 7259 —.	Woods round London; also in the New Forest. Au- tumn.
1272 <i>Phrygan- ella</i> M. and F.	Drab Day	<i>St. 4, p. 237.</i> Cheimo- phila. 7261 —.	Coombe and Da- renth Woods, &c. End of October.
1273 <i>Fagella</i> M. and F.	March Dagger	<i>A. t. 36, f. 57. a—e. St. 4,</i> <i>p. 237.</i> 7262 DIURNEA.	Very common in woody places round London. March.
1274 <i>Novem- bris</i> F.	November Dagger	<i>St. 4, p. 238.</i> 7263 DIURNEA.	On trunks of trees near Ken- nington; also at Waltham- stow; but very rare. Novem- ber.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
1275 <i>Avellanella</i>	Hazel	St. 4, p. 239. Semioscopis. 7264 EPIGRAPHIA.	Near Birch and Darenth Wood; but very rare. Autumn.
1276 <i>Steinkellnerana</i>	Steinkellner's	St. 4, p. 239. Semioscopis. 7265 EPIGRAPHIA.	Hedges near Coombe Wood and at Hertford. End of March.
1277 <i>Echiella</i>	Bordered Ermine	C. 9, t. 412, f.* St. 4, p. 240. Anesychia. 7266 MELANOLEUCA.	Mr. Stephens's Cabinet, and the British Museum.
1278 <i>Echiella</i>	Beautiful Ermine	C. 9, t. 412, f. 2** St. 4, p. 240, t. 39, f. 3. Anesychia. 7267 MELANOLEUCA.	Mr. Stephens's Cabinet, found near Gravesend; also in the British Museum, from a Chalk-pit near Darenth Wood, in June, 1812.
1279 <i>Dodæcea</i>	Scarce Ermine	St. 4, p. 241. Anesychia. 7268 MELANOLEUCA.	Coombe and Birch Woods, among fir-trees; but very rare. June.
1280 <i>Funerella</i>	Funereal	St. 4, p. 241. Anesychia. 7269 MELANOLEUCA.	Mr. Curtis's Cabinet. Taken at Clifton.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1281 Evonymella	Full-spotted Ermine	<i>D. 11, t. 355, f. 4. St. 4, p. 242.</i> 7270 YPONOMEUTA.	Hedges and gardens near Highgate; also near Darenth Wood, &c. End of June.
1282 Irrorella	Surrey Ermine	<i>St. 4, p. 242.</i> 7271 YPONOMEUTA.	Coombe and Birch Woods; but very rare. June.
1283 Cognatella	Allied Ermine	<i>St. 4, p. 243.</i> —— YPONOMEUTA.	Hedges and gardens near London, and at Darenth, &c. End of June and beginning of July.
1284 Rorella	Few-spotted Ermine	<i>A. t. 20, f. a—d. St. 4, p. 243.</i> 7272 YPONOMEUTA.	The same as above.
1285 Padella	Common Ermine	<i>W. 4, t. 5. H. t. 3, f. k—m. D. 1, t. 9. St. 4, p. 243.</i> 7273 YPONOMEUTA.	Extremely common round London, and elsewhere. June and July.
1286 Plumbella	Kent Ermine	<i>St. 4, p. 244.</i> 7274 YPONOMEUTA.	Near London, Coombe and Darenth Woods, &c. July.



1261 n



1269 n



1274 n



1283 n



1262 n



1270 n



1275 n



1284 n



1263 n



1270 n



1276 n



1285 n



1264 n




1271 n



1277 n



1286 n



1265 n



1271 n



1278 n



1287 n



1266 n



1272 n



1279 n



1288 n



1266 n



1272 n



1280 n



1289 n



1267 n



1273 n



1281 n



1290 n



1268 n



1273 n



1282 n



1291 n

W. Wood Junr., 1282 n

Linea

1387 C
ella

1388 A
guella

1389 C
gella

1390 L
tella

1391 C

1392 L

1393 S
ella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1287 <i>Curtis-ella</i>	Curtis's	<i>D. 2, t. 65, f. 4. St. 4, p. 245. Telea. 7275 YPONOMEUTA.</i>	Hedges and gardens round London, &c. June and July.
1288 <i>Ambiguella</i>	Small Brown-bar	<i>St. 4, p. 245. Telea. 7277 YPONOMEUTA.</i>	Near Brockenhurst; also near Darenth and Coombe Woods; but rare. July.
1289 <i>Cratægella</i>	Whitethorn Bar	<i>St. 4, p. 245. Telea. 7276 YPONOMEUTA.</i>	Near Lyndhurst in the New Forest. July.
1290 <i>Leucatella</i>	Small White-bar	<i>St. 4, p. 246. Telea. 7278 YPONOMEUTA.</i>	Gardens near London, &c. July.
1291 <i>Comptella</i>	Peacock's-feather	<i>D. 2, t. 57, f. 3. St. 4, p. 246. Telea. 7280 YPONOMEUTA.</i>	Mr. Bentley's Cabinet, Darenth Wood, and hedges near London. End of June.
1292 <i>Lutarella</i>	Muddy Ermine	<i>St. 4, p. 247. Telea. 7281 YPONOMEUTA.</i>	Woods and gardens round London. End of June and beginning of July.
1293 <i>Subfasciella</i>	Slight-barred	<i>St. 4, p. 247. Telea. 7282 YPONOMEUTA.</i>	Darenth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1294 <i>Cæsiella</i>	Purple-edged	<i>St. 4, p. 247. Telea.</i> 7283 YPONOMEUTA.	Near London, and at Coombe and Darenth Woods, &c. June.
1295 <i>Semifusca</i>	Long-winged White-back	<i>D. 2, t. 58. St. 4, p. 248.</i> Ismene. 7284 YPONOMEUTA.	Hedges round London. End of May and be- ginning of June.
1296 <i>Mendi- cella</i>	Purple White- back	<i>St. 4, p. 248. Ismene.</i> 7285 YPONOMEUTA.	Frequent in gar- dens, &c. in the suburbs of London, and elsewhere. June.
1297 <i>Albistria</i>	Purple White- streak	<i>St. 4, p. 248. Ismene.</i> 7286 YPONOMEUTA.	Darenth and Coombe Woods. June.
1298 <i>Pruniella</i>	White-back	<i>St. 4, p. 249. Ismene.</i> 7287 YPONOMEUTA.	Middlesex, Es- sex, Surrey, the New Fo- rest, &c. June and July.
1299 <i>Tetra- podella</i>	Blotched White-back	<i>St. 4, p. 249. Ismene.</i> 7288 YPONOMEUTA.	Gardens, &c. round London. June.
1300 <i>Semipur- purella</i>	Half purple White-back	<i>St. 4, p. 249. Ismene.</i> —— YPONOMEUTA.	Mr. Stephens has a pair of this species taken in the New Forest, in June.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
1301 <i>Semites-tacella</i>	Testaceous White-back	St. 4, p. 249. <i>Ismene</i> . — <i>YPONOMEUTA</i> .	In the environs of London, and in the New Forest. June.
1302 <i>Curvella</i>	Brindled Ermine	St. 4, p. 250. <i>Ismene</i> . 7292 <i>YPONOMEUTA</i> .	Gardens and marshy places round London. June and July.
1303 <i>Clematella</i>	Barred White	St. 4, p. 250. <i>Ismene</i> . 7293 <i>YPONOMEUTA</i> .	Darenth Wood, and Ripley in Surrey. Beginning of July.
1304 } 1306 } <i>Ossea</i>	Cream-coloured	St. 4, p. 250. <i>Ismene</i> . 7291 <i>YPONOMEUTA</i> .	Coombe Wood; also near Dover, &c. June and July.
<i>= Aphelocetia subocella St. 4 p. 240</i>			
1305 <i>Ocellea</i>	Eyed White-back	St. 4, p. 251. <i>Ismene</i> . 7289 <i>YPONOMEUTA</i> .	Mr. Stephens caught a pair at Darenth Wood in June.
1307 <i>Gœdarta-tella</i>	Gœdart's	'D. 2, t. 65, f. 2, 3. St. 4, p. 252. 7294 <i>ARGYROSETIA</i> .	Common in Coombe, Birch, and Darenth Woods, &c. End of June and beginning of July.
1308 <i>Semifasciella</i>	Short Gold-bar	St. 4, p. 252. 7295 <i>ARGYROSETIA</i> .	Woods and gardens round London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1309 <i>Brockella</i>	Gold I W	<i>St. 4, p. 252.</i> 7296 ARGYROSETIA I. W-ella.	Coombe, Darenth, and Birch Woods. End of June.
1310 <i>Literella</i>	Greek-lettered Gold	<i>St. 4, p. 253.</i> 7298 ARGYROSETIA.	Coombe and Darenth Woods; but rare. June.
1311 <i>Aurivittella</i>	Golden Riband	<i>St. 4, p. 253.</i> 7299 ARGYROSETIA.	Taken at Darenth Wood in June; but very rare.
1312 <i>Aurifasciella</i>	Gold-banded	<i>St. 4, p. 253.</i> 7300 ARGYROSETIA.	Mr. Stephens's specimen was taken at Darenth, in June.
1313 <i>IV-ella</i>	Gold I V	<i>St. 4, p. 254.</i> 7297 ARGYROSETIA.	Taken at Darenth Wood; but very rare. June.
1314 <i>Blanchardella</i>	Blanchard's	<i>St. 4, p. 255.</i> 7301 ARGYROMYGES.	Coombe and Darenth Wood. End of May.
1315 <i>Schreibella</i>	Schreber's	<i>St. 4, p. 255.</i> 7302 ARGYROMYGES.	Coombe Wood. End of May.
1316 <i>Cydoniella</i>	Bright-speckled Gold	<i>St. 4, p. 255.</i> 7303 ARGYROMYGES.	In gardens near London. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1317 <i>Kleman-nella</i>	Kleman's	<i>St. 4, p. 256.</i> 7304 ARGYROMYGES.	Coombe and Darenth Woods; but very rare. End of May.
1318 <i>Mespi- lella</i>	Silver-spotted Gold	<i>St. 4, p. 256.</i> 7305 ARGYROMYGES.	In the neighbourhood of London. End of May.
1319 <i>Rayella</i>	Ray's	<i>St. 4, p. 256.</i> 7306 ARGYROMYGES.	Common in gardens, &c. round London. End of May.
1320 <i>Tristri- gella</i>	Treble Gold-stripe	<i>St. 4, p. 256.</i> 7307 ARGYROMYGES.	Darenth and Coombe Woods. End of May.
1321 <i>Trifasci- ella</i>	Tawny Treble-bar	<i>St. 4, p. 257.</i> 7308 ARGYROMYGES.	Coombe and Darenth Woods. End of May.
1322 <i>Harris- ella</i>	Harris's	<i>St. 4, p. 257.</i> 7310 ARGYROMYGES.	Middlesex, Surrey, Essex, &c. End of May and beginning of June.
1323 <i>Cramer- ella</i>	Cramer's	<i>St. 4, p. 257.</i> 7311 ARGYROMYGES.	Gardens, hedges, &c. round London. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1324 <i>Hortella</i>	Porcelain	<i>St. 4, p. 257.</i> 7312 ARGYROMYGES.	Gardens near London. End of May.
1325 <i>Sylvella</i>	Dark Por- celain	<i>St. 4, p. 258.</i> 7313 ARGYROMYGES.	Woody places near London. End of May.
1326 <i>Cuculipe- nella</i>	Cuckoo's Feather	<i>St. 4, p. 258.</i> 7314 ARGYROMYGES.	Coombe Wood. End of May.
1327 <i>Corylifo- liella</i>	Hazel Red	<i>St. 4, p. 258.</i> 7315 ARGYROMYGES.	Woods round London. End of May and be- ginning of June.
1328 <i>Ulmifoli- ella</i>	Elm Red	<i>St. 4, p. 259.</i> — ARGYROMYGES.	Neighbourhood of London. June.
1329 <i>Alnifoli- ella</i>	Alder Red	<i>St. 4, p. 259.</i> 7316 ARGYROMYGES.	Darenth Wood. End of May and beginning of June.
1330 <i>Obscu- rella</i>	Dull Red	<i>St. 4, p. 259.</i> 7317 ARGYROMYGES.	Coombe Wood. Beginning of June.
1331 <i>Rufipun- ctella</i>	Red and White Barred	<i>St. 4, p. 259.</i> 7318 ARGYROMYGES.	Darenth Wood; but very rare. End of May.



1292 n



1301 n



1310 n



1319 m



1293 n



1302 n



1311 n



1320 m



1294 n



1303 n



1312 n



1321 m



1295 n



1304 n



1313 n



1322 m



1296 n



1305 n



1314 m



1323 m



1297 n



1306 n



1315 m



1324 m



1298 n



1307 n



1316 m



1325 n



1299 n



1308 n



1317 m



1326 m



1300 n



1309 n



1318 m



1327 m



Lin. n.

1332 *Autu*
nnella

1333 *Nie*

1334 *Sen*
rella

1335 *Uni*
ctella

1336 *Spa*
uella

1337 *Cle*
ella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1332 <i>Autumnella</i>	Autumnal	<i>C. 6, t. 284. St. 4, p. 260.</i> — ARGYROMYGES.	Mr. Curtis's Cabinet; taken at Glanville's Wootton, Dorsetshire; and in the New Forest. Beginning of October.
1333 <i>Nivella</i>	Snowy	<i>St. 4, p. 60. Argyromyges.</i> 7325 HERIBEIA.	Darenth Wood and the New Forest. Beginning of June.
1334 <i>Semiaurella</i>	Pale Gold Dot	<i>St. 4, p. 260. Argyromyges.</i> 7328 HERIBEIA.	Ripley in Surrey, and the New Forest. June.
1335 <i>Unipunctella</i>	Simple Dot	<i>St. 4, p. 260. Argyromyges.</i> 7327 HERIBEIA.	Coombe Wood. End of May and beginning of June.
1336 <i>Spartifoliella</i>	Golden Dot	<i>St. 4, p. 260. Argyromyges.</i> 7326 HERIBEIA. punctaurella	Very common in the Broomfield at Coombe Wood. End of May and beginning of June.
1337 <i>Clerckella</i>	Clerck's	<i>St. 4, p. 261. Argyromyges.</i> 7324 HERIBEIA.	Darenth Wood; but rare. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1338 <i>Haworth-ana</i>	Haworth's	<i>St. 4, p. 262, t. 39, f. 2.</i> 7319 <i>HERIBEIA</i> .	Neighbourhood of Birmingham. June.
1339 <i>Humer-ella</i>	Shoulder-stripe	<i>St. 4, p. 262.</i> 7320 <i>HERIBEIA</i> .	Darenth and Birch Woods. End of May.
1340 <i>Forster-ella</i>	Forster's	<i>St. 4, p. 262.</i> 7321 <i>HERIBEIA</i> .	Coombe and Darenth Woods; also the New Forest, &c. End of May.
1341 <i>Simplici-ella</i>	Simple Shoulder-stripe	<i>St. 4, p. 263.</i> 7322 <i>HERIBEIA</i> .	Hertford and Coombe Wood, &c. End of May and beginning of June.
1342 <i>Cognatella</i>	Allied Shoulder-stripe	<i>St. 4, p. 263.</i> 7323 <i>HERIBEIA</i> .	Mr. Stephens's specimen was taken at Darenth Wood in June.
1343 <i>Subbistrigella</i>	Double Silver-bar	<i>St. 4, p. 264.</i> 7329 <i>MICROSETIA</i> .	Darenth Wood; but very rare. Beginning of June.
1344 <i>Obsoletella</i>	Obscure Dot	<i>St. 4, p. 264.</i> 7330 <i>MICROSETIA</i> .	Taken by Mr. Stephens at Ripley in Surrey. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1345 <i>Exiguella</i>	Small Dot	<i>St. 4, p. 264.</i> 7331 MICROSETIA.	Coombe and Darenth Woods. End of May and beginning of June.
1346 <i>Cinereo-punctella</i>	Grey-dotted Brown	<i>St. 4, p. 265.</i> 7332 MICROSETIA.	Darenth Wood. End of May.
1347 <i>Stipella</i>	Triple Gold-spotted	<i>St. 4, p. 265.</i> 7333 MICROSETIA.	Near Darenth Wood. May.
1348 <i>Guttella</i>	White-spotted Sable	<i>St. 4, p. 265.</i> 7334 MICROSETIA.	Darenth Wood. End of May and beginning of June.
1349 <i>Quadrella</i>	Silver-spotted Sable	<i>St. 4, p. 265.</i> 7335 MICROSETIA.	Darenth and Coombe Woods; also in gardens at Chelsea. End of May.
1350 <i>Sequella</i>	Silver-blotched	<i>St. 4, p. 266.</i> 7336 MICROSETIA.	Hedges near Woods. End of May and beginning of June.
1351 <i>Pulchella</i>	Small Argent and Sable	<i>St. 4, p. 266.</i> 7337 MICROSETIA.	Darenth Wood; but very rare. June.
1352 <i>Bella</i>	Beautiful Argent and Sable	<i>St. 4, p. 266.</i> —— MICROSETIA.	Mr. Stephens's Cabinet. Taken in Scotland in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1353 <i>Nigrella</i>	Small double Silver-bar	<i>St. 4, p. 266.</i> 7338 MICROSETIA.	Darenth Wood, &c. June.
1354 <i>Trimacul- ella</i>	Cream-spotted Sable	<i>St. 4, p. 267.</i> 7339 MICROSETIA.	Gardens in the neighbourhood of London; but rare. Begin- ning of June.
1355 <i>Subbima- culella</i>	Twin-spot Sable	<i>St. 4, p. 267.</i> 7340 MICROSETIA.	Gardens and hedges round London. Be- ginning of July.
1356 <i>Nigrocili- ella</i>	Black-edged Sable	<i>St. 4, p. 267.</i> 7341 MICROSETIA.	Near London. July.
1357 <i>Unifasci- ella</i>	Silver-barred Brown	<i>St. 4, p. 268.</i> 7342 MICROSETIA.	Mr. Stephens's Cabinet. Taken at Darenth Wood in June.
1358 <i>Medio- fasciella</i>	Central Silver- bar	<i>St. 4, p. 268.</i> 7343 MICROSETIA.	Taken near Lon- don; but very rare. June.
1359 <i>Posticella</i>	Pygmy Silver- bar	<i>St. 4, p. 268.</i> 7345 MICROSETIA.	Near London; also near Ripley in Surrey. July.
1360 <i>Aurella</i>	Diamond-bar- red Pygmy	<i>St. 4, p. 268.</i> 7344 MICROSETIA.	Gardens and hedges round London. June.



1328 m



1337 m



1346 m



1355 m



1329 m



1338 n



1347 m



1356 m



1330 m



1339 n



1348 m



1357 m



1331 m



1340 m



1349 m



1358 m



1332 m



1341 m



1350 m



1359 m



1333 m



1342 m



1351 m



1360 m



1334 m



1343 m



1352 m



1361 m



1335 m



1344 n



1353 m



1362 m



1336 m



1345 m



1354 m



1363 m

W. Wood Jun. 5

Lin. 2

1361 Fl
tella

1362 At
tella

1363 Re
tella

1364 V
ella

1365 P
ella

1366 Se

1367 A
ciella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1361 <i>Floslactella</i>	Creamy Pygmy	<i>St. 4, p. 268.</i> 7347 MICROSETIA.	Hedges near London, and at Coombe Wood. End of May.
1362 <i>Atricapitella</i>	Black-headed Pygmy	<i>St. 4, p. 269.</i> 7348 MICROSETIA.	Gardens and hedges near London. Be- ginning of June.
1363 <i>Ruficapitella</i>	Red-headed Pygmy	<i>St. 4, p. 269.</i> 7349 MICROSETIA.	Near London. June.
1364 <i>Violacella</i>	Violet Pygmy	<i>St. 4, p. 269.</i> 7346 MICROSETIA.	Gardens round London; but rare. June.
1365 <i>Pygmæella</i>	Least Pygmy	<i>St. 4, p. 269.</i> 7350 MICROSETIA.	Near London; and at Ripley. June.
1366 <i>Sericiella</i>	Satin Pygmy	<i>St. 4, p. 270.</i> 7351 MICROSETIA.	Near London; also at Coombe and Darenth Woods, &c. June.
1367 <i>Aurofasciella</i>	Gold-banded	<i>St. 4, p. 270.</i> 7352 MICROSETIA.	Mr. Stephens has seen but one specimen, now in his Ca- binet, and taken by him at Da- renth Wood, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1368 <i>Gleichella</i>	Gleiche's	<i>St. 4, p. 270.</i> 7353 MICROSETIA.	Darenth Wood; but very rare. June.
1369 <i>Pfeifferella</i>	Four-spotted Gold	<i>St. 4, p. 270.</i> 7354 MICROSETIA quadrigut- tella.	Darenth Wood; but rare. End of May.
1370 <i>Linneella</i>	Linneus's	<i>C. 4, t. 152. St. 4, p. 271.</i> Glyphipteryx. 7355 ŒCOPHORA.	Common on lime-trees in St. James's Park; also at Battersea, Chelsea, &c. End of July and beginning of August.
1371 <i>Roesella</i>	Roesel's	<i>St. 4, p. 272.</i> Glyphi- pteryx. 7356 ŒCOPHORA.	Darenth Wood; but very rare. Middle of July.
1372 <i>Zinckella</i>	Zinck's	<i>St. 4, p. 272.</i> Glyphi- pteryx. — ŒCOPHORA.	Mr. Curtis's Ca- binet; taken near Norwich, in Devonshire in June.
1373 <i>Schæfferella</i>	Schæffer's	<i>D. 5, t. 175. St. 4, p. 272.</i> Glyphipteryx. 7357 ŒCOPHORA.	Darenth and Birch Woods; the New Fo- rest, &c. End of May and be- ginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1374 <i>Bimaculella</i>	Orange-blotched Black	<i>St. 4, p. 272.</i> Glyphipteryx. 7358 <i>ÆCOPHORA.</i>	Devonshire. June.
1375 <i>Eximia</i>	Nonpareil	<i>St. 4, p. 273.</i> Glyphipteryx. 7359 <i>ÆCOPHORA.</i>	Mr. Stephens's Cabinet; taken by him in Holme-wood lane, near Ripley, in July 1827.
1376 <i>Metallula</i>	Metallic	<i>St. 4, p. 273.</i> Glyphipteryx. 7360 <i>ÆCOPHORA.</i>	Mr. Stephens has seen but two specimens; taken by himself at Ripley in July 1827.
1377 <i>Subcuprella</i>	Coppery	<i>St. 4, p. 273.</i> Glyphipteryx. — <i>ÆCOPHORA.</i>	A single specimen in Mr. Stephens's Cabinet. Taken near London.
1378 <i>Auroguttella</i>	Gold-dotted	<i>St. 4, p. 274.</i> Glyphipteryx. 7584 —.	Mr. Stephens has a pair; found at Darenth Wood in June 1818.
1379 <i>Variella</i>	Variable	<i>St. 4, p. 274.</i> Glyphipteryx.	Taken by the Rev. G. T. Rudd, in a sand pit, near Lyndhurst, in June 1834.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1380 Lewen- hoekella	Lewenhoek's	<i>C. 7, t. 304. St. 4, p. 275.</i> 7361 PANCALIA.	Darenth Wood, and the New Forest. June.
1381 <i>Latreil- lella</i>	Latreille's	<i>St. 4, p. 275.</i> — PANCALIA.	Mr. Curtis's Ca- binet; taken in Cumberland, and near Lon- don; but rare. End of June.
1382 <i>Woodiella</i>	Wood's	<i>C. 8, t. 304. St. 4, p. 275.</i> — PANCALIA.	Mr. Curtis's Ca- binet; taken, says Mr. Curtis, on Kensall Moor, in the middle of June, by Mr. R. Wood, of Manchester.
1383 <i>Fusco- cæna</i>	Brown-brassy	<i>St. 4, p. 376.</i> 7362 PANCALIA.	Darenth Wood; but rare. June.
1384 <i>Fusco- cuprea</i>	Brown-copper	<i>St. 4, p. 376.</i> 7363 PANCALIA.	Near London, and at Ripley; but very rare. June.
1385 Merian- ella	Merian's	<i>St. 4, p. 376.</i> 7364 PANCALIA.	Near London, and in the New Forest. June.
1386 <i>Guttea</i>	White-spotted Brown	<i>St. 4, p. 277.</i> Callisto. 7365 —.	Darenth Wood, and other places round London; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1387 <i>Fyeslella</i>	Fuesly's	<i>D. 11, t. 382, f. 1. St. 4, p. 277. Callisto. 7366 —.</i>	Marshy places on Wimbledon Common, and near Brockenhurst. June.
1388 <i>Fusco-cuprella</i>	Brown-copper	<i>St. 4, p. 277. Callisto. 7367 —.</i>	Near London; but very rare. June.
1389 <i>Fusco-iridella</i>	Brown-green	<i>St. 4, p. 278. Callisto. 7368 —.</i>	Heaths and commons round London. June and July.
1390 <i>Cinctella</i>	Silver-barred Sable	<i>St. 4, p. 279. Harpagus. 7369 —.</i>	Taken by Mr. Stephens at Ripley in Surrey. June.
1391 <i>Albistrigella</i>	White-striped Sable	<i>St. 4, p. 279. Harpagus. 7370 —.</i>	Mr. Stephens has seen but two specimens; taken near London in June.
1392 <i>Grandipennis</i>	Great Raven-feather	<i>St. 4, p. 280. Astyages. 7371 —.</i>	Near London, and in the New Forest; but very rare. June.
1393 <i>Cylindrella</i>	Buff-blotched Slender	<i>St. 4, p. 280. Astyages. 7373 —.</i>	On poplar trees near London, and in Devonshire, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1394 <i>Coraci- pennella</i>	Small Raven- feather	<i>St. 4, p. 280.</i> Astyages. 7375 —.	Hedges in Mid- dlesex, Kent, Surrey, Essex, &c. June.
1395 <i>Serratel- la</i>	Notched-horn	<i>St. 4, p. 280.</i> Astyages. 7374 —.	Taken, but rarely, round London, and near Ripley in Surrey. June.
1396 <i>Obscurel- la</i>	Brown- feather	<i>St. 4, p. 281.</i> Astyages. 7376 —.	Darenth Wood, Hertford, and Ripley. June.
1397 <i>Gryphi- pennella</i>	Vulture- feather	<i>St. 4, p. 281.</i> Astyages. 7377 —.	Darenth Wood. Middle of June.
1398 <i>Lutarea</i>	Shining Clay	<i>St. 4, p. 281.</i> Astyages. 7378 —.	Taken near Croydon in June.
1399 <i>Ochroleu- cella</i>	Pale-shining Clay	<i>St. 4, p. 281.</i> Astyages. 7379 —.	Darenth Wood. June.
1400 <i>Nigri- cella</i>	Black-fringed Clay	<i>St. 4, p. 281.</i> Astyages. 7380 —.	Darenth Wood, and near Dover June.
1401 <i>Flavica- put</i>	Yellow- headed Black	<i>St. 4, p. 282.</i> Astyages. 7381 —.	Common in woody places round London. June.



1364 m



1373 n



1382 n



1391 n



1365 m



1374 m



1383 n



1392 n



1366 m



1375 m



1384 n



1393 n



1367 m



1376 n



1385 n



1394 n



1368 m



1377 n



1386 n



1395 n



1369 m



1378 m



1387 n



1396 n



1370 n



1379 m



1388 n



1397 n



1371 n



1380 m



1389 n



1398 n



1372 m



1381 n

W. Wood Jun?



1390 n



1399 n

Linn. n.

1402 *An*
pennet

1403 *Sp*
corus

1404 *Ti*

1405 *A*
pennet

1406 *O*
nella

1407 *A*
pennet

1408 *Sp*
nipen

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1402 <i>Angustipennella</i>	Narrow-winged	<i>St. 4, p. 282.</i> Chrysocorys.	West side of the warren at Coombe Wood. Middle of June.
1403 <i>Spissicornis</i>	Thick-horned Green	<i>St. 4, p. 283, t. 41, f. 1.</i> Metallosetia. 7383 —.	Damp places, near Glanville's Wootton; also in the fens near Whittlesea Mere, and at Camberwell. July.
1404 <i>Trifolii</i>	Trefoil	<i>C. 9, t. 391. St. 4, p. 284.</i> Metallosetia. 7384 —.	Ripley, Hertford, &c. On the flowers of Trefoil. July.
1405 <i>Anatipennella</i>	Goose-feather	<i>St. 4, p. 284.</i> 7385 PORRECTARIA.	Darenth and Coombe Woods; also in gardens near London. June.
1406 <i>Otidipennella</i>	Bustard-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood. June.
1407 <i>Anseripennella</i>	Duck-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Near London, and in the New Forest; rare. June.
1408 <i>Struthionipennella</i>	Ostrich-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood, the New Forest, and near Dover. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1409 <i>Ornati- pennella</i>	Silver- streaked Hook-tip	<i>St. 4, p. 285.</i> 7386 PORRECTARIA.	Birch and Darenth Woods; but very rare. June.
1410 <i>Ochrea</i>	Silver- streaked	<i>St. 4, p. 286.</i> 7387 PORRECTARIA.	Darenth Wood. June.
1411 <i>Gallipennella</i>	Cock's-feather	<i>St. 4, p. 286.</i> 7388 PORRECTARIA.	Darenth and Coombe Woods, &c. June.
1412 <i>Lineolea</i>	Red-specked	<i>St. 4, p. 286.</i> 7389 PORRECTARIA.	Woody places near London; Coombe and Darenth Woods, &c. June.
1413 <i>Albicosta</i>	White-edged	<i>St. 4, p. 286.</i> 7390 PORRECTARIA.	Near London, and at Darenth Wood. June.
1414 <i>Leucapennella</i>	Lead-coloured	<i>St. 4, p. 287.</i> 7391 PORRECTARIA.	Coombe and Darenth Woods, Hert- ford, Ripley, &c. June.
1415 <i>Argentula</i>	Silvered	<i>St. 4, p. 287.</i> 7392 PORRECTARIA.	Coombe and Darenth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1416 <i>Auritella</i>	Eared	<i>St. 4, p. 288.</i> Aphelo- setia. 7393 —.	Mr. Stephens's Cabinet. Taken in June, at Monk's Wood in Huntingdon- shire.
1417 <i>Cygni- pennella</i>	Swans'-feather	<i>St. 4, p. 288.</i> Aphelo- setia. 7394 —.	Dover. June.
1418 <i>Semial- bella</i>	Half-white	<i>St. 4, p. 288.</i> Aphelo- setia. 7395 —.	Ripley in Surrey. June.
1419 <i>Triato- mea</i>	Treble-atomed White	<i>St. 4, p. 288.</i> Aphelo- setia. 7396 —.	Norfolk, and near London; but very rare. June.
1420 <i>Floslactis</i>	Cream-colour- ed	<i>St. 4, p. 289.</i> Aphelo- setia. 7397 —.	In the neighbour- hood of Lon- don. June.
1421 <i>Rufocine- rea</i>	Red-brindled	<i>St. 4, p. 289.</i> Aphelo- setia. 7398 —.	Round London. June.
1422 <i>Oleella</i>	Small Shining Brown	<i>St. 4, p. 289.</i> Aphelo- setia. 7400 —.	Darenth Wood; but very rare. June.
1423 <i>Lucidella</i>	Lucid	<i>St. 4, p. 289.</i> Aphelo- setia. 7399 —.	Taken near Ripley, and at Hertford, June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1424 <i>Rufipennella</i>	Red-feather	<i>St. 4, p. 289.</i> Aphelosetia. 7401 —.	Darenth and Coombe Woods. June.
1425 <i>Fulvencens</i>	Tawny	<i>St. 4, p. 289.</i> Aphelosetia. 7402 —.	Round London, and in the New Forest. June.
1426 <i>Marginea</i>	Bordered Straw	<i>St. 4, p. 290.</i> Aphelosetia. 7403 —.	Darenth Wood, Ripley, and the New Forest. June.
1427 <i>Lambdella</i>	Tawny Cres- cent	<i>D. 2, t. 57, f. 2.</i> <i>St. 4,</i> <i>p. 291.</i> Batia. 7404 —.	Darenth Wood, the New Forest, &c. June.
1428 <i>Lunaris</i>	Lesser Tawny- Crescent	<i>St. 4, p. 291.</i> Batia. 7405 —.	Chelsea, and Battersea fields, &c. June.
1429 <i>Lutarella</i>	Clay	<i>St. 4, p. 291.</i> Batia. 7406 —.	Near London; but very rare. June.
1430 <i>Saturatella</i>	Dark-clay	<i>St. 4, p. 291.</i> Batia. 7407 —.	Darenth Wood. June.
1431 <i>Panzerella</i>	Panzer's	<i>St. 4, p. 292.</i> Batia. 7408 —.	Mr. Stephens possesses a pair found near London about June.



1400 n



1409 n



1418 n



1427 n



1401 n



1410 n



1419 n



1428 n



1402 n



1411 n



1420 n



1429 n



1403 n



1412 n



1421 n



1430 n



1404 n



1413 n



1422 n



1431 n



1405 n



1414 n



1423 n



1432 n



1406 n



1415 n



1424 n



1433 n



1407 n



1416 n



1425 n



1434 n



1408 n



1417 n

W. Wood Junr



1426 n



1435 n

Lin

1432

fro

1433

1434

1435

M

1436

1437

1438

1439

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1432 <i>Flavi-frontella</i>	Yellow-head	<i>St. 4, p. 292.</i> Batia. 7409 ———.	Darenth Wood, and near Cam- berwell; but rare. July.
1433 <i>Alvearea</i>	Honey	<i>St. 4, p. 294.</i> Achroia. 7410 GALLERIA.	Near London, and in Devon- shire; but rare. June.
1434 <i>Cereana</i>	Honey-comb	<i>C. 13, t. 587. D. 8, t. 283.</i> <i>St. 4, p. 295.</i> 7411 GALLERIA.	Birch Wood, Epping, Devon- shire and Nor- folk. End of June, or begin- ning of July.
1435 <i>Sociella</i> M		<i>D. 8, t. 263, f. 2.</i> <i>St. 4,</i> <i>p. 296.</i>	Darenth Wood, and Ripley. June.
1436 <i>Sociella</i> F	Pale-shoulder- ed	7413 ILYTHIA.	
1437 <i>Anella</i>	Twin-spot	<i>St. 4, p. 297.</i> 7414 ILYTHIA bipunc- tata.	Taken, says Mr. Stephens, by the late Mr. Hatchet in the Jews, burying- ground at Stepney.
1438 <i>Flammea</i>	Flame	<i>C. 5, t. 201. St. 4, p. 297.</i> Senta. 7415 ———.	Near Lewisham. July.
1439 <i>Sericea</i>	Silky	<i>St. 4, p. 298.</i> Senta. 7416 ———. 2 E	Mr. Curtis's Ca- binet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1440 <i>Cembrel- la</i>	Large Grey	<i>St. 4, p. 299.</i> 7421 EUDOREA.	Trunks of fir- trees round London, &c. July.
1441 <i>Subfusca</i>	Drab Grey	<i>St. 4, p. 299.</i> 7422 EUDOREA.	Taken with the above.
1442 <i>Dubitalis</i>	Hoary Grey	<i>St. 4, p. 299.</i> 7420 EUDOREA.	On the trunks of trees in woods and gar- dens round London. June and July.
1443 <i>Pyralis</i> <i>la</i>	Yellow-stig- maed Grey	<i>St. 4, p. 299.</i> 7418 EUDOREA.	Very common in woods, &c. round London, during the Summer.
1444 <i>Tristri- gella</i>	Three- streaked Grey	<i>St. 4, p. 300.</i> 7419 EUDOREA.	Round London, and in the New Forest. June.
1445 <i>Pallida</i>	Pale Grey	<i>St. 4, p. 300.</i> 7417 EUDOREA.	Near Whittlesea Mere, and in Monk's Wood, Huntingdon- shire. June.
1446 <i>Lineola</i>	Striped Grey	<i>St. 4, p. 300.</i> 7424 EUDOREA.	Round London, and in the North of En- gland. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1447 <i>Murana</i>	Wall Grey	<i>C. 4, t. 170. St. 4, p. 301.</i> 7423 EUDOREA.	North of England, and in Scotland. End of June, and beginning of July.
1448 <i>Resinea</i>	Resin Grey	<i>St. 4, p. 301.</i> 7425 EUDOREA.	On the trunks of fir-trees round London; also in the New Forest, and near Dover. June and July.
1449 <i>Mercurella</i>	Small Grey	<i>St. 4, p. 302.</i> 7426 EUDOREA.	Very common on trunks of trees round London, &c., in the Summer.
1450 <i>Angustea</i>	Narrow-winged Grey	<i>St. 4, p. 302.</i> 7427 EUDOREA.	Round London; also near Tunbridge Wells and Hastings. June.
1451 <i>Nebulella</i>	Ermine Knot-horn	<i>St. 4, p. 303.</i> 7428 PHYCITA.	Darenth Wood, and Epping Forest. June.
1452 <i>Binævela</i>	Double-blotched	<i>St. 4, p. 303.</i> — PHYCITA.	Mr. Stephens has but one specimen, taken near Brockenhurst in the New Forest, in July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1453 <i>Dilutella</i>	Powdered Knot-horn	<i>St. 4, p. 303.</i> 7429 PHYCITA.	Coombe Wood, and in Berkshire. End of June and beginning of July.
1454 <i>Elutella</i>	Cinereous Knot-horn	<i>St. 4, p. 304.</i> 7430 PHYCITA.	Hedges near Darenth and Coombe Woods. June.
1455 <i>Rufa</i>	Rufous Knot-horn	<i>St. 4, p. 304.</i> 7431 PHYCITA.	Gardens, and on the borders of Woods, round London. July and August.
1456 <i>Angustella</i>	Small Ermine Knot-horn	<i>St. 4, p. 304.</i> 7432 PHYCITA.	The same as above; but found in June.
1457 <i>Semirufa</i>	Red-streaked Knot-horn	<i>St. 4, p. 305.</i> 7433 PHYCITA.	Coombe Wood, Epping Forest, and near Dover. June.
1458 <i>Bistriga</i>	Double-striped Red Knot-horn	<i>St. 4, p. 305.</i> 7434 PHYCITA.	Coombe and Darenth Woods, &c. June.
1459 <i>Tumidana</i>	Warted Knot-horn	<i>St. 4, p. 305.</i> 7436 PHYCITA.	Epping Forest; and near Darenth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1460 <i>Fascia</i>	Broad-barred Knot-horn	<i>St. 4, p. 305.</i> 7438 <i>PHYCITA.</i>	Epping Forest, &c.; but rare. June.
1461 <i>Adven- la</i>	Marbled broad-barred Knot-horn	<i>St. 4, p. 306.</i> 7439 <i>PHYCITA.</i>	Darenth Wood, and the New Forest. End of June.
1462 <i>Marmo- rea</i>	Marbled Knot-horn	<i>St. 4, p. 306.</i> 7340 <i>PHYCITA.</i>	Coombe and Darenth Woods. End of June and beginning of July.
1463 <i>Porphy- rea</i>	Porphyry Knot-horn	<i>St. 4, p. 306.</i> 7341 <i>PHYCITA.</i>	Epping, and the New Forest. Middle of June.
1464 <i>Consoci- ella</i>	Allied Knot- horn	<i>St. 4, p. 306.</i> 7337 <i>PHYCITA.</i>	Coombe Wood. End of June.
1465 <i>Rhenella</i>	Dove-colour- ed Knot- horn	<i>St. 4, p. 307.</i> 7442 <i>PHYCITA.</i>	Darenth Wood, &c. End of June.
1466 <i>Pinguis</i>	Tabby Knot- horn	<i>St. 4, p. 307.</i> 7443 <i>PHYCITA.</i>	Near Chelsea, and in the Green Park; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1467 <i>Hostilis</i>	Varied Knot- horn	<i>St. 4, p. 307.</i> — PHYCITA.	Mr. Stephens has two speci- mens, one taken at Da- renth Wood, and the other at Ripley. June.
1468 <i>Formosa</i>	Beautiful Knot-horn	<i>St. 4, p. 308.</i> 7444 PHYCITA.	Near Darenth Wood, on the whitethorn. End of June and beginning of July.
1469 <i>Obtusa</i>	Blunt-winged Knot-horn	<i>St. 4, p. 308.</i> 7445 PHYCITA.	Darenth Wood; but very rare. June.
1470 <i>Obscura</i>	Obscure Knot- horn	<i>St. 4, p. 308.</i> — PHYCITA.	Mr. Stephens's Cabinet. Taken in June.
1471 <i>Ornatella</i>	Speckled Knot-horn	<i>St. 4, p. 309.</i> 7446 PHYCITA.	Coombe and Darenth Woods. June.
1472 <i>Abietella</i>	Pine Knot- horn	<i>St. 4, p. 309.</i> 7447 PHYCITA.	Coombe and Darenth Woods. June.
1473 <i>Tristri- gella</i>	Three-streak- ed Knot-horn	<i>St. 4, p. 311.</i> — PHYCITA.	Mr. Stephens's Cabinet. Taken by him at Da- renth in June.



1436 a +



1445 n



1454 n



1463 n



1437 a +



1446 n



1455 n



1464 n



1438 a +



1447 n



1456 n



1465 n



1439 a



1448 n



1457 n



1466 a



1440 n



1449 n



1458 n



1467 n



1441 n



1450 n



1459 n



1468 n



1442 n



1461 n



1460 n



1469 n



1443 n



1452 n



1461 n



1470 n



1444 n



1453 n



1462 n



1471 n

R. Wood Jun.

Linn.

1474 Po
bella

1475 Ge

1476 H
lis

1477 C

1478 C

1479 S
nella

1482 M
sella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1474 <i>Palumbella</i>	Mealy Knot-horn	<i>St.</i> 4, <i>p.</i> 311. 7452 PHYCITA.	Coombe and Darenth Woods; also common near Lyndhurst. June.
1475 <i>Gemina</i>	Twin-barred Knot-horn	<i>St.</i> 4, <i>p.</i> 312. Homœosoma. 7434 PHYCITA.	Epping Forest. June.
1476 <i>Hybridalis</i>	Rush Veneer	<i>St.</i> 4, <i>p.</i> 312. Nomophila. 6803 —.	Woods and gardens round London; also at Dover, &c. July.
1477 <i>Cardui</i>	Thistle Ermine	<i>St.</i> 4, <i>p.</i> 313. 7453 ONOCERA.	On thistles, in the neighbourhood of London, &c. August.
1478 <i>Carnella</i>	Rosy Veneer	<i>St.</i> 4, <i>p.</i> 314. 7454 ONOCERA.	Common near Dover. July.
1479 <i>Sanguinella</i>	Buff-edged Rosy Veneer	<i>St.</i> 4, <i>p.</i> 314. 7455 ONOCERA.	In the Castle meadows at Dover. July and August.
1482 <i>Miniosella</i>	Flame Veneer	<i>St.</i> 4, <i>p.</i> 314. Araxes. 7456 ONOCERA.	Coasts of Cumberland and Lancashire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1481 <i>Lotella</i>	Pale-edged Flame Veneer	<i>St. 4, p. 315.</i> Araxes. 7457 ONOCERA.	Coast of Lancashire. June.
1480 <i>Ocellea</i>	Necklace Veneer	<i>St. 4, p. 316.</i> Araxes. 7458 ONOCERA.	Mr. Stephens's Cabinet. Taken near London.
1483 <i>Ahenella</i>	Mouse-coloured Veneer	<i>St. 4, p. 316.</i> Araxes. 7459 ONOCERA.	Darenth Wood, &c. June.
1484 <i>Nebulifera</i>	Clouded Veneer	<i>St. 4, p. 317.</i> Prionapteryx.	Mr. Stephens's Cabinet.
1485 <i>Lythargyrellus</i>	Dark-streaked Satin Veneer	<i>St. 4, p. 318.</i> 7460 CRAMBUS.	Near London, the New Forest, Dover, &c. July and August.
1486 <i>Argyreus</i>	Streaked-Satin Veneer	<i>St. 4, p. 318.</i> 7461 CRAMBUS.	Chalky places round London, &c. July and August.
1487 <i>Arbustorum</i>	Yellow-Satin Veneer	<i>St. 4, p. 319.</i> 7462 CRAMBUS.	Near London; also in the New Forest, and near Dover. July and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1488 <i>Argentellus</i>	White-satin Veneer	<i>St. 4, p. 319.</i> 7463 CRAMBUS.	Common in grassy places round London, &c. July and August.
1489 <i>Dealbellus</i>	Ivory Veneer	<i>St. 4, p. 319.</i> 7464 CRAMBUS.	Chalky places round London, &c. June and July.
1490 <i>Tentacellus</i>	Portland Veneer	<i>St. 4, p. 319.</i> 7466 CRAMBUS.	Mr. Bentley's Cabinet. Taken at Coombe Wood.
1491 <i>Hamellus</i>	Pearl-streak Veneer	<i>St. 4, p. 320.</i> 7465 CRAMBUS.	Darenth Wood; the New Forest, Epping, &c. June.
1492 <i>Pascuellus</i>	Inlaid Veneer	<i>St. 4, p. 320.</i> 7467 CRAMBUS.	Very common near London, &c. June.
1493 <i>Dumetellus</i>	Wood Veneer	<i>St. 4, p. 321.</i> 7468 CRAMBUS.	New Forest; but very rare. End of June.
1494 <i>Ericellus</i>	Heath Veneer	<i>St. 4, p. 321.</i> 7469 CRAMBUS.	Mr. Stephens's specimen was taken in June in Cumberland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1495 <i>Pratellus</i>	Dark inlaid Veneer	<i>St. 4, p. 321.</i> 7470 CRAMBUS.	Very common in fields, woods, and gardens round London, &c. In the Summer.
1496 <i>Angustellus</i>	Narrow-winged Veneer	<i>St. 4, p. 322.</i> 7471 CRAMBUS.	Gardens, meadows, &c., near London, and elsewhere. Summer.
1497 <i>Hortuellus</i>	Garden Veneer	<i>St. 4, p. 322.</i> 7472 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Very common during the Summer.
1498 <i>Cespitelus</i>	Straw-coloured Veneer	<i>St. 4, p. 322.</i> 7473 CRAMBUS.	Very common round London, and in the New Forest, during the Summer.
1499 <i>Montanellus</i>	Dark Mountain Veneer	<i>St. 4, p. 323.</i> 7474 CRAMBUS.	Mountains in the North of England. July.
1500 <i>Marginelus</i>	Bordered Veneer	<i>St. 4, p. 323.</i> 7475 CRAMBUS.	In the neighbourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1501 <i>Culmellus</i>	Small straw-coloured Veneer	<i>St. 4, p. 323.</i> 7476 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Summer.
1502 <i>Ceruel-lus</i>	Dark dwarf Veneer	<i>St. 4, p. 324.</i> 7478 CRAMBUS auri-ferellus.	Darenth Wood, and Devon-shire; but very rare. July.
1503 <i>Pygmæus</i>	Pygmy Veneer	<i>St. 4, p. 324.</i> 7479 CRAMBUS.	Isle of Wight. July.
1504 <i>Radiellus</i>	Streaked mountain Veneer	<i>C. 3, t. 109. St. 4, p. 324.</i> 7480 CRAMBUS.	Mountains of Cumberland, &c. July.
1505 <i>Margari-tellus</i>	Pearl-streaked Veneer	<i>St. 4, p. 325, t. 40, f. 2.</i> 7481 CRAMBUS.	Very common near Birming-ham. June.
1506 <i>Latistrius</i>	Broad-streak Veneer	<i>St. 4, p. 325.</i> 7482 CRAMBUS.	Darenth Wood, and the New Forest. June.
1507 <i>Pinetellus</i>	Pearl Veneer	<i>D. 8, t. 263, f. 1. St. 4, p. 325.</i> 7483 CRAMBUS.	Darenth Wood, &c. June.
1508 <i>Chryso-nuchellus</i>	Powdered Veneer	<i>St. 4, p. 325.</i> 7484 CRAMBUS.	Chalky places round London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1509 Rorellus	Chalk hill Veneer	<i>St.</i> 4, <i>p.</i> 326. 7485 CRAMBUS.	Near London; but very scarce. June.
1510 Falsellus	Chequered Veneer	<i>St.</i> 4, <i>p.</i> 326. 7486 CRAMBUS.	Round London, the New Fo- rest, and De- vonshire. June.
1511 Luteellus	Barred Veneer	<i>St.</i> 4, <i>p.</i> 327. 7487 CRAMBUS.	Grassy places, about Darenth and Birch Woods, &c. June.
1512 Tristis	Dingy Veneer	<i>St.</i> 4, <i>p.</i> 327. 7476 CRAMBUS.	Darenth Wood, and Epping Forest. June.
1513 Inquina- tellus	Elbow-striped Veneer	<i>St.</i> 4, <i>p.</i> 327. 7488 CRAMBUS.	Darenth Wood, &c. June.
1514 Aridellus	Chalk Veneer	<i>St.</i> 4, <i>p.</i> 327. 7489 CRAMBUS.	Darenth Wood. Beginning of July.
1515 Selasellus	Dark-edged Veneer	<i>St.</i> 4, <i>p.</i> 328. 7490 CRAMBUS.	Near London, at Ripley, and in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1516 <i>Obtusellus</i>	Blunt-winged Veneer	<i>St. 4, p. 328.</i> 7492 CRAMBUS.	Near Ripley in Surrey. June.
1517 <i>Petrifcellus</i>	Common Veneer	<i>St. 4, p. 328.</i> 7493 CRAMBUS.	Round London. June.
1518 <i>Aquilellus</i>	Dusky-yellow Veneer	<i>St. 4, p. 329.</i> 7495 CRAMBUS.	Meadows and lanes, near woods round London. June and July.
1519 <i>Paleellus</i>	Large Yellow Veneer	<i>St. 4, p. 329.</i> 7496 CRAMBUS.	Very common in meadows, &c. round London. End of June, and all July.
1520 <i>Culmorum</i>	Brown-edged Veneer	<i>St. 4, p. 329.</i> 7497 CRAMBUS.	Fields and meadows, &c. round London. June and July.
1521 <i>Fuscellinellus</i>	Brown Veneer	<i>St. 4, p. 329.</i> 7491 CRAMBUS.	The same as above.
1522 <i>Nigri-striellus</i>	Black-streaked Veneer	<i>St. 4, p. 330.</i> 7491 CRAMBUS.	Meadows near Ripley. July.
1523 <i>Forficellus</i>	Aquatic Veneer	<i>St. 4, p. 331.</i> 7498 CHILO.	Banks of the Thames, Whittlesea Mere, marshy places in Epping Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
524 <i>Fumeus</i>	Smoky Veneer	<i>St. 4, p. 331.</i> 7499 CHILO.	Near London; also at Whittle- sea Mere, &c.; but rare. June.
1525 <i>Punctige- rellus</i>	Dark-wainscot Veneer	<i>St. 4, p. 332.</i> 7500 CHILO.	Taken near Whittlesea Mere. In July.
1526 <i>Phragmi- tellus</i>	Wainscot Veneer	<i>St. 4, p. 332.</i> 7501 CHILO.	Near Whittlesea Mere. June.
1527 <i>Gigan- tellus</i>	Gigantic Veneer	<i>St. 4, p. 332.</i> 7502 CHILO.	Marshes about Hackney, and at Whittlesea Mere; very rare. July.
1528 <i>Caudellus</i>	Hook-tip Veneer	<i>St. 4, p. 332.</i> 7503 CHILO.	Marshes near Dartford and Erith. June.
1529 <i>Acinaci- della</i>	Narrow-wing- ed Veneer	<i>St. 4, p. 333, t. 40, f. 1.</i> Theristis. 7504 PLUTELLA.	In a lane at the bottom of Darenth Wood. August and September.
1530 <i>Nemo- rella</i>	Pale Hook-tip Veneer	<i>St. 4, p. 334.</i> Theristis. 7504 PLUTELLA.	On the borders of Darenth and Birch Woods. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1531 <i>Dentella</i>	Tooth-streaked Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7506 PLUTELLA.	Gardens in Surrey, Kent, Essex, &c. August.
1532 <i>Falcella</i>	Dark Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7508 PLUTELLA sub-falcatella	New Forest. June and July.
1533 <i>Scabrella</i>	Wainscot Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7507 PLUTELLA.	The same as above.
1534 <i>Asperella</i>	Chequered Hook-tip	<i>D. 10, t. 355, f. 5.</i> Hypsолоpha. 7509 PLUTELLA.	Taken by Mr. Dale, at Glanville's Wootton, in August.
1535 <i>Antennellus</i>	Netted Hook-tip	<i>St. 4, p. 336.</i> Hypsолоpha. 7510 YPSOLOPHUS.	Coombe and Darenth Woods; the New Forest, &c. July and August.
1536 <i>Percicellus</i>	Double-barred	<i>St. 4, p. 337.</i> Hypsолоpha. 7511 YPSOLOPHUS.	Found, but rarely, in the New Forest. June.
1537 <i>Costellus</i>	White-shouldered	<i>St. 4, p. 338.</i> Chætochilus. 7512 YPSOLOPHUS.	Very common near Darenth Wood; the New Forest, &c. August and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1538 <i>Fissellus</i>	Broad-streak	<i>St. 4, p. 338. Chætochilus.</i> 7521 <i>YPSOLOPHUS.</i>	Birch, Darenth, and Coombe Woods, &c. August and September.
1539 <i>Radiatellus</i>	Radiated	<i>D. 3, t. 77, f. 4. St. 4, p. 338. Chætochilus.</i> 7522 <i>YPSOLOPHUS.</i>	Birch and Da- renth Woods; also in the New Forest. Autumn.
1540 <i>Variellus</i>	Variable Autumn	<i>St. 4, p. 339. Chætochilus.</i> 7516 <i>YPSOLOPHUS.</i>	Very common in the woods round London, &c. Autumn.
1541 <i>Sylvella</i>	Wood Autumn	<i>St. 4, p. 339. Chætochilus.</i> — <i>YPSOLOPHUS.</i>	Darenth Wood, &c. Septem- ber.
1542 <i>Rufimirellus</i>	Red-headed Autumn	<i>St. 4, p. 340. Chætochilus.</i> 7520 <i>YPSOLOPHUS.</i>	Woody places round London. Autumn.
1543 <i>Maurellus</i>	Dingy Autumn	<i>St. 4, p. 340. Chætochilus.</i> 7523 <i>YPSOLOPHUS.</i>	The same as the above.
1544 <i>Vitellus</i>	Black-back	<i>St. 4, p. 340. Chætochilus.</i> 7524 <i>YPSOLOPHUS.</i>	Woods and hedges near London, in the New Forest, and in Devon- shire. Au- tumn.



1472 n



1481 n



1490 n



1499 n



1473 n



1482 n



1491 n



1500 n



1474 n



1483 n



1492 n



1501 n



1475 n



1484 n



1493 n



1502 n



1476 a



1485 n



1494 n



1503 n



1477 a



1486 a



1495 n



1504 n



1478 n



1487 n



1496 n



1505 n



1479 n



1488 n



1497 n



1506 n



1480 n



1489 n




1498 n



1507 n

W. Wood Jun?



PHALÆNA.

Pl. 48



1508 n



1517 a



1526 a



1535 n



1509 n



1518 a



1527 a +



1536 n



1510 n



1519 a



1528 n



1537 n



1511 n



1520 n



1529 n



1538 n



1512 n



1521 n



1530 n



1539 n



1513 n



1522 n



1531 n



1540 n



1514 n



1523 n



1532 n



1541 n



1515 n



1524 n



1533 n



1542 n



1516 n



1525 n



1534 n



1543 n

W. Wood Jun.?

Lin. n.

1545 Seq

1546 Po
tella

1547 An
tellus

1548 Me
pennia

1549 X
stella

1550 T
zella

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1545 Sequellus	Small Marvel du Jour	<i>St. 4, p. 341.</i> Chætochi- lus. 7525 YPSOLOPHUS.	Taken in a lane leading to Da- renth Wood; also at Ripley, &c.; but rare. July.
1546 Porrec- tella	Gray Streak	<i>St. 4, p. 342.</i> Cerosto- ma. 7526 YPSOLOPHUS Hesperidellus.	Gardens and woody places near London, &c. June and August.
1547 <i>Annula- tellus</i>	Annulated	<i>C. 9, t. 420. St. 4, p. 342.</i> Cerostoma. —— YPSOLOPHUS.	North of En- gland, and in Scotland. July and Au- gust.
1548 <i>Maculi- pennis</i>	Spotted- winged	<i>St. 4, p. 342.</i> Cerosto- ma. —— YPSOLOPHUS.	Taken near London; and in the New Fo- rest, &c. July.
1549 Xylo- stella	Honey- suckle	<i>St. 4, p. 342.</i> Cerosto- ma. 7527 YPSOLOPHUS.	Very common in woods and gardens in se- veral counties. In the Sum- mer.
1550 Tapet- zella	Black-cloaked Woollen	<i>St. 4, p. 343.</i> 7531 TINEA.	Very common, in the Summer, in houses and gardens near London, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1551 <i>Semifulvella</i>	Fulvous-tip	<i>St. 4, p. 344.</i> 7532 <i>TINEA</i> .	The neighbourhood of London; at Darenth and Ripley; but rare. June.
1552 <i>Vestianella</i>	Dark-brindled Woollen	<i>St. 4, p. 344.</i> 7533 <i>TINEA</i> .	Very common in houses, &c. round London. In the Summer.
1553 <i>Ustella</i>	White-backed Black	<i>St. 4, p. 344.</i> 7542 <i>TINEA</i> .	The neighbourhood of London, &c. June and July.
1554 <i>Fuscipunctella</i>	Brown-dotted Woollen	<i>St. 4, p. 345.</i> 7534 <i>TINEA</i> .	Houses near London, &c. The Summer.
1555 <i>Pellionella</i>	Single-spotted Woollen	<i>St. 4, p. 345.</i> 7535 <i>TINEA</i> .	Abundant in houses, &c., round London and elsewhere. Spring and Summer.
1556 <i>Nigripunctella</i>	Many-spotted Yellow	<i>St. 4, p. 345.</i> 7536 <i>TINEA</i> .	Houses, &c., near London; also at Coombe Wood. The Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1557 <i>Albipunctella</i>	White-speckled Black	<i>St. 4, p. 345.</i> 7537 <i>TINEA.</i>	Houses and gardens round London. June.
1558 <i>Flavescentella</i>	Triple-spotted Buff	<i>St. 4, p. 346.</i> 7538 <i>TINEA.</i>	Houses, &c. near London. June.
1559 <i>Lappella</i>	Triple-spotted Yellow	<i>St. 4, p. 346.</i> 7539 <i>TINEA.</i>	Coombe and Darenth Woods; also in the New Forest. June.
1560 <i>Sulphurella</i>	Sulphur	<i>St. 4, p. 346.</i> 7540 <i>TINEA.</i>	Taken round London, in June; but rare.
1561 <i>Destructor</i>	Destructive	<i>St. 4, p. 346.</i> 7541 <i>TINEA.</i>	Very common in London, &c. Spring and Summer.
1562 <i>Cloacella</i>	Dark-mottled Woollen	<i>St. 4, p. 347.</i> 7543 <i>TINEA.</i>	Round London, &c. Summer.
1563 <i>Granella</i>	Mottled Woollen	<i>St. 4, p. 347.</i> 7544 <i>TINEA.</i>	Very common in London and elsewhere. All the Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1564 <i>Parasitella</i>	Light-brindled Woollen	<i>St. 4, p. 347.</i> 7545 <i>TINEA</i> .	Near London, &c. June and July.
1565 <i>Mediellus</i> Agaric		<i>C. 13, t. 591. St. 4,</i> <i>p. 349.</i> 7530 <i>EUPLOCAMUS</i> .	Mr. Stephens has seen but three speci- mens, two taken near Birch Wood, and the other in Hain- hault Forest. July.
1566 <i>Birdella</i> Birds'		<i>C. 8, t. 344. St. 4,</i> <i>p. 350.</i> 7547 <i>LEPIDOCERA</i> . <i>Setella.</i>	Near London and Hertford; but very rare. July.
1567 <i>Mediopectinella</i>	Middle- Feathered	<i>St. 4, p. 350.</i> 7548 <i>LEPIDOCERA</i> .	Marshes near Limehouse, Poplar, and Hackney. June.
1568 <i>Taurella</i> Little Bull		<i>St. 4, p. 350.</i> 7546 <i>LEPIDOCERA</i> .	Marshy lanes round London. End of June and beginning of July.
1569 <i>Chenopodiella</i>	Spotted Bull	<i>St. 4, p. 351.</i> 7549 <i>LEPIDOCERA</i> .	Mr. Stephens's Cabinet. Taken at Hert- ford, in the Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1570 <i>Mascu- tella</i>	Feathered Diamond- back	C. 13, t. 607. St. 4, p. 351. 7550 INCURVARIA.	Darenth Wood, &c. End of May.
1571 <i>Pectinella</i>	Feathered Twin-spot	St. 4, p. 352. 7551 INCURVARIA.	In the neigh- bourhood of London. End of May.
1572 <i>Oehlman- niella</i>	Oehlman's	St. 4, p. 352. 7552 INCURVARIA.	Chalky places round London. End of May and beginning of June.
1573 <i>Spuria</i>	Spurious Treble-spot	St. 4, p. 352. 7553 INCURVARIA.	Found near London; but rare. End of May.
1574 <i>Tripunc- tella</i>	Treble- spotted	St. 4, p. 353. 7554 INCURVARIA.	Near London; gardens at Chelsea, &c. End of May and beginning of June.
1575 <i>Opposi- tella</i>	Two-spotted Brown	St. 4, p. 353. Amauro- setia. 7555 ———.	Common in gardens near London; also in the New Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1576 <i>Quadri- punctella</i>	Double- spotted Brown	<i>St. 4, p. 354.</i> Amauro- setia. 7556 —.	Gardens and woody places near London; but rare. June.
1577 <i>Minutella</i>	Double Gold- spotted	<i>St. 4, p. 354.</i> Amauro- setia. 7557 —.	Near London, and in Nor- folk. June.
1578 <i>Atrella</i>	Two-spotted Black	<i>St. 4, p. 354.</i> Amauro- setia. 7558 —.	Near Darenth Wood. June.
1579 <i>Cerusella</i>	Triple-spotted White	<i>St. 4, p. 355.</i> Amauro- setia. 7561 —.	Grassy places near London; but very rare. June.
1580 <i>Albinella</i>	Albin's	<i>St. 4, p. 355.</i> Amauro- setia. 7563 —.	Near London, and in the New Forest, &c. June.
1581 <i>Meger- lella</i>	Megerles'	<i>St. 4, p. 355.</i> Amauro- setia. 7564 —.	Darenth Wood, and the New Forest. Middle of June.
1582 <i>Albifron- tella</i>	White-fronted	<i>St. 4, p. 355.</i> Amauro- setia.	In the neigh- bourhood of London. June.



1544 n



1553 n



1562 n



1571 n



1545 n



1554 n



1563 n



1572 n



1546 n



1555 n



1564 n



1573 n



1547 n



1556 n



1565 a



1574 n



1548 n



1557 n



1566 n



1575 n



1549 n



1558 n



1567 n



1576 n



1550 n



1559 n



1568 n



1577 n



1551 n



1560 n



1569 n



1578 n



1552 n



1561 n




1570 n



1579 n

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1583 <i>Capitella</i>	Triple-spotted Black	<i>St. 4, p. 356.</i> 7565 LAMPRONIA.	Orchards and gardens round London. End of May and beginning of June.
1584 <i>Præla- tella</i>	Spotted Violet	<i>St. 4, p. 356.</i> 7566 LAMPRONIA.	Hedges near Coombe and Darenth Woods. End of May and beginning of June.
1585 <i>Læzella</i>	Barred Violet	<i>St. 4, p. 357.</i> — LAMPRONIA.	Near London, and in the New Forest; but rare. June.
1586 <i>Flavi- punctella</i>	Four-spotted Brown	<i>St. 4, p. 357.</i> 7568 LAMPRONIA.	Darenth Wood; but very rare. End of May and beginning of June.
1587 <i>Rupella</i>	Four-spotted Black	<i>St. 4, p. 358.</i> 7567 LAMPRONIA.	Near Darenth Wood and Westerham in Kent; also in the New Fo- rest. June.
1588 <i>Margine- punctella</i>	Dotted-border	<i>St. 4, p. 358.</i> 7569 LAMPRONIA.	Mr. Stephens's Cabinet; in which is a pair taken at Ripley in June 1827.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1589 <i>Melanella</i>	White-speckled Black	<i>St. 4, p. 358.</i> 7570 LAMPRONIA.	On Elm trees near London, &c. June.
1590 <i>Atrella</i>	Dingy Black-speckled	<i>St. 4, p. 359.</i> 7572 LAMPRONIA.	The neighbour- hood of Lon- don. June.
1591 <i>Corticella</i>	Golden-speckled Black	<i>St. 4, p. 359.</i> 7571 LAMPRONIA.	Gardens near London, &c. End of May and beginning of June.
1592 <i>Subpurpurella</i>	Purple Under-wing	<i>St. 4, p. 359.</i> 7573 LAMPRONIA.	Woody places round London, &c. June.
1593 <i>Semipurpurella</i>	Purplish Upperwing	<i>St. 4, p. 359.</i> — LAMPRONIA.	Darenth Wood; rare. June.
1594 <i>Purpurella</i>	Purple Upper-wing	<i>St. 4, p. 360.</i> 7574 LAMPRONIA.	Taken occasion- ally round London. June.
1595 <i>Auropurpurella</i>	Gold-brindled Purple	<i>St. 4, p. 360.</i> 7575 LAMPRONIA.	Taken but rarely near London, on flowers. Be- ginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1596 <i>Rubro- aurella</i>	Red Gold	<i>St.</i> 4, p. 360. 7576 LAMPRONIA.	Coombe and Darenth Woods, &c. Summer.
1597 <i>Helwi- gella</i>	Red-barred Gold	<i>St.</i> 4, p. 360. 7577 LAMPRONIA.	On flowers in the vicinity of London, &c. In the Sum- mer.
1598 <i>Sangui- nella</i>	Scarlet-barred Gold	<i>St.</i> 4, p. 361. 7578 LAMPRONIA.	Mr. Stephens's Cabinet.
1599 <i>Calthella</i>	Small Gold	<i>St.</i> 4, p. 361. 7579 LAMPRONIA.	Very common in meadows, &c., round London, in the Summer.
1600 <i>Concin- nella</i>	The Neat	<i>St.</i> 4, p. 361. 7580 LAMPRONIA.	Darenth Wood, &c. June.
1601 <i>Seppella</i>	Sepp's	<i>St.</i> 4, p. 362. 7581 LAMPRONIA.	The same as above.
1602 <i>Amma- nella</i>	Single-spotted Gold	<i>St.</i> 4, p. 362, <i>t.</i> 41, <i>f.</i> 2. 7582 LAMPRONIA.	Near Hertford; Colney Hatch, Darenth Wood, and the New Forest. May.
1603 <i>Bistri- gella</i>	Silver-striped Gold	<i>St.</i> 4, p. 362. 7583 LAMPRONIA.	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1604 <i>Aurogut- tella</i>	Gold-dotted	<i>St. 4, p. 363.</i> Euspila- pteryx. 7584 —.	Mr. Stephens has seen but one, which he found at Ripley, in June 1827.
1605 <i>Nebulea</i>	Nebulous Slender	<i>St. 4, p. 364.</i> 7585 GRACILLARIA.	Hedges, &c., round London. Spring.
1606 <i>Melea- gripennella</i>	Turkey's Feather	<i>St. 4, p. 364.</i> 7586 GRACILLARIA.	Darenth Wood. June.
1607 <i>Syringel- la</i>	Confluent Barred	<i>C. 10, t. 479. St. 4, p. 364.</i> 7587 GRACILLARIA.	Very common in gardens near London, &c. June.
1608 <i>Cinerea</i>	Double-bar- red Slender	<i>St. 4, p. 364.</i> 7588 GRACILLARIA.	Coombe Wood, &c. June.
1609 <i>V-flava</i>	Yellow V	<i>St. 4, p. 365.</i> 7589 GRACILLARIA.	Taken by Mr. Stephens near Ripley, in June 1827.
1610 <i>Versicolor</i>	Changeable	<i>St. 4, p. 365.</i> 7590 GRACILLARIA.	Near London and Ripley. June.
1611 <i>Substriga</i>	Obscure- striped	<i>St. 4, p. 365.</i> 7591 GRACILLARIA.	Hedges round London; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1612 <i>Semi-fascia</i>	Semi White-bar	<i>St. 4, p. 365.</i> 7592 GRACILLARIA.	The same as above.
1613 <i>Purpurea</i>	Triangle-marked Purple	<i>St. 4, p. 366.</i> 7593 GRACILLARIA.	Found in the neighbourhood of London. June.
1614 <i>Stigmata</i>	Triangle-marked Red	<i>St. 4, p. 366.</i> 7594 GRACILLARIA.	Near London. Autumn.
1615 <i>Ochroa-cea</i>	Triangle-marked Ochre	<i>St. 4, p. 366.</i> 7595 GRACILLARIA.	The same as above.
1616 <i>Thunbergella</i>	Thunberg's	<i>St. 4, p. 366.</i> 7596 GRACILLARIA.	Gardens round London, and among oak trees in woods, &c. Autumn.
1617 <i>Hemidactylella</i>	Mottled Red	<i>St. 4, p. 367.</i> 7597 GRACILLARIA.	Hedges and woody places round London. August.
1618 <i>Rufipennella</i>	Dull Red	<i>St. 4, p. 367.</i> 7598 GRACILLARIA.	The same as above.
1619 <i>Elongella</i>	Plain Red	<i>St. 4, p. 367.</i> 7599 GRACILLARIA.	In the neighbourhood of London. August.
1620 <i>Violacea</i>	Violaceous Slender	<i>St. 4, p. 368.</i> 7600 GRACILLARIA. 2 H 2	Near Darent Wood. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1621 <i>Rosci-pennella</i>	Livid Slender	<i>St. 4, p. 368.</i> 7601 GRACILLARIA.	Darenth and Coombe Woods, &c. June.
1622 <i>Leuca-pennella</i>	Pale Slender	<i>St. 4, p. 368.</i> 7602 GRACILLARIA.	The New Forest. June and July.
1623 <i>Sulphurella</i>	Sulphur		New Forest. July.
1624 <i>Præan-gusta</i>	Poplar Slender	<i>St. 4, p. 368.</i> 7603 GRACILLARIA.	Hedges, and on the trunks of poplars near London. End of May.
1625 <i>Bennetii</i>	Sea-side Plume	<i>C. 10, t. 471. St. 4, p. 370.</i> ADACTYLUS.	Mr. Curtis's Cabinet. Taken, says that gentleman, on plants on the Salterns at Tollsbery, Essex. End of July.
1626 <i>Pentadactylus</i>	Large White Plume	<i>H. t. 1, f. a—q. D. 5, t. 110. St. 4, p. 371.</i> 7604 PTEROPHORUS.	Very common in hedges and lanes near London, &c.
1627 <i>Spilodactylus</i>	Wormwood Plume	<i>C. 4, t. 161. St. 4, p. 371.</i> 7605 PTEROPHORUS.	The coast of Suffolk and Devonshire. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1628 <i>Galactodactylus</i>	Spotted White Plume	<i>St. 4, p. 371.</i> 7616 PTEROPHORUS.	Near Andover, Reading and Birmingham. End of May and beginning of June.
1629 <i>Bipunctidactylus</i>	Grey Wood Plume	<i>St. 4, p. 372.</i> 7606 PTEROPHORUS.	Woods round London. June and July.
1630 <i>Fuscodactylus</i>	Brown Wood Plume	<i>St. 4, p. 372.</i> 7607 PTEROPHORUS.	Woods and gardens near London. All the Summer.
1631 <i>Pterodactylus</i>	Common Plume	<i>H. t. 30, f. i.—1. St. 4, p. 372.</i> 7608 PTEROPHORUS.	Middlesex, Surrey, Kent, Essex, Hertfordshire, &c. The Summer.
1632 <i>Mono-dactylus</i>	Hoary Plume	<i>St. 4, p. 373.</i> 7609 PTEROPHORUS.	Near Croydon, and at Darenth Wood. June.
1633 <i>Tephradactylus</i>	Plain Plume	<i>St. 4, p. 373.</i> 7610 PTEROPHORUS.	Near Brockenhurst, at Ripley in Surrey, and in Norfolk; but rare. July.
1634 <i>Tridactylus</i>	Dotted-bordered Plume	<i>St. 4, p. 373.</i> 7611 PTEROPHORUS.	Darenth Wood, and near Brighton; rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1635 <i>Niveidac- tylus</i>	Snowy Plume	<i>St. 4, p. 373.</i> 7612 PTEROPHORUS.	Darenth Wood. July.
1636 <i>Tetra- dactylus</i>	White-shafted Plume	<i>St. 4, p. 373.</i> 7613 PTEROPHORUS.	Darenth Wood, Ripley and Dover. June.
1637 <i>Carpho- dactylus</i>	Citron Plume	<i>St. 4, p. 374.</i> 7614 PTEROPHORUS Citridactylus.	Whittlesea Mere. August.
1638 <i>Ochro- dactylus</i>	Ochreous Plume	<i>St. 4, p. 374.</i> 7615 PTEROPHORUS.	Darenth Wood. July.
1639 <i>Leuco- dactylus</i>	Lemon Plume	<i>St. 4, p. 374.</i> 7617 PTEROPHORUS.	Darenth Wood; but rare. End of June.
1640 <i>Luna- dactylus</i>	Crescent Plume	<i>St. 4, p. 374.</i> 7618 PTEROPHORUS.	Common in grassy places near Darenth Wood, &c. June and be- ginning of July.
1641 <i>Pallidac- tylus</i>	Pale Plume	<i>St. 4, p. 375.</i> 7619 PTEROPHORUS.	Darenth Wood, Hertford, Do- ver, &c. June.
1642 <i>Migadac- tylus</i>	Chalk-pit Plume	<i>St. 4, p. 375.</i> 7620 PTEROPHORUS.	Near Darenth Wood; but very rare. June.
1643 <i>Simili- dactylus</i>	Dusky Plume	<i>St. 4, p. 375.</i> 7621 PTEROPHORUS Phæodactylus.	Dorsetshire, De- vonshire, the New Forest, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1644 <i>Trigonodactylus</i>	Triangle Plume	<i>St. 4, p. 375.</i> 7622 PTEROPHORUS.	Coast of Hampshire, &c. During the Summer.
1645 <i>Rhododactylus</i>	Rose Plume	<i>St. 4, p. 375, t. 41, f. 3.</i> 7623 PTEROPHORUS.	Near Coombe Wood, and Hackney; but rare. May and June.
1646 <i>Calodactylus</i>	Beautiful Plume	<i>St. 4, p. 376.</i> 7624 PTEROPHORUS.	Found occasionally round London; also in the New Forest. August.
1647 <i>Tessera-dactylus</i>	Marbled Plume	<i>St. 4, p. 376.</i> 7625 PTEROPHORUS.	Rare near London; but common in the New Forest. The Summer.
1648 <i>Punctidactylus</i>	Brindled Plume	<i>St. 4, p. 376.</i> 7626 PTEROPHORUS.	Near London, and in Devonshire. June and July.
1649 <i>Cosmodactylus</i>	Dark Brindled Plume	<i>St. 4, p. 377.</i> — PTEROPHORUS.	Taken by Mr. Stephens, near Ripley, in June 1827.
1650 <i>Didactylus</i>	Spotted rusty Plume	<i>D. 9, t. 318. St. 4, p. 377.</i> 7627 PTEROPHORUS.	Woody places round London; also in the New Forest, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1651 <i>Hetero- dactylus</i>	Spotted black Plume	<i>St. 4, p. 377.</i> 7628 PTEROPHORUS.	Found with the above.
1652 <i>Micro- dactylus</i>	Small Plume	<i>St. 4, p. 377.</i> 7629 PTEROPHORUS.	Darenth Wood; but very rare. June.
1653 <i>Hexa- dactyla</i>	Six-cleft Plume	<i>D. 4, t. 136. St. 4, p. 378.</i> 7630 ALUCITA.	Very common in gardens round London, &c. Summer and Autumn.
1654 <i>Polydac- tyla</i>	Many-cleft Plume	<i>St. 4, p. 379.</i> 7631 ALUCITA.	The New Fo- rest; but very rare. June.
1655 <i>Pæcilo- dactyla</i>	Dark six-cleft Plume	<i>St. 4, p. 379.</i> 7632 ALUCITA.	Mr. Stephens's Cabinet, Ta- ken near Brockenhurst in June 1822.

PHALÆNA.

Pl. 50



1580 n



1589 n



1600 n



1610 n



1581 n



1590 n



1601 n



1611 n



1582 n



1591 n



1602 n



1612 n



1592 n



1603 n



1613 n



1583 n



1593 n



1604 n



1614 n



1584 n



1594 n



1605 n



1615 n



1595 n



1606 n



1616 n



1585 n



1596 n



1607 n



1617 n



1586 n



1597 n



1608 n



1618 n



1587 n



1598 n



1609 n



1619 n




1588 n



1599 n

W. Wood Jun. 7





1620 n



1629 n



1638 n



1647 n



1621 n



1630 n



1639 n



1648 n



1622 n



1631 n



1640 n



1649 n



1623 n



1632 n



1641 n



1650 n



1624 n



1633 n



1642 n



1651 n



1625 n



1634 n



1643 n



1652 n



1626 n



1635 n



1644 n



1653 n



1627 n



1636 n



1645 n



1654 n



1628 n



1637 n



1646 n



1655 n

W. Wood Jun. r

Lin

PAP

83 Dia

84 Py

85 Arc

SPE

97 Ne

1658

ref

PHA

1656

1657

ADDITIONS.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
PAPILIO.			
83 Dia	Purple Pearl Border	<i>St. 1, p. 34.</i> 5822 MELITÆA.	Mr. Stephens has an English specimen. Taken in Sutton Park, near Bir- mingham.
84 Pyronia	Dark Under- wing	<i>St. 1, p. 31.</i> 5817 MELITÆA.	Taken near Lon- don in 1803.
85 Arcanius	Pale Heath	<i>St. 1, p. 69.</i> 5860 HIPPARCHIA.	A reputed indi- genous speci- men of this insect was in Mr. Plastead's Collection.
SPHINX.			
37 Nerii	Oleander	<i>C. 14, t. 626. St. 4, p. 384.</i> <i>Daphnis. Entom. Mag.</i> <i>I. p. 525.</i>	Taken in a draw- ing-room at Dover, in Sep- tember, 1833.
1658 <i>Ephemera</i> <i>ræformis</i>	Beltless Clear- wing	<i>Entom. Trans. pl. 10, f. 1.</i> Thyridopteryx.	Taken by the late Mr. Bolton, in Yorkshire. In Mr. Stephens's Collection.
PHALÆNA.			
1656 <i>Suffusa</i>	Dark Choco- late tip	<i>St. 4, p. 385, pl. 16, f. 1.</i> Clostera.	Near London; but very rare. End of May.
1657 <i>Radiata</i>	Rayed Ermine	<i>St. 2, p. 77.</i> 6030 SPILOSOMA.	Mr. Stephens has seen but one specimen, taken in York- shire, now in Mr. Bentley's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1659 <i>Cursoria</i>	Rusty Dart	Agrotis.	Near Bristol.
1660 <i>Plaga</i>	Striped Dart	<i>St.</i> 4, p. 388. Agrotis.	Whittlesea Mere.
1661 <i>Albimacula</i>	White-spotted Clay	<i>St.</i> 2, p. 199. <i>Lytæa</i> .	Whittlesea Mere.
1662 <i>Birivia</i>	Double- striped Clay	<i>St.</i> 4, p. 388. <i>Graphi- phora</i> .	
1663 <i>Obscura</i>	Dingy Bro- cade	<i>St.</i> 2, p. 184. 6203 <i>HADENA</i> .	From Mr. Haworth's Ca- binet.
1664 <i>Connexa</i>	Union Rustic	<i>Apamea</i> .	
1665 <i>Strigosa</i>	Streaked Dagger	<i>St.</i> 3, p. 39. 6281 <i>ACRONYCTA</i> .	Formerly in Mr. Haworth's Cabinet. Sup- posed to have been taken in Norfolk.
1666 <i>Cuspis</i>	Large Dagger	<i>St.</i> 3, p. 40. 6283 <i>ACRONYCTA</i> .	Norwood; in Mr. Hatchett's Collection.
1667 <i>Solidaginis</i>	Golden Rod Brindle	<i>Curtis</i> , 14, pl. 683. <i>Xy- lina</i> .	Mr. Bentley's Cabinet. Taken by Jo- seph Eveleigh, Esq., near Man- chester, in 1837, in abundance.
1668 <i>Lutosa</i>	Clay Wainscot	<i>Hübner</i> , t. 48, f. 232. <i>St.</i> 4, p. 390. <i>Nonagria</i> .	Mr. Curtis has a specimen taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1669 <i>Vectis</i>	Southern Wainscot	C. 10, t. 451. St. 4, p. 390. Nonagria.	Mr. Curtis mentions this insect as inhabiting Black-gang Chine, Isle of Wight, and Whittlesea Mere, in July.
1670 <i>Cordigera</i>	Small Dark Yellow-underwing	St. 3, p. 112. 6391 ANARTA.	Scotland. Mr. Curtis's Cabinet.
1671 <i>Aprica</i>	The Nun	St. 3, p. 113. 6394 ACONTIA.	A single specimen, according to Mr. Stephens, taken nearly half a century since by Mr. Tinley.
1672 <i>Scutosa</i>	Spotted Clover Moth	Curtis, 13, pl. 595. Heliothis.	Carlisle.
1673 <i>Subatomaria</i>	Dotted Angle	Haworth. Timandra.	Mr. Bentley's Cabinet; from Mr. Haworth's.
1674 <i>Zonaria</i>	Belted Brindle	St. 4, p. 391. Entom. Mag. 2, p. 437. Nyssia.	Taken at the Black Rock, near Liverpool, in September 1832, and February 1833.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1675 <i>Tauaria</i>	Tau Brindle	<i>St. 4, p. 391. Entom. Mag. 1, 431. Nussia.</i>	Mr. Newman's Cabinet; to whom we are indebted for the use of the spe- cimen. Taken at Leominster, in June 1832.
1676 <i>Poly- grammata</i>	Many-striped	<i>St. 3, p. 256. 6606 PHIBALAPTERYX.</i>	Said to have been taken in Norfolk.
1677 <i>Luteolana</i>	Striped Clay Tortrix	<i>St. 4, p. 395. Tortrix.</i>	Whittlesea Mere. In June.
1678 <i>Juliana</i>	July Tortrix	<i>St. 4, p. 396. Lozotænia.</i>	New Forest. In July.
1679 <i>Areolana</i>	Streamlet	<i>St. 4, p. 396. Carpo- capsa.</i>	Devonshire, Yorkshire, and Norfolk.
1680 <i>Roborella</i>	Dotted Knot- Horn	<i>St. 4, p. 309. 7448 PHYCITA.</i>	Middlesex, Sur- rey, Essex, &c. End of June.
1681 <i>Cristella</i>	Purplish Knot-horn	<i>St. 4, p. 310. 7449 PHYCITA.</i>	Hedges near Coombe and Darenth Woods, &c. End of June.
1682 <i>Legatella</i>	Plain Knot- horn	<i>St. 4, p. 310. 7450 PHYCITA.</i>	Found with the above; but not so common.
1683 <i>Fusca</i>	Brown Knot- horn	<i>St. 4, p. 310. 7451 PHYCITA.</i>	Darenth Wood; but very rare. June.

ADDITIONS.

Pl. 52



83 a +



1658 n



1667 a +



1675 a +



83 a +



1669 a +



1668 a +



1676 n



84 a +



1660 a +



1669 a +



1677 n



84 a +



1661 a +



1670 n



1678 n



85 a +



1662 a +




1671 a



1679 n



85 a +



1663 a +



1672 a +



1680 a



37 d +



1664 a



1673 a



1681 n



1656 a



1665 a



1674 a



1682 n



1657 a +




1666 a + W. Wood, Junr.



1674 n



1683 n



DOUBTFUL BRITISH SPECIES.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
PAPILIO.			
1 <i>Podalirius</i>	Scarce Swallow-tail	<i>D. 4, pl. 109. St. 1, p. 6.</i> 5795 <i>PAPILIO.</i>	Not authenticated as British.
2 <i>Palæno</i>		<i>Hub. t. 86, f. 434. St. 1, p. 11.</i> 5798 <i>COLIAS.</i>	Introduced as British by Martyn in his Aurelian's Vade-Mecum.
3 <i>Apollo</i>	Crimson-ringed	<i>D. 13, t. 433. St. 1, p. 25.</i> 5813 <i>DORITIS.</i>	Introduced by Donovan as British, but without sufficient authority.
4 <i>Mnemosyne</i>		<i>St. 1, p. 26.</i> 5814 <i>DORITIS.</i>	Marked by Turton as British in his Translation of the Systema Naturæ.
5 <i>Maturna</i>		<i>St. 1, p. 33.</i> 5821 <i>MELITÆA.</i>	Not authenticated as British.
6 <i>Niobe</i>		<i>St. 1, p. 37.</i> 5826 <i>ARGYNNIS.</i>	In the indigenous collection of the late Dr. Abbot of Bedford.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
7 <i>Hampstediensis</i>	Albin's Hampstead Eye	<i>St. 1, p. 48, t. 5, f. 3 & 4.</i> Vanessa. 5837 CYNTHIA.	The only specimen of this insect is figured by Petiver, who says it was found by Albin at Hampstead.
8 <i>Huntera</i>		<i>St. 4, p. 381.</i> Vanessa.	Said to be taken in Pembroke-shire by Capt. Blomer.
9 <i>Levana</i>		<i>St. 1, p. 49.</i> Vanessa. 1838 CYNTHIA.	Considered by Turton as a native species.
10 <i>Populi</i>		<i>St. 1, p. 51.</i> 5840 LIMENITIS.	Said by Stewart to be British, and found in July.
11 <i>Sibilla</i>		<i>St. 1, p. 52.</i> 5842 LIMENITIS.	Also said by Stewart to be British.
12 <i>Mæra</i>		<i>St. 1, p. 55.</i> 5844 HIPPARCHIA.	Introduced as British, probably by mistake for <i>H. Ægeria</i> .
13 <i>Phædra.</i>		<i>St. 1, p. 56.</i> 5846 HIPPARCHIA.	Noticed as British by Turton.
14 <i>Alcyone</i>		<i>St. 1, p. 56.</i> 5847 HIPPARCHIA.	Said by Stewart to inhabit Scotland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
15 <i>Mnestra</i>		<i>St. 1, p. 63.</i> 5855 HIPPARCHIA.	Admitted as British by mistake.
16 <i>Alcon</i>		<i>St. 1, p. 88.</i> Polyom- matus.	Introduced by Haworth in the old Entomolo- gical Transac- tions.
17 <i>Malvæ</i>		<i>St. 1, p. 98.</i> 5888 THYMELE.	Mr. Stephens does not believe that this insect has ever been taken in En- gland.
18 <i>Sylvius</i>		<i>St. 1, p. 100.</i> 5892 PAMPHILA.	Said to be En- glish, but not satisfactorily ascertained.
19 <i>Globulariæ</i>		<i>St. 1, p. 106.</i> 5899 INO.	Introduced in the Syst. Cat. in mistake for a var. of Statice.
20 <i>Scabiosæ</i>		<i>St. 1, p. 108.</i> 5901 ANTHROCERA.	According to Mr. Haworth, this insect was taken near London by Capt. Linde- gren.
21 <i>Peucedani</i>		<i>St. 4, p. 383.</i> 5906 ANTHROCERA.	Mistaken by Wilkes for <i>An.</i> <i>Filipendulæ</i> .

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
SPHINX.			
22 <i>Carolina</i>	Tobacco	<i>C. 5, t. 197. St. 1, p. 118.</i> 5911 SPHINX.	Taken in England, but imported from America.
23 <i>Quinque- maculatus</i>	Yellow-spotted Unicorn	<i>D. 11, t. 361. St. 1, p. 119.</i> 3912 SPHINX.	Also a North American insect, but has been taken at Chelsea.
24 <i>Druræi</i>		<i>D. 14, t. 469. St. 1, p. 120.</i> 5914 SPHINX.	A native of America; but taken at four different times in England.
25 <i>Plebeia</i>		<i>St. 1, p. 122.</i> 5917 SPHINX.	Introduced into the old English Cabinets in mistake for <i>Pinastri</i> .
26 <i>Pæcila</i>		<i>St. 1, p. 122.</i> 5918 SPHINX.	Mr. Stephens doubts the authenticity of this insect, said to be British.
27 <i>Daucus</i>		<i>St. 1, p. 126.</i> 5922 DEILEPHILA.	Taken near Lynn in Norfolk; but a native of America.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
28 <i>Argentata</i>		<i>St. 1, p. 130.</i> 5924 <i>DEILEPHILA.</i>	Found in some old Cabinets; but not con- sidered as Bri- tish.
29 <i>Thysbe</i>		<i>St. 1, p. 135.</i> <i>Sesia Cim- biciformis.</i>	A native of North Ame- rica; but ob- tained from Plastead's Ca- binet as British by Mr. Ste- phens.
<i>PHALÆNA.</i>			
30 <i>Anasto- mosis</i>		<i>St. 2, p. 13.</i> 5953 <i>CLOSTERA.</i>	Mr. Stephens has never seen an indigenous specimen, though Stewart has it in his Elements of Natural Hi- story as British.
31 <i>Querneæ</i>		<i>St. 2, p. 31.</i> 5980 <i>CHAONIA.</i>	Haworth sup- posed this to be British.
32 <i>Tau</i>	<i>Tau Emperor</i>	<i>St. 2, p. 37.</i> 5984 <i>AGLAIA.</i>	Mentioned as British by Martyn only in his Aure- lian's Vade- Mecum.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
33 Dumeti		<i>St. 2, p. 41.</i> 5991 LASIOCAMPA.	Mentioned by Stewart as British; but doubtful.
34 Proces- sionea	Processionary	<i>St. 2, p. 47.</i> 5995 CNETHOCAMPA.	Pronounced British by Martyn and Stewart; but on no good foundation.
35 Ilicifolia		<i>St. 2, p. 53.</i> 6002 GASTROPACHA.	Introduced by Turton; but not ascertained to be British.
36 Populifolia		<i>St. 2, p. 53.</i> 6003 GASTROPACHA.	Martyn has given this as British.
37 Mori	Silkworm	<i>A. t. 12, f. 16. H. t. 13,</i> <i>f. a—f. St. 4, p. 385.</i> Bombyx.	Figured in the British works of Albin and Harris; but not indigenous.
38 Matronula		<i>St. 2, p. 70.</i> 6019 ARCTIA.	Noticed as British by Dr. Turton.
39 Hebe		<i>St. 2, p. 71.</i> 6021 ARCTIA.	Reputed, but improperly, to be British.
40 Purpurea		<i>St. 2, p. 71.</i> 6022 ARCTIA.	Given as British by Turton and Stewart.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
41 <i>Aulica</i>		<i>St. 2, p. 71.</i> 6023 <i>ARCTIA.</i>	In Martyn's Aurelian's Vade-mecum.
42 <i>Rubea</i>		<i>St. 2, p. 79.</i> 6082 <i>PENTHOPHERA.</i>	In Samouelle's Introduction to the Knowledge of British Insects; but without author- ity.
43 <i>Depuncta</i>		<i>St. 2, p. 133.</i> 6119 <i>GRAPHIPHORA.</i>	Entered as Bri- tish by Mr. Haworth in his Prodromus.
44 <i>Imbecilla</i>		<i>Curtis's Guide, p. 180.</i> <i>Graphiphora.</i>	Supposed to be British by Mr. Curtis.
45 <i>Perspicil- laris</i>		<i>Calophasia.</i>	Introduced by mistake for a var. of <i>conspi- cillaris</i> , in the British Mu- seum.
46 <i>Ludifica</i>		<i>St. 3, p. 46.</i> 6293 <i>DIPHThERA.</i>	Marked by Turton as British.
47 <i>Pteridis</i>		<i>St. 3, p. 49.</i> 6298 <i>DIPHThERA.</i>	Mentioned as British by Samouelle.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
48 <i>Luteago</i>		<i>St. 3, p. 70.</i> 6328 GORTYNA.	Inserted by Samouelle in the Entomolo- gist's Compen- dium.
49 <i>Gnaphalii</i>		<i>St. 3, p. 90.</i> 6364 CUCULLIA.	Introduced by mistake for Solidaginis.
50 <i>Asclepiadis</i>		<i>St. 3, p. 97.</i> 6371 ABROSTOLA.	Said to have been taken in England; but Mr. Stephens has not seen an indigenous specimen.
51 <i>Celsia</i>		<i>St. 3, p. 99.</i> Calotænia. 6374 CELSIA.	Introduced into the Vade- Mecum as Bri- tish by Martyn.
52 <i>Chalcytis</i>		Plusia.	Supposed to be British; but not ascertained.
53 <i>Ludicra</i>	Scarce Black- neck	<i>St. 3, p. 126.</i> 6417 OPHIUSA.	In Mr. Swain- son's Collec- tion.
54 <i>Leucomelas</i>	Large Four- spotted	<i>St. 3, p. 128.</i> 6420 CATEPHIA.	This insect was in the late Mr. Haworth's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
55 <i>Elocata</i>		<i>C. 5, t. 217. St. 3, p. 132.</i> 6424 CATOCALA.	Obtained from the late Mr. Blunt's Cabinet by Mr. Curtis; but a native of Portugal.
56 <i>Pacta</i>		<i>St. 3, p. 133.</i> 6426 CATOCALA.	A native of Nor- way; mistaken by Wilkes for British.
57 <i>Triquetra</i>		<i>St. 3, p. 139.</i> 6434 EUCLIDIA.	A native of Hun- gary; inserted by mistake in the Entomolo- gist's Compen- dium.
58 <i>Alniaria</i>	Canary- shouldered Thorn	<i>St. 3, p. 164.</i> 6460 GEOMETRA.	In Stewart's Elements of Natural Hi- story as Bri- tish.
59 <i>Dilectaria</i>	Small Thorn	<i>St. 3, p. 204. Epione.</i> 6526 BRADYEPETES.	Supposed only by Haworth to be British.
60 <i>Ocellaria</i>		<i>St. 3, p. 200. Ephyra.</i>	Of doubtful au- thenticity.
61 <i>Monilis</i>		<i>St. 4, p. 391. Hypso- lopha.</i>	Mentioned by Fabricius as in- habiting En- gland; but is a native of Georgia.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
62 <i>Melanaria</i>	Yellow-under- winged Magpie	<i>St.</i> 3, <i>p.</i> 149. <i>Fidonia</i> . 6591 ———.	The late Mr. Haworth, though he ad- mitted this from report as British, had seen only fo- reign speci- mens.
63 <i>Tinctaria</i>		<i>St.</i> 3, <i>p.</i> 291. <i>Cleogene</i> . 6681 <i>MINOA</i> .	Locality not known.
64 <i>Purpuraria</i>	Purple-barred Yellow	<i>St.</i> 3, <i>p.</i> 207. <i>Aspilates</i> .	A reputed Bri- tish specimen is in Mr. Swainson's Cabinet; the reference in <i>p.</i> 89, No. 539, is to <i>Asp. gil- varia</i> ♀.
65 <i>Decoraria</i>		<i>Curtis's Guide</i> , <i>p.</i> 194. <i>Acidalia</i> .	Indicated as doubtful by Mr. Curtis.
66 <i>Fascialis</i>		<i>St.</i> 4, <i>p.</i> 33. <i>Ennychia</i> .	Introduced by mistake.
67 <i>Dimidiatus</i>	Tea Tabby	<i>St.</i> 4, <i>p.</i> 24. 6775 <i>AGLOSSA</i> .	Brought with the tea from the East In- dies; not indi- genous.
68 <i>Marginatus</i>		<i>Haworth</i> .	Introduced by Haworth.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
69 <i>Magnificalis</i>	Brindled	<i>St. 4, p. 395. Cataclysta.</i>	Stated by Hübner to be found in England; a mistake probably, for <i>New</i> England.
70 <i>Nebulalis</i>	Dusky Brindled	<i>St. 4, p. 60. Margaritia, 6835 SCOPULA.</i>	Introduced by mistake as synonymous with <i>Prunalis</i> .
71 <i>Anthracinellus</i>		<i>St. 4, p. 348. Euplocamus.</i>	Introduced by Turton without authority.
72 <i>Bracteella</i>		<i>Curtis's Guide, p. 208. Enicostoma.</i>	Supposed by Curtis to be British.



DOUBTFUL BRITISH SPECIES.

Pl. 53



1 c



10 b +



19 a



28 b +



2 b



11 b



20 a



29 b



3 c



12 b



21 a +



30 a +



4 b



13 b



22 d +



31 a +



5 a +



14 b



23 d +



32 b +



6 b



15 a +



24 d



33 b



7 b



16 a +



25 c



34 a



8 b +



17 a



26 b +



35 a +



9 a +



18 a



27 c



36 b +

W. Wood Junr



[The text on this page is extremely faint and illegible. It appears to be organized into several horizontal lines, possibly representing a list or a series of entries. The characters are light brown or tan, blending into the aged, off-white paper.]



DOUBTFUL BRITISH SPECIES.

Pl. 54



37 a +



46 a +



55 c



64 a



38 c



47 a



56 b



65 n



39 b



48 a +



57 a



66 n



40 b



49 a +



58 b



67 n



41 a +



50 a +



59 n



68 a




42 a




51 a +



60 a



69 n



43 a +




52 a +




61 b




70 n



44 a



53 b



62 a +



71 a +



45 a



54 a




63 a



72 n

W. Wood Jan. 7



INDEX.

. The Generic names in the third column as altered by Mr. Stephens since his Catalogue was published, have been adopted in this Index.

PAPILIO.		PL.	PL.	PL.	
Apatura Iris, page 5...	1	Melitæa Dia, page 239	52	Vanessa Atalanta, page	1
Argynnis Adippe, 4 ...	1	Euphrosyne, 3	1	4	1
Aglaia, 4	1	Maturna, 243	53	C. Album, 4	1
Lathonia, 3	1	Pyronia, 239.....	52	Huntera, 244	53
Niobe, 243	53	Selene, 3	1	Io, 4	1
Paphia, 4	1	Nemeobius Lucina, 3.	1	Polychlorus, 4	1
Colias Chrysotheme, 1	1	Papilio Machaon, 1 ...	1	Urticæ, 4	1
Edusa, 1	1	Podalirius, 243	53		
Europome, 1	1	Pamphila Actæon, 9...	3	SPHINX.	
Hyale, 2	1	Bucephalus, 10 ...	3	Acherontia Atropos, 12	4
Palæno, 243	53	Comma, 10	3	Ægeria Allantiformis,	
Cynthia Cardui, 5.....	1	Linea, 9	3	14	4
Hampstediensis, 244	53	Paniscus, 9	3	Asiliformis, 14	4
Levana, 244	53	Sylvanus, 9	3	Chrysidiformis, 14 .	4
Doritis Apollo, 243 ...	53	Sylvius, 245	53	Culiciformis, 15 ...	4
Mnemosyne, 243 ...	53	Pieris Cratægi, 3	1	Cynipiformis, 14 ...	4
Gonepteryx Rhamni, 1	1	Polyommatus Acis, 8 .	3	Formiciformis, 15... 4	
Hipparchia Ægeria, 6 .	2	Adonis, 8	3	Ichneumoniformis,	
Alcyone, 244	53	Agestis, 9	3	14.....	4
Arcanius, 239	52	Alcon, 245	53	Mutillæformis, 15 .	4
Blandina, 6	2	Alexis, 8	3	Philanthiformis, 14 .	4
Cassiope, 6	2	Alsus, 8.....	3	Spheciformis, 14 ...	4
Davus, 6	2	Argiolus, 7	3	Stomoxiformis, 15 .	4
Galathea, 5	2	Argus, 8	3	Tipuliformis, 15 ...	4
Hero, 6.....	2	Arion, 8	3	Anthrocera Filipendula,	
Hyperanthus, 6 ...	2	Artaxerxes, 9	3	11	4
Janira, 5	2	Corydon, 8	3	Hippocrepidis, 11 .	4
Ligea, 6	2	Dorylas, 8.....	3	Loti, 11	4
Mæra, 244	53	Eros, 8	3	Meliloti, 11	4
Megæra, 5.....	2	Icarius, 8	3	Trifolii, 11	4
Mnestra, 245	53	Salmacis, 9	3	Daphnis Nerii, 239 ...	52
Pamphilus, 6	2	Pontia Brassicæ, 2 ...	1	Deilephila Argentata,	
Phædra, 244.....	53	Cardamine, 2	1	247	53
Polydama, 6.....	2	Chariclea, 2	1	Celereo, 13	4
Semele, 5	2	Duplidice, 2	1	Daucus, 246... ..	53
Tithonus, 5	2	Metra, 2	1	Elpenor, 13	4
Leucophasia Sinapis, 2	2	Napi, 2	1	Euphorbiæ, 12	4
Limenitis Camilla, 5... 2		Rapæ, 2	1	Galii, 12	4
Populi, 244	53	Sabellicæ, 2	1	Livornica, 13	4
Sibilla, 244	53	Thecla Betulæ, 6	2	Porcellus, 13	4
Lycæna Chryseis, 7 ...	2	Pruni, 6.....	2	Ino Statices, 11	4
Dispar, 7	3	Quercus, 7	2	Macroglossa Stellata-	
Hippothoe, 7	2	Rubi, 7	2	rum, 13.....	4
Phlæas, 7	2	Spini, 7.....	2	Sesia Thysbe, 247 ...	53
Virgaurea, 7.....	3	W. Album, 7.....	2	Fuciformis, 13	4
Melitæa Artemis, 3 ...	1	Thymele Alveolus, 9..	3	Bombyliiformis, 13 .	4
Athalia, 3	1	Malvæ, 245	53	Smerinthus ocellatus,	
Cinxia, 3	1	Tages, 9	3	11	4
		Vanessa Antiopa, 4 ...	1		
		2 L.			

Smerinthus Populi, page 12	4
Tilia, 12	4
Sphinx Carolina, 246 ..	53
Convolvuli, 12	4
Druræi, 246	53
Ligustri, 12	4
Pinastrî, 12	4
Plebeia, 246	53
Pœcila, 246	53
Quinque-maculatus, 246	53
Thyridopteryx Ephe- meraformis, 239 ...	52
Trochilium Apiformis, 14	4
Cabroniformis, 14 .	4
PHALÆNA.	
Ablabia Quadri-punc- tana, 147	33
Abraxas Grossulariata, 97	22
Pantaria, 97	22
Ulnata, 97	22
Abrostola Asclepiadis, 250	54
Illustri, 71	16
Triplacea, 70	16
Urticæ, 71	16
Achatia Piniperda, 56. 13	
Achroia Alvearia, 207. 45	
Acidalia Aversata, 113	26
Decoraria, 252	54
Floslactata, 114	26
Fuliginata, 114	26
Fumata, 114	26
Inornata, 113	26
Lactata, 114	26
Marginepunctata, 113	25
Osseata, 113	25
Remutata, 113	26
Subsericeata, 113 ..	26
Virgularia, 113	26
Acleris Bifidana, 160 .	36
Cerusana, 160	36
Gnomana, 160	36
Scabrana, 160	36
Subtripunctulana, 160	36
Tripunctulana, 160 .	36
Acompisia Cinerella, 180	40
Tinctella, 180	40
Unitella, 180	40
Acontia Aprica, 241...	52

	Pl.
<i>Acontia Caloris</i> , page	
73	17
<i>Luctuosa</i> , 73.....	17
<i>Solaris</i> , 73.....	17
<i>Acosmetia Arcuosa</i> , 75	17
<i>Caliginosa</i> , 75	17
<i>Lineola</i> , 75	17
<i>Lutescens</i> , 75	17
<i>Rufa</i> , 75	17
<i>Acria Emarginella</i> , 179	40
<i>Acronycta Alni</i> , 60 ...	14
<i>Auricomma</i> , 61	14
<i>Cuspid</i> , 240	52
<i>Euphorbiae</i> , 61.....	14
<i>Euphrasiae</i> , 61	14
<i>Ligustri</i> , 60	14
<i>Megacephala</i> , 60 ...	14
<i>Menyanthesidis</i> , 61...	14
<i>Psi</i> , 60	14
<i>Rumicis</i> , 61	14
<i>Strigosa</i> , 240	52
<i>Tridens</i> , 60	14
<i>Actebia Præcox</i> , 57... 13	
<i>Adactylus Bennetii</i> , 234	51
<i>Adela Cuprella</i> , 182... 40	
<i>De Geerella</i> , 182 ...	40
<i>Fasciella</i> , 182	40
<i>Frischella</i> , 183	41
<i>Latreillella</i> , 182 ...	41
<i>Panzerella</i> , 183.....	40
<i>Reaumurella</i> , 182... 40	
<i>Robertella</i> , 183.....	41
<i>Sulzella</i> , 182.....	40
<i>Swammerdammella</i> , 183	41
<i>Viridella</i> , 183	41
<i>Æthia Emortualis</i> , 118	27
<i>Aglia Tau</i> , 247.....	53
<i>Aglossa Cuprealis</i> , 119	27
<i>Dimidiatus</i> , 252 ...	54
<i>Pinguinalis</i> , 119 ...	27
<i>Streatfieldii</i> , 119 ...	27
<i>Agrotæra Flammealis</i> , 120	27
<i>Agrotis Æqua</i> , 33.....	9
<i>Annæa</i> , 34	9
<i>Aquilina</i> , 35	9
<i>Corticea</i> , 33	9
<i>Cinerea</i> , 36	9
<i>Cuneigera</i> , 35	9
<i>Cursoria</i> , 240	52
<i>Dubia</i> , 36	9
<i>Exclamationis</i> , 36... 9	
<i>Fumosa</i> , 36	9
<i>Hortorum</i> , 35	9
<i>Lineolata</i> , 35	9
<i>Lunigera</i> , 33.....	9
<i>Nebulosa</i> , 36	9

	Pl.
<i>Agrotis</i> <i>Nigricans</i> ,	
<i>page</i> 35	9
<i>Obeliscata</i> , 36	9
<i>Ocellina</i> , 35	9
<i>Plaga</i> , 240	52
<i>Pupillata</i> , 35.....	9
<i>Radia</i> , 34	9
<i>Radiola</i> , 34	9
<i>Ruris</i> , 36	9
<i>Sagittifera</i> , 34	9
<i>Segetum</i> , 33	9
<i>Subgothica</i> , 36.....	9
<i>Suffusa</i> , 34	9
<i>Tritici</i> , 35	9
<i>Valligera</i> , 34.....	9
<i>Venosa</i> , 35	9
<i>Alabonia</i> <i>Geoffroyella</i> ,	
181	40
<i>Alcis</i> <i>Consobrinaria</i> , 85	20
<i>Consortaria</i> , 85.....	19
<i>Conversaria</i> , 84 ..	19
<i>Destrigaria</i> , 84	19
<i>Fimbriaria</i> , 85	20
<i>Muraria</i> , 84	19
<i>Repandata</i> , 84	19
<i>Rhomboidaria</i> , 85....	20
<i>Roboraria</i> , 85	20
<i>Sericearia</i> , 84	19
<i>Alucita</i> <i>Hexadactyla</i> ,	
238	51
<i>Pæcilodactyla</i> , 238.	51
<i>Polydactyla</i> , 238 ..	51
<i>Amaurosetia</i> <i>Albifron-</i>	
<i>tella</i> , 228	50
<i>Albinella</i> , 228	50
<i>Atrella</i> , 228	49
<i>Cerusella</i> , 228	49
<i>Megerlella</i> , 228 ..	50
<i>Minutella</i> , 228	49
<i>Oppositella</i> , 227 ..	49
<i>4-Punctella</i> , 228 ..	49
<i>Amphipyra</i> <i>Pyramidea</i> ,	
46	11
<i>Anacamptis</i> <i>Affinis</i> , 175	39
<i>Albimaculea</i> , 178 ..	40
<i>Aleella</i> , 178	40
<i>Alternella</i> , 178	40
<i>Angustella</i> , 178.....	40
<i>Annulicornis</i> , 174 ..	39
<i>Aspera</i> , 175	39
<i>Atra</i> , 177	39
<i>Betulea</i> , 173.....	39
<i>Bifasciella</i> , 179.....	40
<i>Cinerella</i> , 174	39
<i>Contigua</i> , 176	39
<i>Decorella</i> , 177	39
<i>Diffinis</i> , 175	39
<i>Dodecella</i> , 174.....	39

Pl.		Pl.		Pl.	
Anacampsis Domestica,	Pl.	Anesychia Pusiella,	Pl.	Aphelosetia Semial-	Pl.
page 175	39	page 185	41	bella, page 205 ...	45
Fulvescens, 178 ...	40	Angerona Prunaria, 82	19	Triatomea, 205.....	45
Fuscens, 178	40	Ania Emarginata, 116.	26	Aplocera Cæsiata, 108	25
Guttifera, 177	39	Limbata, 116	26	Flavicinctata, 108...	25
Hortuella, 173	39	Anisopteryx Escula-		Araxes Ahenella, 214 .	47
Hubneri, 176	39	ria, 79	21	Lotella, 214	47
Interruptella, 178...	40	Leucophearia, 78...	21	Miniosella, 213.....	47
Juniperella, 173 ...	38	Anticlea Albana, 144 .	32	Ocellea, 214	47
Lacteella, 175	39	Asseclana, 145	32	Arctia Aulica, 249 ...	54
Lanceolella, 176 ...	39	Berberata, 95	22	Caja, 25.....	7
Laticinctella, 173...	38	Bilunana, 144	32	Hebe, 248.....	54
Listrella, 173	39	Derivata, 95	22	Matronula, 248.....	54
Longicornis, 174 ...	39	Fimbriana, 144.....	32	Purpurea, 248	54
Luctuella, 176	39	Harpana, 144	22	Villica, 25.....	7
Lutarea, 174.....	39	Incarnana, 144.....	32	Argyrolepis Æneana,	
Maculella, 177	39	Mitterbacheriana,		164	37
Marmorea, 177.....	39	145	32	Bistrigana, 164.....	37
Mouffetella, 174 ...	39	Nævana, 144.....	32	Desinana, 164.....	37
Nebulea, 173	39	Nigromaculana, 144	32	Lathoniana, 164 ...	37
Nivella, 178	39	Paykulliana, 144 ...	32	Margaritana, 164 ...	37
Proxima, 176	39	Rubidata, 95.....	22	Tesserana, 164.....	37
Quadri-punctata,		Sinuata, 95	22	Argyromyges Alnifoli-	
179	40	Sociana, 144.....	32	ella, 192	43
Rhombella, 174 ...	39	Subocellana, 145 ...	32	Autumnella, 193 ...	43
Rusticella, 176.....	39	Antithesia Betuletana,		Blanchardella, 190 .	42
Sarcitella, 175	39	134	30	Clerkella, 193	43
Sequax, 176	39	Corticana, 134	30	Corylifoliella, 192...	42
Subrosea, 177	39	Gentianæana, 135 .	30	Cramerella, 191 ...	42
Subcinerea, 174 ...	39	Grevilleana, 135 ...	30	Cuculipenella, 192 .	42
Subocellea, 177 ...	39	Marginana, 135 ...	30	Cydoniella, 190.....	42
Tremella, 177	39	Oblongana, 135 ...	30	Harrisella, 191	42
Tricolorella, 176 ...	39	Pruniana, 135	30	Hortella, 192	42
Zephyrella, 173 ...	39	Pullana, 135	30	Klemanella, 191 ...	42
Anaitis Plagiata, 96 ...	22	Salicella, 135	30	Mespilella, 191.....	42
Præformata, 97.....	22	Tripunctana, 134 ...	30	Nivella, 193	42
Anania 8-maculata, 122	28	Connexa, 240	52	Obscurella, 192.....	43
Anarta Cordigera, 241	52	Apamea Didyma, 54...	12	Rayella, 191	42
Heliaca, 73	17	Fibrosa, 53	12	Rufipunctella, 192 .	43
Myrtilli, 73	16	Furca, 54	13	Schreberella, 190 ...	42
Vidua, 73	17	I-Niger, 54	12	Semiaurella, 193 ...	43
Anchylopera Cuspida-		Nictitans, 53.....	12	Spartifoliella, 193 ..	43
na, 143	32	Oculea, 54.....	12	Sylvella, 192.....	42
Derasana, 144	32	Ophiogramma, 54...	13	Trifasciella, 191 ...	42
Deminutana, 143 ...	32	Secalina, 53	12	Tristrigella, 191 ...	42
Fractifasciana, 143 .	32	Apatela Aceris, 60 ...	14	Ulmifoliella, 192 ...	43
Funalana, 143	32	Bradyporina, 60 ...	14	Unipunctella, 193...	43
Lundana, 142	32	Leporina, 59.....	14	Argyrosetia Aurifasci-	
Lyellana, 142	32	Aphelosetia Auritella,		ella, 190	42
Obtusana, 142	32	205	45	Aurivittella, 190 ...	42
Siculana, 143	32	Cygnipennella, 205 .	45	Brockella, 190	42
Uncana, 143.....	32	Floslactis, 205	45	Gædartaella, 189 ...	42
Unculana, 142	32	Fulvescens, 206 ...	45	I. V-ella, 190	42
Ustomaculana, 143 .	32	Lucidella, 205	45	Literella, 190	42
Anesychia Dodecea,		Marginea, 206	45	Semifasciella, 189...	42
185	41	Oleella, 205	45	Argyrotoza Bergman-	
Echiella, 185.....	41	Rufipennella, 206...	45	niana, 163.....	36
Funerella, 185	41	Rufocinerea, 205 ...	45	Conwayana, 163 ...	37

Pl.	Pl.	Pl.
Argyrotoza Daldorfiana, page 164	Calocampa Exoleta, page 48.....	Catocala Elocata, page 251
Hoffmanseggiana, 163	Vetusta, 47	Fraxini, 76
Subaurantiana, 163. 37	Callisto Fuscocuprella, 201	Nupta, 76
Aspilates Citraria, 89.. 20	Fuscoviridella, 201.. 44	Pacta, 251..... 54
Gilvaria, 89	Fysesella, 201	Promissa, 76..... 17
Purpuraria, 252..... 54	Guttea, 200	Sponsa, 76..... 17
Respersaria, 89..... 20	Callimorpha Jacobææ, 28	Celæria Haworthii, 56 13
Astyages Coracipennella, 202	Miniata, 28	Hibernica, 56
Cylindrella, 201..... 44	Calophasia Linariae, 70 16	Lancea, 56
Flaviciput, 202	Perspicillaris, 249... 54	Renigera, 56..... 13
Grandipennis, 201... 44	Calotænia Celsia, 250 54	Celma Imbutata, 96... 22
Gryphipennella, 202 44	Campæa Margaritata, 82	Ceropacha Diluta, 62 . 14
Lutarea, 202..... 44	Campogramma Bilineata, 100..... 23	Duplaris, 62
Nigricella, 202	Campylochila Bistrigalis, 119	Flavicornis, 63
Obscurella, 202..... 44	Undulalis, 119	Fluctuosa, 62
Ochroleucella, 202.. 44	Capua Ochraceana, 163	Octogesima, 63..... 14
Serratella, 202	Caradrina Alsines, 43. 11	Or, 62
Bactra Egenana, 147.. 33	Ambigua, 43..... 10	Ridens, 63..... 14
Egestana, 147	Cubicularis, 44..... 11	Cerigo Texta, 32
Expallidana, 147 ... 33	Glareosa, 44	Cerostoma Annulatus, 223..... 49
Pauperana, 147..... 33	Implexa, 44	Maculipennis, 223.. 49
Plagana, 147..... 33	Lævis, 44	Porrectella, 223 ... 49
Bapta Bimaculata, 108 24	Morpheus, 44	Xylostella, 223..... 49
Punctata, 108	Redacta, 43	Cerura Arcuata, 18 ... 5
Batia Flavifrontella, 207 45	Sepii, 44	Bicuspis, 17
Lambdalla, 206	Superstes, 44	Bifida, 18
Lunaris, 206	Carpocapsa Aspidis-cana, 146	Erminea, 18
Lutarella, 206	Areolana, 242	Fureula, 18
Panzerella, 206	Cana, 147	Fuscina, 18..... 5
Saturatella, 206 ... 45	Fulvana, 146..... 33	Integra, 17
Biston Betularius, 80.. 18	Grossana, 145	Latifascia, 18
Hirtarius, 80... .. 18	Hypericana, 146 ... 33	Vinula, 18..... 5
Prodromarius, 79 ... 18	Lanceolana, 146 ... 33	Chaonia Dodonea, 20. 6
Boarmia Abietaria, 85. 20	Leplastriana, 146... 33	Roboris, 20
Consonaria, 86	Perlepidana, 146 ... 33	Quernea, 247
Crepuscularia, 86 ... 20	Pomonella, 145..... 33	Charæas Cespitis, 32... 8
Extersaria, 86	Pupillana, 146	Confinis, 33
Punctularia, 86..... 20	Rheediella, 146..... 33	Fusca, 33
Strigularia, 86	Rufana, 147	Graminis, 33..... 8
Tetragonaria, 85 ... 20	Scopoliana, 147..... 33	Nigra, 33
Bombycia Viminalis, 63 14	Splendana, 145..... 33	Chatochilus Costellus, 221..... 48
Bombyx Mori, 248 ... 54	Stelliferana, 146 ... 33	Fissellus, 222..... 48
Bradyepetes Amataria, 88	Weberana, 145..... 33	Maurellus, 222
Brephe Notha, 77..... 17	Cataclysta Lemnata, 123	Radiatellus, 222 ... 48
Parthenias, 77	Magnificalis, 253 ... 54	Rufimitrellus, 222... 48
Puella, 77	Catephia Leucomelas, 250	Sequellus, 223
Bryophila Glandifera, 61	Trifasciata, 76	Sylvellus, 222
Perla, 61	Catocala Conjuncta, 77 17	Variellus, 222
Bupalus Piniarius, 78.. 18		Vittellus, 222
Cabera Exanthemata, 87		Chariclea Delphinii, 70 16
Pusaria, 87		Charissa Dilucidaria, 101
Rotundaria, 87		Obscuraria, 100..... 23
		Operaria, 101
		Pullata, 101

Pl.		Pl.		Pl.	
Charissa Serotinaria, page 101	23	Clisiocampa Neustria, page 22	6	Crambus Inquinatellus, page 218	48
Cheimatobia Brumata, 102	23	Clostera Anachoreta, 17 ..	5	Latistrius, 217	47
Rupicaprararia, 102... 23		Anastomosis, 247... 53		Luteellus, 218	48
Cheimophila Phryga- nella, 184	41	Curtula, 17	5	Lythargyrellus, 214. 47	
Cheimatophila Casta- neana, 163	36	Reclusa, 17	5	Margaritellus, 217... 47	
Chelaria Rhomboid- ella, 179	40	Suffusa, 239	52	Marginellus, 216 ... 47	
Chesias Obliquaria, 101 23		Cnephasia Assinana, 148	33	Montanellus, 216... 47	
Spartata, 101	23	Curvifasciana, 149... 33		Nigristriellus, 219... 48	
Chilo Caudellus, 220. 48		Icteriana, 148..... 33		Obtusellus, 219..... 48	
Forficellus, 219..... 48		Interjectana, 148 ... 33		Paleellus, 219	48
Fumeus, 220..... 48		Logiana, 448..... 33		Pascuellus, 215..... 47	
Gigantellus, 220 ... 48		Longana, 148	33	Petrificellus, 219 ... 48	
Phragmitellus, 220.. 48		Nubilana, 149	33	Pinetellus, 217	47
Punctigerellus, 220. 48		Obsoletana, 148 ... 33		Pratellus, 216	47
Chlorissa Cloraria, 114 26		Panziana, 147	33	Pygmaeus, 217	47
Putataria, 114	26	Perfusca, 149 ... 33		Radiellus, 217	47
Thymiararia, 114..... 26		Rectifasciana, 148... 33		Rellellus, 218	48
Viridata, 114..... 26		Sinuana, 148	33	Selacellus, 218	48
Chrysocorys Angusti- pennella, 203 ... 45		Cnethocampa Pitio- campa, 22	6	Tentaculellus, 215... 47	
Cidaria Didymata, 90. 21		Processionea, 248... 53		Tristis, 218	48
Ferrugata, 91	21	Cochleophasia Pubi- cornis, 183	41	Crocallis Elinguaria, 80 18	
Fluctuata, 91	21	Tessellata, 183	41	Cucullea Absinthii, 70 16	
Latentaria, 91	21	Cochylis Griseana, 167 37		Artemisiae, 70	16
Montanata, 91	21	Roseana, 167..... 37		Asteris, 69..... 16	
Miaria, 91..... 21		Ruficiliana, 167..... 37		Chamomillae, 70 ... 16	
Munitata, 90..... 21		Russicola, 167	37	Fissina, 70..... 16	
Olivata, 91	21	Subroseana, 167 ... 37		Gnaphalii, 250	54
Propugnata, 92..... 21		Colobochyla Salicalis, 118	27	Lactuce, 69	16
Quadrifasciaria, 90.. 21		Cosmia Affinis, 64 ... 15		Lucifuga, 69	16
Salicata, 91	21	Diffinis, 64	14	Scrophulariæ, 69 ... 16	
Unidentaria, 90 ... 21		Fulvago, 64	15	Tanaceti, 69	16
Cilix compressa, 117. 26		Pyrulina, 64	15	Thapsiphaga, 70 ... 16	
Cledeobia Albistriga- tus, 119..	27	Trapezina, 64	15	Verbasci, 69	16
Costæstrigalis, 119. 27		Cossus Ligniperda, 16. 5		Umbratica, 69	16
Cleodora Falciformis, 180	40	Crambus Angustellus, 216	47	Cynæda Dentalis, 127. 29	
Lucidella, 180	40	Arbustorum, 214 ... 47		Dasychira Fascelina, 23 6	
Nebulella, 180	40	Argentellus, 215 ... 47		Pudibunda, 23	6
Ochroleucella, 180.. 40		Argyreus, 214	47	Dasytoma Salicella, 184 41	
Rufescens, 179	40	Aridellus, 218	48	Deiopeia Pulchella, 29 8	
Silacella, 179	40	Aquilellus, 219	48	Demas Coryli, 24	6
Cleogene Niveata, 108 24		Cerusellus, 217... .. 47		Depressaria Albipunc- tella, 171	38
Tinctaria, 252	54	Cespitellus, 216	47	Alstroemeriana, 172. 38	
Cleora Bajularia, 83... 19		Chrysonuchellus, 217 48		Apicella, 170..... 38	
Cinctaria, 84..... 19		Culmellus, 217..... 47		Applana, 171..... 38	
Lichenaria, 83	19	Culmorum, 219..... 48		Atomella, 172	38
Pictaria, 84	19	Dealbellus, 215 ... 47		Badiella, 170	38
Teneraria, 83	19	Dumetellus, 215 ... 47		Bluntii, 172 38	
Viduararia, 83	19	Ericellus, 215	47	Carduella, 170	38
Clisiocampa Castren- sis, 22	6	Falsellus, 218	48	Characterosa, 170... 38	
		Fuscinellus, 219... 48		Costosa, 172	38
		Hamellus, 215	47	Curvipunctosa, 171. 38	
		Hortuellus, 216..... 47		Gilvella, 171..... 38	
				Heracleana, 170 ... 38	
				Immaculana, 171 ... 38	
				Irrorella, 172	38
				Liturella, 172..... 38	

	Pl.		Pl.		Pl.
Depressaria Nervosa,		Emmelesia Rusticata,		Eudorea Resinea, page	
page 170	38	page 110	25	209	46
Ocellana, 171	38	Sylvata, 110	25	Subfusca, 208	46
Purpurea, 173	38	Tæniata, 110	25	Tristrigella, 208 ...	46
Putridella, 172	38	Trigonata, 110	25	Eulepia Cribrum, 28 .	8
Sparmanniana, 171.	38	Turbaria, 109.	25	Grammica, 28	8
Umbellana, 170.	38	Unifasciata, 110.	25	Euphasia Catena, 74...	17
Venosa, 170	38	Endromis Versicolora,		Eupithecia Abbreviata,	
Yatesana, 171.	38	21	6	105	24
Diaphora Mendica, 26.	7	Bracteella, 253	54	Absinthiata, 106 ...	24
Diasemia Literalis, 122	28	Enicostoma Thunber-		Albipunctata, 105...	24
Dictyopteryx Ciliana,		gana, 181	40	Angustata, 107	24
162	36	Ennomos Flexula, 116.	26	Centaureata, 107 ...	24
Contaminana, 162...	36	× Ennychia Fascialis, 252	54	Cognata, 107	24
Porskaliana, 163 ...	36	Ephyra Ocellaria, 251.	54	Consignata, 107 ...	24
Lœflingiana, 162 ...	36	Omicronaria, 87.	20	Elongata, 106	24
Plumbana, 162	36	Orbicularia, 87	20	Exiguata, 104	24
Rhombana, 162.	36	Pendularia, 87	20	Innotata, 106	24
Diphthera Ludifica, 249	54	Porata, 87.	20	Lævigata, 104	24
Orion, 61	14	Punctaria, 88.	20	Linariata, 103	23
Pteridis, 249.	54	Trilinearia, 88	20	Nebulata, 105	24
Ditula Ethiopiana, 134	31	Epione Advenaria, 88..	20	Nigro-punctata, 104	24
Angustiorana, 133...	30	Apiciarea, 88	20	Nigro-sericeata, 104	24
Nebulana, 134	30	Dilectaria, 251	54	Notata, 106	24
Porphyrana, 133 ...	30	Vespertaria, 88	20	Piperata, 107	24
Rotundana, 133.	30	Episema Cœruloce-		Plumbeolata, 106 ..	24
Semifasciana, 134...	30	phala, 17	5	Pulchellata, 103 ...	23
Scriptana, 134	30	Erastria Albidilinea, 74	17	Pusillata, 106	24
Sylvana, 136.	30	Apicosa, 74.	17	Rectangulata, 103...	23
Wellensiana, 134 ...	30	Bankiana, 74.	17	Rufifasciata, 104 ...	24
Diurnea Fagella, 184...	41	Fuscula, 74.	17	Simpliciata, 106 ...	24
Novembris, 184.	41	Minuta, 74.	17	Singulariata, 105...	24
Drepana Falcataria,		Ostrina, 73.	17	Strobilata, 104	24
116	26	Sulphuralis, 74.	17	Suberata, 104	23
Hamula, 117.	26	Venustula, 74	17	Subfasciata, 105 ...	24
Uncula, 117	26	Uncana, 74.	17	Subfulvata, 106 ...	24
Unguicula, 117.	26	Eremobia Ochroleuca,		Subfuscata, 105 ...	24
Dypterygia Pinastri, 46	11	70	16	Subumbrata, 105 ...	24
Earis Clorana, 128 ...	29	Eriogaster Lanestris, 22	6	Succenturiata, 107 .	24
Electra Achatinata, 96	22	Eriopus Pteridis, 249 .	54	Variegata, 107	24
Comitata, 96.	22	Euchromia Fulvipunc-		V-ata, 104.	24
Populata, 96	22	tana, 153	35	Venosata, 107	24
Pyraliata, 96.	22	Purpurana, 153.	35	Vulgata, 105.	24
Spinachiata, 96.	22	Euclidia Glyphica, 77.	17	Euplexia Lucipara, 53	6
Testata, 96.	22	Mi, 77	17	Euplocamus Anthraci-	
Ellopia Fasciaria, 82...	19	Triquetra, 251	54	nellus, 253.	54
Emmelesia Affinitata,		Eucosmia Undulata,		Mediellus, 226	49
109	25	100	23	Eupoecilia Angustana,	
Albulata, 109	25	Eudiotis Lucernalis,		166	43
Bifasciata, 110	25	123	28	Dubitana, 166	43
Blandiata, 109	25	Eudorea Angustea, 209	46	Luteolana, 166	43
Blomeri, 110.	25	Cembrella, 208	46	Maculosana, 165 ...	43
Candidata, 110	25	Dubitalis, 208	46	Nana, 166.	43
Decolorata, 109.	25	Lineola, 208	46	Permixtana, 166 ...	43
Ericetata, 109	25	Mercurella, 209	46	Pygmaeana, 166 ...	43
Heparata, 111	25	Murana, 209.	46	Sodaliana, 166	43
Luteata, 111	25	Pallida, 208	46	Eurrhpara Urticata,	
Rivulata, 109.	25	Pyralella, 208	46	123	28

× Ennychia (singulata) ho 788
Argeminalis ho 789
Pseudofasciata ho 790.
Pseudomaculana ho 797.

	Pl.		Pl.		Pl.
Eurymene Dolabraria,		Glyphipteryx Zinckel-		Hadena Obscura, <i>page</i>	
<i>page</i> 88.....	14	<i>la, page</i> 198.....	44	240.....	52
Euspilapteryx Auro-		Gnophria Rubricollis, 30	8	Ochracea, 50.....	12
guttella, 232.....	50	Gortyna Flavago 66...	15	Plebeia, 49.....	12
Euthalia Elutata, 98...	22	Luteago, 250.....	54	Saponariae, 50.....	12
Impluviata, 98.....	22	Micacea, 65.....	15	Satura, 49.....	12
Miata, 98.....	22	Gracillaria Cinerea, 232	50	Thalassina, 54.....	13
Psittacata, 98.....	22	Elongella, 234.....	50	Halia Vauaria, 86.....	20
Euthemonia Russula,		Hæmidactylella, 233	50	Hama Basilinea, 53...	12
25.....	7	Leucopennella, 234.	51	Connexa, 240.....	52
Eutricha Pini, 23.....	7	Meleagripennella,		Testacea, 53.....	12
Fidonia Atomaria, 78.	18	232.....	50	Harpagus Albistrigella,	
Carbonaria, 78.....	18	Nebulea, 232.....	50	201.....	44
Ericetaria, 78.....	18	Ochracea, 233.....	50	Cinctella, 201.....	44
Fuliginaria, 78.....	18	Præangusta, 234... 51		Harpalyce Biangulata,	
Melanaria, 252.....	54	Purpurea, 233.....	50	93.....	21
Fumea Bombycella, 27	7	Roscipennella, 234.. 51		Corylata, 93.....	21
Muscella, 27.....	7	Rufipennella, 233... 50		Fulvata, 92.....	21
Nitidella, 27.....	7	Semifascia, 233.....	50	Galiata, 92.....	21
Pectinella, 27.....	7	Stigmatella, 233.... 50		Ocellata, 92.....	21
Pulla, 27.....	7	Substriga, 233.....	50	Quadri-annulata, 92 21	
Galleria Cereana, 207.	48	Sulphurella, 234.... 51		Silaceata, 93.....	21
Gastropacha Ilcifolia,		Syringella, 232.....	50	Subtristata, 93.....	21
248.....	53	Thunbergella, 233.. 50		Sylvaticata, 93.....	21
Populifolia, 248... 53		V-Flava, 232.....	50	Tristata, 92.....	21
Quercifolia, 23.....	6	Versicolor, 232.....	50	Unangulata, 93.....	21
Geometra Alniaria, 251	54	Violacea, 234.....	51	Unilobata, 92.....	21
Angularia, 81.....	19	Grammesia Bilinea, 43	10	Harpiteryx Dentella,	
Canaria, 80.....	18	Trilinea, 42.....	10	221.....	48
Carpiniaria, 81.....	19	Graphiphora Augur, 37	9	Falcella, 221.....	48
Delunaria, 81.....	19	Baja, 38.....	10	Scabrella, 221.....	48
Erosaria, 80.....	18	Birivia, 240.....	52	Heliophobus Leuco-	
Fuscantaria, 81.....	19	Brunnea, 37.....	9	phæus, 51.....	12
Illunaria, 81.....	19	Candelisequa, 38... 9		Popularis, 51.....	12
Illustraria, 82.....	19	C-Nigrum, 38.....	10	Heliopsis Dipsacea, 73	16
Juliaria, 81.....	19	Crassa, 37.....	9	Marginata, 72.....	16
Lunaria, 81.....	19	Depuncta, 249.....	54	Peltigera, 72.....	16
Ochraria, 80.....	18	Erythrocephala, 38.. 10		Scutosa, 241.....	52
Quercaria, 81.....	19	Festiva, 38.....	10	Hemerophila Abrupta-	
Quercinaria, 80.....	19	Imbecilla, 249.....	54	ria, 85.....	20
Sublunaria, 81.....	19	Latens, 37.....	9	Hemithea Cythisaria,	
Tiliaria, 80.....	18	Musiva, 39.....	10	83.....	19
Glaea Polita, 45.....	11	Plecta, 39.....	10	Smaragdaria, 83... 19	
Rubiginea, 45.....	11	Pyrophila, 37.....	9	Vernaria, 83.....	19
Rubricosa, 44.....	11	Punicea, 39.....	10	Heribea Cognatella,	
Satellititia, 45.....	11	Renigera, 37.....	9	194.....	43
Spadicea, 45.....	11	Subrosea, 37.....	9	Forsterella, 194... 43	
Subnigra, 45.....	11	Triangulum, 38.....	10	Haworthana, 194... 43	
Vaccinii, 45.....	11	Tristigma, 38.....	10	Humerella, 194... 43	
Glyphipteryx Bimacu-		Hadena Adusta, 49... 12		Simpliciella, 194... 43	
lella, 199.....	44	Amica, 49.....	12	Heterogenea Asellus, 28	7
Eximia, 199.....	44	Capsicola, 50.....	12	Heusimene Fimbriana,	
Linneella, 198.....	44	Contigua, 49.....	12	138.....	21
Metallella, 199.....	44	Cucubali, 50.....	12	Himera Pennaria, 80.. 18	
Roesella, 198.....	44	Genistæ, 54.....	13	Hipparchus Papilion-	
Schæfferella, 198... 44		Glaucia, 49.....	12	rius, 83.....	19
Subcuprella, 199... 44		Leucostigma, 50... 12		Homœosoma Gemina,	
Variella, 199.....	44	Lithoriza, 50.....	12	213.....	47

	Pl.		Pl.		Pl.
Hybernia Capreolaria,		Lampronia Flavipunc-		Leucania Rufescens,	
page 79.....	18	tella, page 229 ...	50	page 67.....	15
Connectaria, 79 ...	18	Hellwigella, 231 ...	50	Suffusa, 67	15
Defoliaria, 79	18	Luzella, 229	50	Leucoma Salicis, 24...	7
Prosapiaria, 79	18	Marginepunctella,		Vau-nigra, 24	7
Hydrocampa Nym-		229	50	Limacodes Testudo,	
phæata, 123	28	Melanella, 230	50	28	7
Potamogata, 122 ...	28	Prælatella, 229.....	50	Lithosia Aureola, 29 .	8
Hylophila Prasinana,		Purpurella, 230.....	50	Complana, 29	8
128	29	Rubroaurella, 231...	50	Depressa, 30.....	8
Quercana, 128	29	Rupella, 229.....	50	Flava, 29	8
Hypena Crassalis, 117	27	Sanguinella, 231 ...	50	Gilveola, 29	8
Obesalis, 117.....	26	Semipurpurella, 230	50	Griseola, 30	8
Palpalis, 117.....	26	Seppella, 231	50	Helvola, 29	8
Proboscidalis, 117 .	26	Subpurpurella, 230 .	50	Muscicrda, 30	8
Rostralis, 117	27	Lampropteryx Badiata,		Plumbeolata, 30 ...	8
Hypercallia Christier-		95	22	Quadra, 30	8
nana, 169	38	Piceata, 95	22	Lobophora Costæstri-	
Hypercompa Domi-		Suffumata, 94	21	gata, 103	23
nula, 25.....	7	Larentia Bipunctaria,		Dentistrigata, 102 .	23
Hypogymna Dispar, 23	6	90	21	Hexapterata, 103 ...	23
Hypsolopha Anten-		Cervinata, 89	20	Polycommata, 102 .	23
nella, 221	48	Chenopodiata, 89 ...	20	Rupestata, 103 ...	23
Asperella, 221	48	Multistrigaria, 90...	21	Sexalisata, 103.....	23
Monilis, 251.....	54	Lasiocampa Dumeti,		Viretata, 103.....	23
Persicella, 221	48	248	53	Lophoderus Ministran-	
Hypopygia Costalis,		Medicaginis, 21 ...	6	nus, 153	35
120	27	Quercus, 21	6	Subfascianus, 153...	35
Hyria Auroraria, 108 .	24	Roboris, 22	6	Lophonotus Fasciulel-	
Ilythia Anella. 207 ...	46	Rubi, 21	6	lus, 179	40
Sociella, 207.....	45	Trifolii, 21.....	6	Lophopteryx Camelina,	
Ismene Albistria, 188 .	42	Leiocampa Dictæa, 19	5	19	5
Clematella, 189 ...	42	Dictæoides, 19	5	Carmelita, 20	6
Curvella, 189	42	Lepidocera Birdella,		Cuculla, 20	5
Mendicella, 188 ...	42	226	49	Lozogramma Petrarica,	
Ocellea, 189	42	Chenopodiella, 226 .	49	99	22
Ossea, 189.....	42	Mediopectinella, 226	49	Lozopera Alternana,	
Pruniella, 188	42	Taurelia, 226	49	167	37
Semifusca, 188	42	Leptogramma Fulvo-		Badiana, 168.....	38
Semipurpurella, 188	42	mixtana, 161.....	36	Baumanniana, 168 .	38
Semitestacella, 189 .	42	Irrorana, 161	36	Dubrisana, 167.....	37
Tetrapodella, 188...	42	Literana, 161	36	Francillana, 168 ...	37
Incurvaria Masculella,		Squamana, 161.....	36	Marmoratana, 167 .	37
227	47	Tricolorana, 161 ...	36	Smeathmanniana,	
Oehlmanniella, 227 .	49	Leucania Arcuata, 67 .	15	168	38
Pectinella, 227	49	Comma, 66	15	Straminea, 168.....	37
Spuria, 227	49	Fluxa, 68	15	Lozotænia Acerana, 132	30
Tripunctella, 227 ...	49	Geminipuncta, 68...	15	Bipustulana, 132 ...	30
Lælia Cænosa, 24.....	7	Impura, 67	15	Branderiana, 131 ...	29
Lampronia Ammanella,		Littoralis, 67.....	15	Cerasana, 130	29
231	50	Neurica, 68	15	Cinnamomeana, 129	29
Atrella, 230	50	Obsoleta, 67	15	Corylana, 130	29
Auropurpurella, 230	50	Ochræa, 68.....	15	Costana, 132.....	29
Bistrigella, 231.....	50	Pallens, 67	15	Croceana, 130	29
Calthella, 231	50	Pallida, 68.....	15	Cruciana, 133	30
Capitella, 229	50	Pudorina, 68.....	15	Forsterana, 129.....	29
Concinnella, 231 ...	50	Punctina, 67.....	15	Grossulariana, 130 .	29
Corticella, 230	50	Pygmina, 68	15	Grotiana, 132	30

Pl.		Pl.		Pl.	
<i>Lozotaenia</i> <i>Heparana</i> ,		<i>Margaritia</i> <i>Institalis</i> ,		<i>Microsetia</i> <i>Trimacu-</i>	
<i>page</i> 129	29	<i>page</i> 126	28	<i>lella</i> , <i>page</i> 196 ...	43
<i>Holmiana</i> , 133	30	<i>Laecalalis</i> , 124	28	<i>Unifasciella</i> , 196 ...	43
<i>Juliana</i> , 242	52	<i>Longipedalis</i> , 126	28	<i>Violaceella</i> , 197 ...	44
<i>Lævigana</i> , 130	29	<i>Margaritalis</i> , 126	28	<i>Minoa</i> <i>Charophyllata</i> ,	
<i>Modceriana</i> , 132 ...	30	<i>Nebulalis</i> , 253	54	108	24
<i>Nebulana</i> , 130	29	<i>Ochrealis</i> , 125	28	<i>Euphorbia</i> , 103 ...	24
<i>Obliquana</i> , 131	29	<i>Olivalis</i> , 127	29	<i>Miselia</i> <i>Albimacula</i> , 59	13
<i>Oporana</i> , 131	29	<i>Palealis</i> , 124	28	<i>Aprilina</i> , 57	13
<i>Ochreana</i> , 132	30	<i>Pallidalis</i> , 125	28	<i>Bimaculosa</i> , 57	13
<i>Ribeana</i> , 130	29	<i>Prunalis</i> , 127	29	<i>Compta</i> , 57	13
<i>Roborana</i> , 131	29	<i>Pulveralis</i> , 126	28	<i>Oxyanthæ</i> , 57	13
<i>Rosana</i> , 131	29	<i>Sericalis</i> , 127	29	<i>Mormo</i> <i>Maura</i> , 76	14
<i>Schreberiana</i> , 133 ..	30	<i>Stramentalis</i> , 126 ..	28	<i>Mythimna</i> <i>Conigera</i> ,	
<i>Sorbiana</i> , 129	29	<i>Sticticalis</i> , 127	29	42	10
<i>Subocellana</i> , 131 ...	29	<i>Terminalis</i> , 125	28	<i>Grisea</i> , 42	10
<i>Trifasciana</i> , 132 ...	30	<i>Verbascalis</i> , 126 ...	28	<i>Lithargyria</i> , 42	10
<i>Xylosteana</i> , 131 ...	29	<i>Verticalis</i> , 124	28	<i>Turea</i> , 42	10
<i>Lytæa</i> <i>Albimacula</i> , 240	52	<i>Mesographe</i> <i>Forficalis</i> ,		<i>Nenia</i> <i>Typica</i> , 46	11
<i>Leucographia</i> , 32 ...	8	123	28	<i>Nemeophila</i> <i>Plantagi-</i>	
<i>Macaria</i> <i>Alternata</i> , 115	26	<i>Metallosetia</i> <i>Spissicor-</i>		<i>nis</i> , 25	7
<i>Liturata</i> , 115	26	<i>nis</i> , 203	45	<i>Nola</i> <i>Cucullatella</i> , 128	29
<i>Notata</i> , 115	26	<i>Trifolii</i> , 203	45	<i>Monachalis</i> , 128 ...	29
<i>Preatomata</i> , 116 ...	26	<i>Miana</i> <i>Æthiops</i> , 55 ...	13	<i>Strigulalis</i> , 128	29
<i>Subrufata</i> , 115	26	<i>Fasciuncula</i> , 55	13	<i>Nomophila</i> <i>Hybridalis</i> ,	
<i>Unipunctata</i> , 116 ...	26	<i>Humeralis</i> , 55	13	213	47
<i>Mæsia</i> <i>Favillacearia</i> , 78	18	<i>Latruncula</i> , 55	13	<i>Nonagria</i> <i>Cannæ</i> , 66 ..	15
<i>Macrochila</i> <i>Bicostella</i> ,		<i>Literosa</i> , 55	13	<i>Crassicornis</i> , 66 ...	15
181	40	<i>Minima</i> , 56	13	<i>Lutosa</i> , 240	52
<i>Fasciella</i> , 180	40	<i>Rufuncula</i> , 55 ...	13	<i>Pilicornis</i> , 66	15
<i>Margineella</i> , 181 ...	40	<i>Strigilis</i> , 55	13	<i>Typhæ</i> , 66	15
<i>Parenthesella</i> , 181 ...	40	<i>Terminalis</i> , 55	13	<i>Vectis</i> , 241	52
<i>Mamestra</i> <i>Albicolon</i> , 52	12	<i>Microsetia</i> <i>Atri-capi-</i>		<i>Notodonta</i> <i>Dromeda-</i>	
<i>Aliena</i> , 53	12	<i>tella</i> , 197	43	<i>rius</i> , 19	5
<i>Brassicæ</i> , 52	12	<i>Aurella</i> , 196	43	<i>Nudaria</i> <i>Emerobia</i> , 27	7
<i>Chenopodii</i> , 52	12	<i>Aurafasciella</i> , 197 ...	44	<i>Mundana</i> , 27	7
<i>Furva</i> , 51	12	<i>Bella</i> , 195	43	<i>Senex</i> , 28	7
<i>Nigricans</i> , 52	12	<i>Cinereo-punctella</i> ,		<i>Numeria</i> <i>Pulveraria</i> , 86	20
<i>Olereacea</i> , 51	12	195	43	<i>Nyssia</i> <i>Hispidaria</i> , 79	18
<i>Persicariæ</i> , 53	12	<i>Exiguella</i> , 195	43	<i>Tauaria</i> , 242	52
<i>Pisi</i> , 51	12	<i>Floslatella</i> , 197 ...	43	<i>Zonaria</i> , 241	52
<i>Splendens</i> , 51	12	<i>Gleichella</i> , 198	44	<i>Odonestis</i> <i>Potatoria</i> , 23	7
<i>Suasa</i> , 52	12	<i>Guttella</i> , 195	43	<i>Odontoptera</i> <i>Bidentata</i> ,	
<i>Margaritia</i> <i>Alpinalis</i> ,		<i>Mediofasciella</i> , 196	43	80	18
127	29	<i>Nigrella</i> , 196	43	<i>Æcophora</i> <i>Olivella</i> , 181	43
<i>Asinalis</i> , 124	28	<i>Nigrociliella</i> , 196 ...	43	<i>Sulphurella</i> , 182 ...	43
<i>Angustalis</i> , 125	28	<i>Obsoletella</i> , 194 ...	43	<i>Oncocera</i> <i>Cardui</i> , 213	47
<i>Centrostrigalis</i> , 124	28	<i>Pfeifferella</i> , 198 ...	44	<i>Carnella</i> , 213	47
<i>Cilialis</i> , 125	28	<i>Posticella</i> , 196 ...	43	<i>Sanguinella</i> , 213 ...	47
<i>Cinctalis</i> , 124	28	<i>Puchella</i> , 195	43	<i>Ophiura</i> <i>Crassiuscula</i> ,	
<i>Diversalis</i> , 124	28	<i>Pygmaella</i> , 197 ...	44	76	17
<i>Ferrugalis</i> , 125	28	<i>Quadrella</i> , 195 ...	43	<i>Ludicra</i> , 250	54
<i>Fuscalis</i> , 126	28	<i>Ruficapitella</i> , 197 ...	43	<i>Lusoria</i> , 75	17
<i>Fimbrialis</i> , 126	28	<i>Sericiella</i> , 197	44	<i>Oporabia</i> <i>Dilutata</i> , 102	23
<i>Flavalis</i> , 125	28	<i>Sequella</i> , 195	43	<i>Oporinia</i> <i>Nubilea</i> , 184	41
<i>Fulvalis</i> , 126	28	<i>Stipella</i> , 195	43	<i>Tortricella</i> , 184	41
<i>Glabralis</i> , 125	28	<i>Subbimaculella</i> , 196	43	<i>Orgyia</i> <i>Antiqua</i> , 24 ...	6
<i>Hyalinalis</i> , 125	28	<i>Subbistrigella</i> , 194	43	<i>Gonostigma</i> , 24	6

	Pl.		Pl.		Pl.
Orthosia Cruda, page 40	10	Peronea Brunneana,		Phycita Abietella, page	
Flavilinea, 41	10	page 154	35	212	47
Gracilis, 40	10	Byringerana, 157	35	Advenella, 211	46
Instabilis, 39	10	Centrovittana, 156	35	Angustella, 210	46
Intermedia, 39	10	Combustana, 157	35	Binævella, 209	46
Litura, 41	10	Consimilana, 155	35	Bistriga, 210	46
Lota, 41	10	Coronana, 157	35	Consociella, 211	46
Lunosa, 41	10	Costimaculana, 159	36	Cristella, 242	52
Pallida, 41	10	Cristalana, 155	35	Dilutella, 210	46
Miniosa, 40	10	Cristana, 156	35	Elutella, 210	46
Munda, 40	10	Desfontaniana, 155	35	Fascia, 211	46
Pallida, 40	10	Divisana, 156	35	Formosa, 212	46
Pistacina, 41	10	Favillaceana, 157	35	Fusca, 242	52
Pusilla, 41	10	Fulvocristana, 155	35	Hostilis, 212	46
Sparsa, 40	10	Fulvovittana, 155	35	Legatella, 242	52
Stabilis, 40	10	Latifasciana, 158	36	Marmorea, 211	46
Upsilon, 42	10	Logiana, 160	36	Nebulella, 209	46
Orthotænia Bentley-		Obsoletana, 157	35	Obscura, 212	46
ana, 165	37	Plumbosana, 158	36	Obtusa, 212	46
Comitana, 165	37	Profanana, 154	35	Ornatella, 212	46
Gemmana, 165	37	Radiana, 156	35	Palumbella, 213	47
Haworthana, 165	37	Ramostriana, 156	35	Pinguis, 211	46
Resinella, 165	37	Reticulana, 158	35	Porphyreæ, 211	46
Turionana, 165	37	Rufana, 159	36	Roborella, 242	52
Orthotelia Venosa, 169	38	Ruficostana, 156	35	Rhenella, 211	46
Ourapteryx Sambuca-		Schalleriana, 159	36	Rufa, 210	46
ria, 82	19	Similana, 158	35	Semirufa, 210	46
Oxyptæ Gelatella, 184	41	Spadiceana, 155	35	Tristrigella, 212	47
Pachyænemia Hippoca-		Striana, 154	35	Tumidana, 210	46
stanaria, 101	23	Subcristana, 157	35	Phytometra Aenea, 75	17
Panacalia Fusco-ænea,		Substriana, 154	35	Platypteryx Cultraria,	
200	44	Subvittana, 156	35	116	26
Fusco-cuprea, 200	44	Trigonana, 159	36	Lacertula, 116	26
Latreillella, 200	44	Tristana, 158	35	Plusia Aurifera, 72	16
Leuwenhoekella, 200	44	Umbrana, 156	35	Bimaculata, 71	16
Merianella, 200	44	Variegana, 159	36	Bractea, 72	16
Woodiella, 200	44	Vittana, 154	35	Chalcytis, 250	54
Paracolax Derivalis,		Petasia Cassinea, 20	6	Chrysitis, 72	16
118	27	Phasianæ Plumbaria, 89	20	Circumflexa, 72	16
Nemoralis, 118	27	Phibalapteryx Angus-		Festuca, 72	16
Tarsicrinalis, 118	27	tata, 99	22	Gamma, 71	16
Parapoynx Stratiotata,		Lignata, 99	22	Iota, 71	16
123	28	Lineolata, 99	22	Interrogationis, 71	16
Penthophera Nigri-		Tersata, 99	22	Orichalcea, 72	16
cans, 27	7	Vitalbata, 99	22	Percontationis, 71	16
Rubea, 249	54	Phibalocera Quercana,		Pecilocampa Populi, 22	6
Pericallia Syringaria,		169	38	Pecilochroma Com-	
82	19	Phigalia Pilosaria, 79	18	munana, 152	34
Peridea Serrata, 21	6	Philedone Gerningi-		Maculana, 152	34
Peronea Albicostana,		ana, 133	30	Maurana, 152	34
158	35	Walkerana, 133	30	Piceana, 152	34
Albistriana, 157	35	Phlogophora Meticu-		Semifusca, 152	34
Albipunctana, 156	35	losa, 69	16	Solandriana, 152	34
Albovittana, 155	35	Phlyctænia Sambuca-		Trapezana, 152	34
Aspersana, 159	36	lis, 123	28	Pecilophasia Margina-	
Autumnana, 157	35	Phragmatobia Fulgi-		ta, 114	26
Bistriana, 158	35	nosa, 26	7	Polia Advena, 58	13
Borana, 159	36	Phtheochroa Rugo-		Bimaculosa, 58	13
Boscana, 158	36	sana, 166	37	Chi, 59	14

	Pl.		Pl.		Pl.
Polia Dysodea, page 59	14	Pseudotomia Simplici-	Pl.	Pyrausta Cespitalis,	Pl.
Flavocincta, 58.....	13	ana, page 139	31	page 121.....	27
Herbida, 58	13	Strigana, 139.....	31	Fascialis, 252	54
Nitens, 58.....	13	Strobilella, 138.....	31	Ostrinalis, 122	27
Occulta, 59	13	Trauniana, 140	31	Porphyralis, 122.....	27
Polymita, 58.....	13	Psilura Monacha, 23 ..	6	Punicealis, 122.....	27
Seladonia, 59.....	14	Psodos Alpinata, 77 ...	18	Purpuralis, 121.....	27
Serena, 59.....	14	Trepidaria, 77.....	18	Sordidalis, 121	27
Templi, 58.....	13	Pterophorus Bipuncti-		Pyrophila Tetra, 46 ...	11
Tincta, 58.....	13	dactylus, 235.....	51	Tragopogonis, 46 ...	11
Polyphasia Amœnata,		Calodactylus, 237... 51		Rhyacionia Hastiana,	
93	21	Carphodactylus, 236 51		165	37
Centumnotata, 94... 21		Cosmodactylus, 237 51		Roxana Arcuana, 145..	32
Commanotata, 94... 21		Didactylus, 237..... 51		Rumia Cratægata, 82..	19
Coccinnata, 94..... 21		Fuscodactylus, 235.. 51		Rusina Ferruginea, 33.	8
Immanata, 93	21	Galactodactylus, 235 51		Sarrothrips Afzelia-	
Marmorata, 94	11	Heterodactylus, 238 51		nus, 154.....	35
Perfuscata, 94	21	Leucodactylus, 236.. 51		Degeneranus, 153... 34	
Saturata, 94	21	Lunædactylus, 236.. 51		Dilutanus, 154.....	34
Polypogon Barbalis,		Microdactylus, 238.. 51		Ilicanus, 154.....	34
118	27	Migadactylus, 236... 51		Lathamianus, 153... 34	
Cribralis, 118.....	27	Monodactylus, 235.. 51		Ramulanus, 154.....	35
Porthesia Auriflua, 25.	7	Niveidactylus, 236... 51		Undulanus, 153	34
Chrysorrhœa, 24	7	Ochrodactylus, 236.. 51		Saturnia Pavonia, (mi-	
Porrectaria Albicosta,		Pallidactylus, 236... 51		nor), 21.....	6
204	45	Pentadactylus, 234.. 51		Scoria Dealbata, 97 ...	22
Anatipennella, 203..	45	Pterodactylus, 235.. 51		Scotophila Porphyrea,	
Anseripennella, 203	45	Punctidactylus, 237. 51		56	13
Argentula, 204	45	Rhododactylus, 237. 51		Scotosia Rhamnata, 99	22
Gallipennella, 204... 45		Similidactylus, 236.. 51		Sparsaria, 100	23
Leucapennella, 204. 45		Spilodactylus, 235... 51		Vetulata, 100	23
Lineolea, 204	45	Tephrodactylus, 235 51		Segetia Neglecta, 43... 10	
Ochrea, 204	45	Tesseradactylus, 237 51		Xanthographa, 43... 10	
Ornatipennella, 204 45		Tetradactylus, 236.. 51		Semiophora Gothica, 39	10
Otidipennella, 203... 45		Tridactylus, 235..... 51		Semioscopis Avella-	
Struthionipennella,		Trigonodactylus, 237 51		nella, 185	41
203	45	Ptilodontis Palpina, 20	6	Steinkelnerana, 185 41	
Prionapteryx Nebuli-		Ptilophora Variegata,		Sericoris Alternana, 150	34
fera, 214	47	20	6	Aurofasciana, 151... 34	
Pseudotomia Atromar-		Ptycholoma Licheana,		Bifasciana, 151.....	34
gana, 138	31	152	34	Cespitana, 150	34
Atropurpurana, 139. 31		Obsoletana, 153.....	34	Fasciolana, 149.....	34
Aurana, 140	31	Ptychopoda Bisetata,		Fuligana, 151.....	34
Compositella, 140... 31		112	25	Furfurana, 151.....	34
Dorsana, 140.....	31	Cinereata, 112	25	Gramineana, 150... 34	
Ephippiana, 140.....	31	Contiguarina, 112.... 25		Marmorana, 151 ... 34	
Fraternana, 138.....	31	Degeneraria, 112 ... 25		Micana, 150	34
Gundiana, 140.....	31	Dilutaria, 111.....	25	Obsoletana, 150 34	
Jacquiniana, 139 ... 31		Fimbriolata, 111 25		Politana, 150.....	34
Lediana, 140.....	31	Immutata, 112.....	25	Pulchellana, 150... 34	
Lunulana, 139.....	31	Incanata, 112.....	25	Quadri-maculana,	
Nigricana, 139	31	Lividata, 112.....	25	149	33
Nitidana, 140.....	31	Ornata, 112.....	25	Striana, 149	33
Obscurana, 138.....	31	Rubricata, 113	25	Subsequana, 151 ... 34	
Petiverella, 138.....	31	Pygæra Bucephala, 17	5	Undulana, 150	34
Populana, 139.....	31	Pyralis Dimidiatus, 252	54	Urticana, 149	34
Proximana, 139.....	31	Farinalis, 120.....	27	Setina Eborina, 31.....	8
Puncticostana, 139.. 31		Glaucinalis, 120 27		Irrorella, 31	8
Sequana, 138.....	31	Pictalis, 120	27	Roscida, 31.....	8

	Pl.		Pl.		Pl.
Simaethis Fabriciana,		Telea Comptella, page		Triphæna Janthina,	
page 120	28	187	41	page 32	8
Lutosa, 120.....	28	Cratægella, 187.....	41	Orbona, 31	8
Myllerana, 121.....	28	Curtisella, 187	41	Pronuba, 31	8
Pariana, 120.....	28	Leucatella, 187.....	41	Subsequa, 31	8
Punctosa, 121	28	Lutarella, 187	42	Triphosa Cervinata, 100	23
Simyra Musculosa, 68.	15	Subfasciella, 187 ...	42	Cinereata, 100	23
Nervosa, 73.....	16	Teras Caudana, 162...	36	Dubitata, 100	23
Venosa, 71.....	16	Eiffactana, 162.....	36	Valeria Oleagina, 57...	13
Speranza Brunneata, 77	18	Emargana, 161.....	36	Venilia Maculata, 111.	25
Limbaria, 78.....	18	Excavana, 161.....	36	Quadrinaculata, 111	25
Spilonota Argyrana, 137	31	Tethea Gracilis, 63 ...	14	Xanthia Aurago, 65 ...	25
Aquana, 136	30	Retusa, 63.....	14	Centrago, 65.....	25
Comitana, 136	30	Subtusa, 63	14	Citrango, 65	25
Costipunctana, 137. 31		Thera Coniferata, 102.	23	Croceago, 65.....	25
Cynosbatella, 136... 30		Fulvata, 102	23	Fimbriago, 65	25
Foenella, 136.....	30	Juniperata, 102.....	23	Flavago, 64	15
Nigricostana, 137... 31		Simulata, 101	23	Fulvago, 65	15
Nubiferana, 135.....	30	Variata, 101	23	Gilvago, 65	15
Pflugiana, 136	31	Theristis Acinacidella,		Rufina, 68.....	15
Quadrana, 137	31	220	48	Xanthosetia Diver-	
Rusticana, 137	31	Nemorella, 220.....	48	sana, 169	38
Sticticana, 137	31	Thyatira Batis, 62 ...	14	Ferrugina, 169.....	38
Stremiana, 136.....	31	Derasa, 62.....	14	Hamana, 169	38
Tetragonana, 137... 31		Timandra Emutaria,		Inopiana, 169	38
Trigeminana, 137... 31		115	26	Zegana, 168.....	38
Trimaculana, 136 ... 30		Imitaria, 115.....	26	Xerene Adustata, 98...	22
Ustulana, 137.....	31	Subatomaria, 241... 52		Albicillata, 97	22
Spilosoma Lubrice-		Variegata, 115	26	Plumbata, 98.....	22
peda, 26.....	7	Tinea Albipunctella, 225	49	Procellata, 98	22
Menthastri, 26	7	Cloacella, 225	49	Rubiginata, 98	22
Papyratia, 26	7	Destructor, 225.....	49	Xylina Conspicillaris, 46	11
Radiata, 239.....	52	Flavescenscella, 225..	49	Lambda, 47	11
Urticea, 26.....	7	Fuscipunctella, 224. 49		Petrificata, 47	11
Stauropus Fagi, 19 ... 5		Grancella, 225	49	Pulla, 47	11
Steganolophia Pru-		Lappella, 225	49	Putris, 47	11
nata, 94.....	21	Nigripunctella, 224. 49		Semibrunnea, 47 ... 11	
Steganoptycha Angu-		Parasitella, 226.....	49	Solidaginis, 240 ... 52	
lana, 141	32	Pellionella, 224.....	49	Xylophasia Combusta,	
Boeberana, 141	32	Semifulvella, 224 ... 49		48	11
Cinerana, 142	32	Sulphurella, 225 ... 49		Epomidion, 48	11
Cuspidana, 141.....	32	Tapetzella, 223.....	49	Hepatica, 48.....	11
Pavonana, 141	32	Vertianella, 224 ... 49		Lithoxylea, 47	11
Retusana, 142	32	Ustella, 224	49	Polyodon, 48.....	11
Rhombifasciana, 141	32	Tortrix Chlorana, 128..	29	Rectilinea, 49	12
Stictana, 142.....	32	Galiana, 129.....	29	Scolopacina, 48.....	11
Subuncana, 142 ... 32		Luteolana, 242.....	52	Sublustris, 48	11
Tetraquetra, 141. 31		Palleana, 129	29	Yponomeuta Cognatella,	
Triquetra, 141 ... 32		Viridana, 129	29	186	41
Unipunctana, 141... 32		Viburnana, 199.....	29	Evonymella, 186 ... 41	
Stilbia Anomalata, 75. 17		Trachea Atriplicis, 57. 13		Irrarella, 186	41
Strenia Clathrata, 111. 25		Trichiura Cratægi, 22. 6		Padella, 186	41
Synaphe Angustalis, 119	27	Triphæna Fimbria, 32. 8		Plumbella, 186.....	41
Telea Ambigua, 187 41		Innuba, 31.....	8	Rorella, 186	41
Cæsiella, 188	42	Interjecta, 32	8	Zeuzera Esculi, 17 ... 5	

THE END.

Fl.

8

8

8

8

23

23

23

13

25

25

25

25

25

25

15

15

15

15

38

38

38

38

22

22

22

22

611

11

11

11

11

11

11

12

11

11

41

41

41

41

41

5

